

NASA TECHNICAL
MEMORANDUM



NASA TM X-3069

NASA TM X-3069

COPYRIGHT
COPYRIGHT
COPYRIGHT

DEVELOPMENT OF
A COMPUTER PROGRAM TO OBTAIN ORDINATES
FOR NACA 6- AND 6A-SERIES AIRFOILS

by Charles L. Ladson and Cuyler W. Brooks, Jr.

Langley Research Center
Hampton, Va. 23665



NATIONAL AERONAUTICS AND SPACE ADMINISTRATION • WASHINGTON, D. C. • SEPTEMBER 1974

1. Report No. NASA TM X-3069	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle DEVELOPMENT OF A COMPUTER PROGRAM TO OBTAIN ORDINATES FOR NACA 6- AND 6A-SERIES AIRFOILS		5. Report Date September 1974	
		6. Performing Organization Code	
7. Author(s) Charles L. Ladson and Cuyler W. Brooks, Jr.		8. Performing Organization Report No. L-9558	
		10. Work Unit No. 501-06-05-07	
9. Performing Organization Name and Address NASA Langley Research Center Hampton, Va. 23665		11. Contract or Grant No.	
		13. Type of Report and Period Covered Technical Memorandum	
12. Sponsoring Agency Name and Address National Aeronautics and Space Administration Washington, D.C. 20546		14. Sponsoring Agency Code	
15. Supplementary Notes			
16. Abstract A computer program was developed to produce the ordinates for airfoils of any thickness, thickness distribution, or camber in the NACA 6- and 6A-series. For the 6-series and for all but the leading edge of the 6A-series, agreement between the ordinates obtained from the new program and previously published values is generally within 5×10^{-5} chord. Near the leading edge of the 6A-series airfoils, differences up to 3.5×10^{-4} chord are found.			
17. Key Words (Suggested by Author(s)) Airfoils Wings Rotorcraft		18. Distribution Statement Unclassified - Unlimited STAR Category 01	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 101	22. Price* \$ 4.50

* For sale by the National Technical Information Service, Springfield, Virginia 22151

DEVELOPMENT OF A COMPUTER PROGRAM TO OBTAIN ORDINATES
FOR NACA 6- AND 6A-SERIES AIRFOILS

By Charles L. Ladson and Cuyler W. Brooks, Jr.
Langley Research Center

SUMMARY

A computer program was developed to produce the ordinates for airfoils of any thickness, thickness distribution, or camber in the NACA 6- and 6A-series. For the 6-series and for all but the leading edge of the 6A-series, agreement between the ordinates obtained from the new program and previously published values is generally within 5×10^{-5} chord. Near the leading edge of the 6A-series airfoils, differences up to 3.5×10^{-4} chord are found. The program which is given in the appendix will also produce plots of the nondimensional airfoil ordinates and a punch card output of ordinates in the input format of a readily available program for determining the pressure distributions of arbitrary airfoils in subsonic potential viscous flow.

INTRODUCTION

The NACA 6-series airfoil sections were developed in the early 1940's, and discussions of the method of the derivations and the resulting ordinates have been published in references 1 and 2. As aircraft speeds increased, more attention was focused on the thinner airfoils of this series. However, difficulties were encountered in the structural design and fabrication of these thinner sections because of the very thin trailing edges. As a result, the NACA 6A-series airfoil sections were developed, and details of these have been published in reference 3. Essentially, the modification consisted of a near-constant slope from about the 80-percent chord station to the trailing edge and an increase in the trailing-edge thickness from zero to a finite value.

Recently, parametric theoretical studies have been made to investigate the use of these airfoil sections for both rotorcraft and conventional aircraft. The results of one investigation are presented in reference 4 and show advantages of an NACA 6-series cambered airfoil for use as a tail rotor on helicopters. It was tedious and expensive to make these studies because no method was available for calculating the desired ordinates rapidly and accurately. Because the 6-series airfoils do not have an analytic expression for the ordinates, use must be made of the ordinates published in references 1 to 3. Also, the ordinates are not linear with variations in thickness-chord ratio so that airfoils

obtained by linearly increasing or decreasing the ordinates of an originally derived shape will be approximate, as mentioned in reference 1. The published ordinates have been cross-plotted as a function of thickness and published in reference 5, but the values must be read off the graphs and only 26 longitudinal locations from nose to tail were available.

An attempt, using a derivative of the NACA 4-digit series, to provide a computer program for ordinates of the NACA 6-series airfoils was made in reference 6. However, as stated in the reference, the resulting accuracy of only 3.5×10^{-3} chord is not sufficient for many applications.

The purpose of this paper is to review the basic design procedure for the NACA 6-series airfoils and to describe a program which will generate sufficiently accurate ordinates for airfoils of any thickness, thickness distribution, or camber with an acceptable expenditure of computer time.

SYMBOLS

a	basic length, usually considered unity
A	mean-line designation, fraction of chord from leading edge over which design load is uniform
c	airfoil chord
C	airfoil chord on computer-generated plots
CLI	design section lift coefficient
x	distance along chord
X	distance along chord on computer-generated plots
y	airfoil ordinate normal to chord, positive above chord
Y	airfoil ordinate normal to chord on computer-generated plots
z	complex variable in circle plane
z'	complex variable in near-circle plane
δ	local inclination of camber line (or mean line)

ϵ	airfoil parameter, $\phi - \theta$
ξ	complex variable in airfoil plane
θ	angular coordinate of z'
ϕ	angular coordinate of z
ψ	airfoil parameter determining radial coordinate of z
ψ_0	average value of ψ , $\frac{1}{2\pi} \int_0^{2\pi} \psi d\phi$

Subscripts:

u	upper surface
l	lower surface
t	thickness
cam	cambered

ANALYSIS

Basic Airfoil Derivation

As described in references 1 and 2, the basic symmetrical NACA 6-series airfoils were developed by means of conformal transformations. The use of these transformations to relate the flow about an arbitrary airfoil to that of a near circle and then to a circle had been developed earlier and the results are presented in reference 7. The basic airfoil parameters ψ and ϵ are derived as a function of ϕ , where $\theta - \phi$ is defined as $-\epsilon$. Figure 1, taken from reference 1, shows the relationship between these variables in the complex plane. These parameters are used to compute both the airfoil ordinates and the potential flow velocity distribution around the airfoil. For the NACA 6-series airfoils, the shape of the velocity distribution and the longitudinal location of maximum velocity (or minimum pressure) were prescribed. The airfoil parameters ψ and ϵ which give the desired velocity distribution were obtained through an iterative process. Then the airfoil ordinates could be calculated from these parameters by use of the equations presented in references 1 and 7. Thus, for each prescribed velocity distribution, a set of basic airfoil parameters is obtained. However, as stated in reference 1,

it is possible to define a set of basic parameters ψ and ϵ which could be multiplied by a constant factor to obtain airfoils of various thickness-chord ratios while maintaining the minimum pressure at the same chordwise location. Thus, for each NACA 6-series airfoil family (i.e., 63-, 64-, or 65-series) there is one basic set of ψ and ϵ values.

Calculation of Symmetrical Airfoils

There is a unique curve of ψ and ϵ as a function of ϕ for each NACA 6-series airfoil family. This curve can be scaled by a constant factor to provide airfoils of different thickness within this family. A computer program could therefore be developed to calculate the airfoil ordinates for given values of ψ and ϵ . Although the values of these basic airfoil parameters were not published, tabulated values existed in files or could be computed by the method of reference 7 from published airfoil ordinates. For the 6-series airfoils, values of ψ and ϵ were available for 21 values of ϕ , and 26 values were available for the 6A-series airfoils. To provide more values of ψ and ϵ for storage in a computer subroutine, a fit to the original values was made with an existing parametric linked cubic spline-fit program and nine additional values were obtained between each of the original values. This process was carried out for each airfoil series, and the results were stored in the computer program as two subroutines for each airfoil family.

To calculate the ordinates for an arbitrary airfoil, the program first determines which airfoil series is desired and calls for the subroutine for this series. The airfoil represented by the stored values of ψ and ϵ is calculated and its maximum thickness-chord ratio is determined. The ratio of the desired value to that obtained in this determination is calculated. Then, ψ and ϵ are multiplied by this ratio to arrive at a new airfoil thickness-chord ratio. The iteration is repeated until the computed thickness-chord ratio is within 0.01 percent of the desired value, or until 10 iterations have been performed. Usually convergence occurs within four iterations. After the iterative process has converged within the limit established, any residual difference between the computed thickness-chord ratio and that desired is eliminated by linearly scaling the y ordinate and its first and second derivatives by the appropriate scale factor. The first and second derivatives of the airfoil ordinates as a function of chord are computed by a subroutine labeled "DIF" in the program. Although these ordinates and slopes are calculated at more than 200 internally controlled chord stations, a subroutine is used to interpolate between these points (by use of a vertical axis parabolic curve fit labeled "FTLUP") so that the output will be in specified increments of chord stations. As the leading edge is approached, the increments become smaller. As programmed, ordinates are printed at increments of 0.00025c from the leading edge to $x/c = 0.01250$, at increments of 0.0025c from $x/c = 0.01250$ to 0.1000, and at increments of 0.01c from $x/c = 0.1000$ to the trailing edge.

Calculation of the Leading-Edge Radius

The values of leading-edge radius of these airfoils, published in references 1 to 3, were initially determined by plotting the ordinates to a large scale and fairing in the best circle fit by hand. Values of the tangency point between the circle and airfoil surface obtained in this manner were not published. To provide smooth analytic ordinates around the leading edge for the computer program, a tilted ellipse has been used. This tilted ellipse is described by the basic ellipse function plus an additive term, linear in x , which vanished at the origin, and thus has three arbitrary constants. The resulting fit to the airfoil ordinates is exact for the ordinate itself and the first derivative, and quite close for the second derivative, though examination of the second derivative in the region of tangency generally reveals a small discrepancy. The ellipse is defined so that it has the same ordinate and slope as the airfoil surface at the eleventh tabulated value of ϕ in the airfoil parameter subroutine. (The eleventh stored point is actually the second point of the original tabulated values.) This tangency point is usually located at about the 0.005 chord station but varies with airfoil thickness and series. By use of this method a smooth transition between airfoil and ellipse is produced, the tangency point is known, and there is a continuous variation of leading-edge shape with thickness-chord ratio. The nondimensional radius of curvature of the ellipse at the airfoil origin is also calculated in the program and its value is in close agreement with the published values of the leading-edge radius for known airfoils.

Calculation of Cambered Airfoils

To calculate ordinates for a cambered airfoil, the desired mean line is first computed and then the ordinates of the symmetrical airfoil are measured normal to the mean line at the same chord station. This procedure leads to a set of parametric equations, where $(y/c)_t$, $(y/c)_{cam}$, and δ are all functions of the original independent variable x/c . The ordinates on the cambered airfoil, $(x/c)_{cam}$ and $(y/c)_{cam}$, are given by

$$(x/c)_{cam} = (x/c) - (y/c)_t \sin \delta$$

$$(y/c)_{cam} = (y/c)_{cam} + (y/c)_t \cos \delta$$

where δ is the local inclination of the camber line and $(y/c)_t$ is assumed to be negative to obtain the lower surface ordinates. This procedure is also described in reference 1.

The local slopes of the cambered airfoil can be shown to be

$$\left(\frac{dy}{dx}\right)_u = \frac{\tan \delta \sec \delta + \left(\frac{dy}{dx}\right)_t - \left(\frac{y}{c}\right)_t \left(\frac{d\delta}{dx}\right) \tan \delta}{\sec \delta - \left(\frac{dy}{dx}\right)_t \tan \delta - \left(\frac{y}{c}\right)_t \left(\frac{d\delta}{dx}\right)}$$

and

$$\left(\frac{dy}{dx}\right)_1 = \frac{\tan \delta \sec \delta - \left(\frac{dy}{dx}\right)_t + \left(\frac{y}{c}\right)_t \left(\frac{d\delta}{dx}\right) \tan \delta}{\sec \delta + \left(\frac{dy}{dx}\right)_t \tan \delta + \left(\frac{y}{c}\right)_t \left(\frac{d\delta}{dx}\right)}$$

by parametric differentiation of $(x/c)_{cam}$ and $(y/c)_{cam}$ with respect to the original x/c and use of the relationship

$$\left(\frac{dy}{dx}\right)_{cam} = \left(\frac{d(y/c)_{cam}}{d(x/c)}\right) \Bigg/ \left(\frac{d(x/c)_{cam}}{d(x/c)}\right)$$

The mean line for all cambered airfoils of the NACA 6-series is the single analytic expression presented in reference 1 and is a function of the design lift coefficient and type of loading desired. The calculation of these camber lines has been included in the program so that any desired combination of airfoil family, thickness-chord ratio, design lift coefficient, and type of loading may be obtained. The design lift coefficient and type of loading desired are input variables. The $A = 0.8$ modified mean line which is used with the NACA 6A-series airfoils (see ref. 3) has also been incorporated. As the reference indicates, this mean line loading should always be used with the 6A-series.

The standard mean line loadings for the 6-series airfoils consist of loading uniform over the entire chord ($A = 1.0$), or a uniform loading to a given chord station followed by a value decreasing linearly to zero at the trailing edge. By combining two or more types of loading, many different types of mean lines can be obtained. For example, reference 8 presents data for airfoils which combine two mean lines to give zero loading to the 60-percent chord station followed by a linearly increasing load to the trailing edge. This procedure produces the so-called S-type mean line, having negative camber forward and positive camber aft. Other references have combined up to four mean lines to produce desired types of loadings. The program presented herein can combine up to 10 different mean line combinations if desired.

RESULTS AND DISCUSSION

Program Capabilities

The program which has been developed from the analysis described is presented in the appendix. The output of the program consists of tabulated ordinates, computer-generated plots of nondimensional ordinates, and punched card listings of the ordinates. The punched cards are in the format of the input of the program described in reference 9 so that pressure distributions over the generated shape may be readily obtained. To show graphically the capabilities of the program, sample computer plots are presented

in figures 2 to 9. The subscript designations of the lift-coefficient range of minimum drag for these airfoils, as described in references 1 to 3, have been deleted in the computer plots and tables. Figure 2 illustrates the possibility of changing the thickness-chord ratio for a fixed series. Figures 3 and 4 show the series variations within the NACA 6 and 6A families of airfoils, respectively. The variations in design lift coefficient with a constant mean line loading and the variations of mean line loading for a constant design lift coefficient are shown in figures 5 and 6, respectively. By combining more than one mean line for a given airfoil, the variations illustrated in figure 7 may be obtained. If a thickness-chord ratio of 0.0 is specified, the shape of the mean line or combination of mean lines is calculated. The results of this procedure are shown in figures 8 and 9. Note that the mean lines of figure 9 are those for the airfoils of figure 7.

Sample Output Tabulations

Sample computed ordinates for both a symmetric and a cambered airfoil are presented in tables I and II, respectively. Printed at the top of the first page for each table is the airfoil designation and a listing of the input variables. There follows a summary of parameters such as the longitudinal location of maximum thickness (the point when the slope changes sign), the values of the location of the nose ellipse fit and its radius-chord ratio at the origin, and the number of iterations and scaling factor used to determine the airfoil from its basic parameters. Both nondimensional and dimensional ordinates are listed. The dimensional quantities have the same units as the input value of the chord. First and second derivatives of the surface slope are also presented for the symmetric airfoils, but only first derivatives are tabulated for the cambered airfoils.

Accuracy of Results

About 25 cases, including several from each airfoil family, were computed for thickness-chord ratios from 0.06 to 0.15 and the results were compared with the values published in references 1 to 3. For the NACA 6-series airfoils the agreement was generally within 5×10^{-5} chord. The NACA 6A-series airfoils show differences of as much as 3.5×10^{-4} chord near the leading edge, but from about $x/c = 0.10$ to $x/c = 0.95$ the accuracy is about the same as for the 6-series. A plot showing a comparison of the present method with published ordinates for the first 0.05 chord of an NACA 64A-015 airfoil is shown in figure 10. This is the case of poorest agreement found in the comparisons made. The equations for the airfoil geometry dictate that the trailing-edge thickness be zero; however, the 6A-series have a finite trailing-edge thickness. The best result for these airfoils can be obtained by using the ordinate and slope at $x/c = 0.95$ and extrapolating to the trailing edge.

Card Input Format

The input to the program is in a card format as follows:

CARD 1 – Tabulated data title card. Any designation may be used in columns 2 to 80.

CARD 2 – Airfoil and camber line series designations are as follows:

NACA airfoil family	Card designation*	Columns
63-series	63	9, 10
64-series	64	
65-series	65	
66-series	66	
67-series	67	
63A-series	63A	8, 9, 10
64A-series	64A	
65A-series	65A	

Camber line	Card designation*	Columns
NACA 6-series	63 64 65 66	19, 20
NACA 6A-series	63A 64A 65A	18, 19, 20

*These are Hollerith cards; designations must be in exact columns.

CARD 3 – Airfoil parameter card. (Note that cards 3 to 6 are in floating point mode. Numbers are entered with a decimal point.)

Description	Variable	Columns
Thickness-chord ratio of airfoil (i.e., 0.120)	TOC	1-10
Published leading-edge radius may be entered if desired (not used in program)	LER	11-20
Model chord used for listing ordi- nates in dimensional units	CHD	21-30
Design lift coefficient (i.e., 0.20); set to 0.0 for a symmetrical airfoil	CLI	31-40
Mean line chordwise loading (use 0.8 for 6A-series airfoils)	A	41-50
Number of mean lines to be summed (if only one, leave blank or insert 1.0)	CMBNMR	51-60

CARDS 4, 5, and 6 – Up to nine additional mean lines may be summed on these cards.
These cards are not necessary for only one mean line.

Description	Variable	Columns
Design lift for second mean line	CLI	1-10
Loading for second mean line	A	11-20
Design lift for third mean line	CLI	21-30
Loading for third mean line	A	31-40
Design lift for fourth mean line	CLI	41-50
Loading for fourth mean line	A	51-60
Design lift for fifth mean line	CLI	61-70
Loading for fifth mean line	A	71-80

CARD 7 – Title card for plot of airfoil ordinate. Any designation may be used in columns 1 to 80.

CONCLUDING REMARKS

A computer program has been developed to calculate rapidly the ordinates for airfoils of any thickness, thickness distribution, or camber in the NACA 6- and 6A-series. The program is included as an appendix to this report. Comparisons of the computer-generated ordinates with previously published ordinates for the same airfoil show that the agreement is generally within 5×10^{-5} chord. Exceptions were noted for the leading-edge region of the 6A-series airfoils, where differences of as much as 3.5×10^{-4} chord occurred. The program will also produce plots of the airfoil nondimensional ordinates and a punch card output of ordinates in the input format of a readily available program for determining the pressure distributions of arbitrary airfoils in subsonic potential viscous flow.

Langley Research Center,
National Aeronautics and Space Administration,
Hampton, Va., June 25, 1974.

APPENDIX

COMPUTER PROGRAM FOR ORDINATES OF NACA 6- AND 6A-SERIES AIRFOILS

The program presented herein is written in the Langley Research Center version of FORTRAN IV and has been used on the Control Data series 6000 computer systems. The computational program, the basic airfoil parameter subroutine, and the plotting routine are presented. In the airfoil program, two subroutines (FTLUP and DIF) are used. The first subroutine is used to interpolate between a series of consecutive points using a parabolic curve fit, and the second subroutine is used to define the slope at a given point in a consecutive series of points. Any standard subroutines which have these capabilities can be substituted for those used herein. Also, several unlisted subroutines are used in the plotting routine, which is presented as a guide for users. The program requires about 73000₈ storage locations and takes about 20 seconds to compile. Each case takes approximately 12 seconds to execute on the Control Data 6400 computer system.

```

PROGRAM LADSON(INPUT,OUTPUT,TAPES=INPUT,TAPE6=OUTPUT,PUNCH)
DIMENSION XU(200), XL(200), YU(200), YL(200)
COMMUN /MAIN/, YSTART(3), CHD, KON, TITLE1(8)
DIMENSION XA(32), XAJ(32), YAU(32), XAL(32), YAL(32), NAME(8)
DIMENSION XT(201), YT(201), YTP(201), YTPP(201), PHI(201), EPS(201)
        PSI(201)
DIMENSION CLI(10), A(10), TANTH(10), YCMB(10), TANTH(10), YCP2(10
1), IF0XA(10)
        INITI JER SERIEC, SERIEC
COSH(X)=0.*EXP(X)+EXP(-X)
SINH(X)=0.5*(EXP(X)-EXP(-X))
E=0.1#*10
PI=3.141592654
YSTART(1)=1.0
YSTART(2)=4.0
YSTART(3)=7.0
KON=0
DX=0.01
DO 20 I=1,10
IF0XA(I)=0
CONTINUE
C INPUT PARAMETERS NORMALIZED BY THE CHORD (CHD)
C TOC - T/C, THICKNESS, RLE - LEADING EDGE RADIUS, XM - X(YMAX)/CHOR
C DX - INTERVAL/CHOR, CHD - CHOR IN DESIRED UNITS
C SET JP PLOTTING ROUTINE
C CALL PSEUDO
CALL LERJY
C READ LOCATIONS FOR PUNCHED OUTPUT
READ (5,430) N,(XAI), I=1,N
C READ SPECIFICATIONS FOR PROFILE
30 READ (2,440) NAME,SERIEC,TOC,RLE,CHD,CLI(1),A(1),CMBNMR
ICKY=CMBNMR
IF (ICKY.LT.1) ICKY=1
IF (ENDFILE 5) 40,50
      END PLOTTING AFTER LAST CASE
40 CALL CALPLT (0,0,999)
STOP
50 CONTINUE
C READ ADDITIONAL ADDITIVE CAMBERLINES
      IF (ICKY.GT.1) READ (5,450) (CLI(J),A(J),J=2,ICKY)
ICKY=ICKY+1
DO 60 J=ICKYP,10

```

APPENDIX

```

000154      CL1(J)=0.0
000155      A(J)=CL1(J)
000157      60  CONTINUE
000160      KON=KUN+1
000162      FRAC=1.0
C           PRINT INPUTS
000163      PRINT 500, NAME
000171      PRINT 460, TDC,RLE,CHD,(CL1(J),J=1,ICKY)
000212      PRINT 470, (A(J),J=1,ICKY)
C           COLUMN HEADING FORMATS
C           SLOPE OF CAMBERLINE AT ORIGIN, TANTHO
000225      L=0
CL1S=CL1(1)
AS=A(1)
000226      70  L=L+1
000227      A(1)=A(L)
000231      CL1(1)=CL1(L)
000233      X=0.0
000234      Y=0.0
000236      XC=0.0
000237      YC=0.0
000240      XU(1)=0.3
000241      XU(L)=0.0
000242      YU(1)=0.0
000243      XL(1)=0.0
000244      YL(1)=0.0
000245      XUC=0.0
000246      YUC=0.0
000247      XLG=0.0
000250      YLG=0.0
000251      XAU(1)=0.0
000252      YAU(1)=0.0
000253      XAL(1)=0.0
000254      YAL(1)=0.0
000255      K=2
000256      U=0.005
000260      V=-(A-U)/ABS(A-U)
000265      OMXL=(1.-U)*ALOG(1.-U)
000274      AMXL=(A-U)*ALOG(ABS(A-U))
000303      OMXL1=-ALOG(1.-U)-1.
000310      AMXL1=-ALOG(ABS(A-U))+V
000317      OMXL2=1./(1.-U)
000321      AMXL2=-V/ABS(A-U)
IF (A.LT.E.OR.ABS(1.-A).LT.E) GO TO 80

```

APPENDIX

```

000336          G=-{ A*A*( .5*ALOG(A)-0.25)+0.25)/(1.-A)      A 850
000346          Q=1.0                                         A 860
000350          H=(0.5*(1.-A)**2*ALOG((1.-A)-0.25*(1.-A)**2)/(1.-A)+G A 870
000352          L=.5*(A-U)*AMXL-.5*(1.-U)*OMXL-.25*(A-U)**2+25*(1.-U)**2 A 880
000362          Z1=.5*(A-U)*AMXL1-AMXL-(1.-U)*OMXL1+OMXL+(A-U)-(1.-U) A 890
000377          L2=.5*(A-U)*AMXL2-AMXL1-.5*(1.-U)*OMXL2+OMXL1 A 900
000414          9000000
000427          9100000
000427          C CONTINUE
000427          IF (A.LT.E) GO TO 90
000432          IF (ABS(A-1.)LT.E) GO TO 100
000436          H=-.5
000437          Q=1.0
000441          Z1=U*ALOG(U)-.5*U-.5*(1.-U)*OMXL1+.5*OMXL-.5
000453          GO TO 110
000454          100 H=J.0
000455          Q=H
000456          Q=H
000460          L1=-OMXL1
000460          GO TO 110
000461          110 TANTHO(L)=CL1*(Z1/(1.-Q*A))-1.*ALOG(U)-H)/PI/(A+1.)/2.0
000500          IF (ICKY.GT.1.AND.L.LT.ICKY) GO TO 70
000510          IF (ICKY.EQ.1) GO TO 130
000511          DO 120 J=2,ICKY
000512          120 TANTHO(1)=TANTHO(1)+TANTHO(J)
000516          130 C CONTINUE
000516          C SLOPE JF PROFILE AT ORIGIN, UPPER AND LOWER
000516          YP=10.*#*10
000520          YPP=10.*#*10
000522          YUP=-1/TANTHO
000524          YLP=-1/TANTHO
000526          FIRST STATION AFT OF ORIGIN ON UNCAMBERED PROFILE
000527          I=1
000527          X=.30025
000531          C START LOOP FOR X INCREMENT
000531          C 140 C CONTINUE
000531          C SKIP THICKNESS COMPUTATION AFTER FIRST PASS
000531          C IF (I.GT.1) GO TO 240
000531          C SELECT SERIES
000535          63) CALL PHEP63 (PHI, EPS)
000541          64) CALL PHEP64 (PHI, EPS)
000545          65) CALL PHEP65 (PHI, EPS)
000551          66) CALL PHEP66 (PHI, EPS)
000555          67) CALL PHEP67 (PHI, EPS)
000561          63) CALL PHP63 (PHI, PSI)
000565          64) CALL PHP64 (PHI, PSI)

```

APPENDIX

APPENDIX

```

000571 IF (SERIET.EQ.10H      65) CALL PHP$65 (PHI,PSI)
000575 IF (SERIET.EQ.10H      66) CALL PHP$66 (PHI,PSI)
000601 IF (SERIET.EQ.10H      67) CALL PHP$67 (PHI,PSI)
000605 IF (SERIET.EQ.10H      63A) CALL PHEP63A (PHI,EPS)
000611 IF (SERIET.EQ.10H      64A) CALL PHEP64A (PHI,EPS)
000615 IF (SERIET.EQ.10H      65A) CALL PHEP65A (PHI,EPS)
000621 IF (SERIET.EQ.10H      63A) CALL PHP$63A (PHI,PSI)
000625 IF (SERIET.EQ.10H      64A) CALL PHP$64A (PHI,PSI)
000631 IF (SERIET.EQ.10H      65A) CALL PHP$65A (PHI,PSI)
000635 RAT=1.0
000636 IT=0
000637 ACRAT=1.0
C   150    LOOP START FOR THICKNESS ITERATION
        CONTINUE
000641 IT=IT+1
000643 PRINT 510, IT,RAT
ACRAT=ACRAT*RAT
000652 YMAX=0.0
000654 YMAX=0.0
000655 DO 160 J=1,201
000656 XT(J)=-2.0*COSH(PSI(J)*ACRAT)*COS(PHI(J)-EPS(J)*ACRAT)
000672 YT(J)=2.0*SINH(PSI(J)*ACRAT)*SIN(PHI(J)-EPS(J)*ACRAT)
000706 IF (YT(J).GT.YMAX) YMAX=XT(J)
000713 IF (YT(J).GT.YMAX) YMAX=YT(J)
000717 150  CONTINUE
        XT=1.0
000721 DO 170 J=2,201
000723 YTP(J)=DIF(J,5,201,XT,YT)
000724 IF (J.LT.3) GO TO 170
000731 IF (YTP(J).LT.0.0.AND.YTP(J-1).GT.0.0) XTP=XTP(J-1)+YTP(J-1)*(XT(J)
000733 1-XT(J-1))/(YTP(J-1)-YTP(J))
000752 170  CONTINUE
        YTP(1)=10.*##6
000754 CALL FITLUP (XTP,YM,2,201,XT,YT)
000756 DO 180 J=2,201
000762 YTP(J)=DIF(J,5,201,XT,YTP)
000764 180  CONTINUE
        YTP(1)=10.*##6
000771 X0=XT(1)
000773 XL=XT(201)
000775 TR=2.*YM/(XL-X0)
000776 IF (TUG.LE.0) GO TO 190
001000 TEST THICKNESS
001003 RAT=TUC/TR
001006

```

```

001037      IF (ABS(RAT-1.0) .GT.0.0001.AND.IT.LE.10) GO TO 150
001024      SF=RAT
001025      IF (TUC.LT.E) SF=0.0
001031      IF (I.GT.1) GO TO 210
001035      DO 200 J=1,201
001056      C           XT(J)=(XT(J)-X0)/(XL-X0)
001056      C           SCALE LINEARLY TO EXACT THICKNESS
001041      Y1(J)=SF*YT(J)/(XL-X0)
001045      YTP(J)=SF*YTP(J)
001046      YTPP(J)=SF*YTPP(J)*(XL-X0)
001051      200 CONTINUE
001053      210 CONTINUE
001053      XTP=(XTP-X0)/(XL-X0)
001056      YMAX=YMAX*SF/(XL-X0)
001061      YM=YM*SF/(XL-X0)
001063      XYM=(XYM-X0)/(XL-X0)
001066      XL(1)=0.0
001066      C           IF (TGC.LE.E) GO TO 230
001071      C           FIT TILTED ELLIPSE AT ELEVENTH PROFILE POINT
001076      CN=2.*YTP(11)-YT(11)/XT(11)+0.1
001105      AN=XT(11)*(YTP(11)*XT(11)-YT(11))/(XT(11)*(2.*YTP(11)-CN)-YT(11))
001117      BN=SQR((YT(11)-CN*XT(11))*2/(1.-(XT(11)-AN)**2/AN**2))
001120      DO 220 J=1,10
001120      YT(J)=BN*SQRT(1.-(XT(J)-AN)**2/AN**2)+CN*XT(J)
001134      IF (XT(J).LE.E) GO TO 220
001137      YTP(J)=BN**2*(AN-XI(J))/AN**2/(YT(J)-CN*XT(J))+CN
001153      YTPP(J)=-BN**4/AN**2/(YT(J)-CN*XT(J))**3
001162      220 CONTINUE
001164      RNP=BN**2/AN
001166      C           IF (I.EQ.1) PRINT 520, XYM, YMAX, XT(11), YT(11), YTP(11), RNP, R
001166      LAT,ACRAT,IT
001222      250 CONTINUE
001222      X=0.0
001223      ALI=ABS(CL1(1))
001223      C           PRINT UNCAMBERED COLUMN HEADINGS AND ORIGIN POINT
001225      IF (ALI.LE.E.AND.ICKY.EQ.1) PRINT 480
001242      IF (ALI.LE.E.AND.ICKY.EQ.1) PRINT 550, X,Y,YPP,XC,YC
001273      C           PRINT CAMBERED COLUMN HEADINGS AND ORIGIN POINT
001311      IF (ALI.GT.E.OR.ICKY.GT.1) PRINT 490
001311      IF (ALI.GT.E.OR.ICKY.GT.1) PRINT 540, X,XU(I),YU(I),XUC,YUC,YUP,XL
001355      I(1),YL(I),XLC,YLC,YLP
001355      X=0.0025
001356      XL(1)=J.0

```

APPENDIX

```

001360      240 CONTINUE
C           INTERPOLATE FOR THICKNESS AND DERIVATIVES AT DESIRED VALUES OF X
001360          CALL FTFLUP (X,Y,2,201,XT,YT)
001364          CALL FTFLUP (X,YP,2,201,XT,YTP)
001370          CALL FTFLUP (X,YPP,2,201,XT,YTPP)
C           COMPUTE CAMBERLINE
001374          L=0
001375          A(1)=AS
001376          CLI(1)=CLIS
001400          250   L=L+1
001402          A(1)=A(L)
001403          CLI(1)=CLI(L)
001405          XC=X*CHD
001407          YC=Y*CHD
001410          XLL=X*ALOG(X)
001413          Q=1.0
001415          IF (ABS(1.-A).LT.E.AND.ABS(1.-X).LT.E) GO TO 300
001430          IF (A.LT.E.AND.(1.-X).LT.E) GO TO 310
001441          IF (ABS(A-X).LT.E) GO TO 260
001445          IF (ABS(1.-X).LT.E) GO TO 280
001450          IF (ABS(A-1.).LT.E) GO TO 290
001454          V=-(A-X)/ABS(A-X)
001461          OMXL=(1.-X)*ALOG(1.-X)
001467          AMXL=(A-X)*ALOG(ABS(A-X))
001476          OMXL1=-ALOG(1.-X)-1.
001503          AMXL1=-ALOG(ABS(A-X))-1.
001512          OMXL2=1./(1.-X)
001514          AMXL2=1./(A-X)
001520          Z=.5*(A-X)*AMXL-.5*(1.-X)*OMXL-.25*(A-X)**2+.25*(1.-X)**2
001534          Z1=.5*( (A-X)*AMXL1-AMXL-(1.-X)*OMXL+(A-X)-(1.-X) )
001551          Z2=.5*(A-X)*AMXL2-AMXL1-.5*(1.-X)*OMXL2+OMXL1
001563          IF (A.LE.E) GO TO 270
001566          G=-(A*X*(.5*ALOG(A)-0.25)+0.25)/(1.-A)
001577          H=(0.5*(1.-A)*2*ALOG(1.-A)-0.25*(1.-A)**2)/(1.-A)+G
001611          GU TO 320
001612          L=-.5*((1.-X)*2*ALOG(1.-X)+0.25*(1.-X)**2)
001622          Z1=-.5*((1.-X)*(-ALUG(1.-X)-1.))+.5*((1.-X)*ALOG(1.-X)-.5*(1.-X))
001637          Z2=-ALUG(1.-X)-0.5
001644          G=-(A**2*(.5*ALOG(A)-0.25)+0.25)/(1.-A)
001655          H=(0.5*(1.-A)**2*ALOG(1.-A)-0.25*(1.-A)**2)/(1.-A)+G
001667          GU TO 320
001670          270   G=-.25
001671          H=-.5

```

APPENDIX

```

001673      GU TU 320
001674      CONTINUE
001674      G=-(A**2*(.5*ALUG(A)-0.25)+0.25)/(1.-A)
001705      H=(0.5*(1.-A)**2*ALOG(1.-A)-0.25*(1.-A)**2)/(1.-A)+G
001717      L=.5*(A-1.)***2*ALOG(ABS(A-1.))-0.25*(A-1.)***2
001731      Z1=-(A-1.)*ALUG(ABS(A-1.))
001741      Z2=-10.***10
001744      GO TU 320
001744      G=0.0
001745      H=G
001746      Q=G
001747      Z=-(1.-X)*ALUG(1.-X)
001756      Z1=ALUG(1.-X)+1.
001763      Z2=-1./(1.-X)
001766      GU TU 320
300      G=0.0
001766      H=G
001767      Q=G
001770      Z=0.0
001771      Z1=-10.***10
001772      Z2=-10.***10
001775      GU TU 320
001777      310      G=-.25
001777      H=-.5
001771      Q=1.0
002000      Z=-.25
002000      Z1=0.0
002000      Z2=-10.***10
002011      GU TU 320
002003      YCM8(L)=CLI*(Z/(1.-Q*A)-XLL+G-H*X)/PI/(A+1.)/2.0
002004      XSV=X
002004      320      YCM8(L)=CLI*(Z/(1.-Q*A)-XLL+G-H*X)/PI/(A+1.)/2.0
002005      XSV=X
002005      IF (X.LT.0.005) X=0.005
002006      TANH(L)=CLI*(Z1/(1.-Q*A)-1.- ALOG(X)-H)/PI/(A+1.)/2.0
002011      X=XSV
002034      A2880      28800000
002053      A2890      28900000
002053      X=XSV
002054      A2900      29000000
002054      IF (IF6XA(L).EQ.1.) TANH(L)=-5.0
002061      A2910      29100000
002065      A2920      29200000
002065      IF (X.GT.0.005) GO TO 330
002066      A2930      29300000
002066      YCP2(L)=0.0
002066      GO TU 320
330      CONTINUE
002066      IF (ABS(1.-X).GT.E) GO TC 340
002074      YCP2(L)=1./E
002075      GU TU 350
002076      PIA=PI*(A+1.)*2.
002076      340

```

APPENDIX

A2570	25700000
A2580	25800000
A2590	25900000
A2600	26000000
A2610	26100000
A2620	26200000
A2630	26300000
A2640	26400000
A2650	26500000
A2660	26600000
A2670	26700000
A2680	26800000
A2690	26900000
A2700	27000000
A2710	27100000
A2720	27200000
A2730	27300000
A2740	27400000
A2750	27500000
A2760	27600000
A2770	27700000
A2780	27800000
A2790	27900000
A2800	28000000
A2810	28100000
A2820	28200000
A2830	28300000
A2840	28400000
A2850	28500000
A2860	28600000
A2870	28700000

APPENDIX

```

002101      YCP2(L)=CLI*(Z2/(1.-Q*A)-1./X)/PIA
002112      350 CONTINUE
002112      C   MODIFIED CAMBERLINE OPTION
002112      IF (SERIEC.EQ.1)H 63A.OR.SERIEC.EQ.10H    64A.OR.SERIEC.E
002112      1Q.10H 65A) GO TO 360
002125      GO TU 380
002126      360 YCMB(L)=YCMB(L)*0.97948
002130      TANTH(L)=TANTH(L)*0.97948
002132      YCP2(L)=YCP2(L)*0.97948
002134      IF(ABS(A-.8)*LT.E.OR.CLI.LT.E) GO TO 370
002146      PRINT 530
002151      READ (2,500) NPWIPE
002157      IF (KUN.EQ.3) KUN=0
002162      IF(KUN.EQ.0) CALL NFRAME
002164      GO TO 30
002165      370 CONTINUE
002165      IF (TANTH(L).LE.-.24521*CLI) YCMB(L)=0.*24521*CLI*(1.-X)
002175      IF (TANTH(L).LE.-.24521*CLI) YCP2(L)=0.0
002203      IF (TANTH(L).LE.-.24521*CLI) TANTH(L)=-0.24521*CLI
002211      IF (TANTH(L).LE.-.24521*CLI) IF6XA(L)=1
002217      380 CONTINUE
002217      IF (ICKY.GT.1.AND.LLT.ICKY) GO TO 250
002227      IF (ICKY.EQ.1) GO TO 400
002230      DO 390 J=2,ICKY
002231      YCMB(1)=YCMB(1)+YCMB(J)
002233      TANTH(1)=TANTH(1)+TANTH(J)
002235      YCP2(1)=YCP2(1)+YCP2(J)
002237      390 CONTINUE
002241      400 CONTINUE
002241      F=SQRT(1.+TANTH**2)
002245      THP=YCP2/F**2
002247      SINTH=TANTH/F
002251      COSTH=1./F
002253      C   CAMBERLINE AND DERIVATIVES COMPUTED
002253      I=I+1
002255      C   COMBINE THICKNESS DISTRIBUTUTION AND CAMBERLINE
002255      XU(I)=X-Y*SINTH
002260      YU(I)=YCMB+Y*COSTH
002263      XL(I)=X+Y*SINTH
002266      YL(I)=YCMB-Y*COSTH
002266      C   SELECT VALUES FOR PUNCHED OUTPUT
002271      IF (ABS(X-XA(K)).GT..1**6) GO TO 410
002300      XAU(K)=XU(I)

```

```

002302      YAU(K)=YU(I)
002303      XAL(K)=XL(I)
002305      YAL(K)=YL(I)
002306      K=K+1
002310      410 CONTINUE
C           MULTIPLY BY CHORD
002310      XC=XU(I)*CHD
002312      YC=YU(I)*CHD
002314      XLG=XL(I)*CHD
002315      YLG=YL(I)*CHD
002317      IF (ALI.LE.E.AND.ICKY.EQ.1) GO TO 420
C           FIND LOCAL SLOPE OF CAMBERED PROFILE
002331      YUP=(TANTH*F+YP-TANTH*Y*THP)/(F-YP*TANTH-Y*THP)
002342      YLP=(TANTH*F+YP+TANTH*Y*THP)/(F+YP*TANTH+Y*THP)
002354      IF (TUC.LT.E) GU TO 420
002357      420 CONTINUE
C           FIND X INCREMENT
002357      IF (X.LE.0.0975) FRAC=0.25
002364      IF (X.LE.0.01225) FRAC=0.025
C           PRINT PROFILE IN APPROPRIATE FORMAT
002371      IF (ALI.GT.E.OR.ICKY.GT.1) PRINT 540, X,XU(I),YU(I),XUC,YUC,YUP,XL
1(I),YL(I),XLC,YLC,YLP
002435      IF (ALI.LE.E.AND.ICKY.EQ.1) PRINT 550, X,Y,YP,YPP,XC,YC
C           INCREMENT X AND RETURN TO START OF X LOOP
002460      X=X+FRAC*DX
002471      FRAC=1.0
002472      IF (X.LE.1.0) GU TO 140
C           PLOT AIRFOIL PROFILE
002474      CALL PLOT (XU,XL,YU,YL,I)
C           SELECTED OUTPUT
002503      PUNCH 560, TITLEI,(XAU(J),J=1,32)
*   ,(YAU(J),J=1,32)
*   ,(XAL(J),J=1,32)
*   ,(YAL(J),J=1,32)
C           RETURN TO READ FOR NEXT CASE
002536      GU TO 30
C           FORMAT (13/(8F10.0))
002537      430 FORMAT (3A10/2A10/6F10.0)
002537      440 FORMAT (3F10.0)
002537      450 FORMAT (5H0TJC=,F10.6,5H RLE=,F10.6,5H CHD=,F10.6/5H CLI=,10F10.6)
002537      460 FORMAT (5H A=,10F10.6/)
002537      470 FORMAT (9X,3HX/C,1UX,3HY/C,3X,5HDY/DX,6X,7HD2Y/DX2,22X,1HX,12X,1HY
A3420      34300000
A3430      34400000
A3440      34500000
A3450      34600000
A3460      34700000
A3470      34800000
A3480      34900000
A3490      35000000
A3500      35100000
A3510      35200000
A3520      35300000
A3530      35400000
A3540      35500000
A3550      35600000
A3560      35700000
A3570      35800000
A3580      35900000
A3590      36000000
A3600      36100000
A3610      36200000
A3620      36300000
A3630      36400000
A3640      36500000
A3650      36600000
A3660      36700000
A3670      36800000
A3680      36900000
A3690      37000000
A3700      37100000
A3710      37200000
A3720      37300000
A3730      37400000
A3740      37500000
A3750      37600000
A3760      37700000
A3770      37800000
A3780      37900000
A3790      38000000
A3800      38100000
A3820      38200000
A3830      38300000
A3840      38400000
A3850      38500000

```

APPENDIX

APPENDIX

```

1/
002537    490 FORMAT (11oHOUNCAMBERED
1E5
23HX/C11X,4HXU/C,7X,4HYU/C,8X,2HXU,9X,2HYU,6X,7HDYU/DXU,12X,4HXL/C,
37X,4HYL/C,8X,2HXL,9X,2HYL,6X,7HDYL/DXL)
002537    500 FURMAT (8A10)
002537    510 FURMAT (5H RAT(,12,2H)=,F10.5)
002537    520 FURMAT (//16H PEAK LS AT X/C=,F10.6/16H MAXIMUM Y/C IS ,F10.6/34H
1SLJPE CHANGES SIGN AT X/C, Y/C = ,2F10.6/20H X/C FIT OF ELLIPSE ,F
210.6/20H Y/C FIT OF ELLIPSE ,F10.6/22H SLOPE FIT OF ELLIPSE ,F10.6
3/51H RADIUS AT ORIGIN OF ELLIPSE THRU XT(11)/C, YT(11)/C,F10.6/39H
4RATIO OF T/C INPUT TO T/C COMPUTED IS ,F10.6/31H CUMULATIVE SCALIN
5G OF EPS,PSI ,F10.6/22H NUMBER OF ITERATIONS=,110)
002537    530 FURMAT (53H MODIFIED CAMBER LINE OPTION ALLOWED ONLY FOR A=0.8 )
002537    540 FURMAT (F10.6,4X,5F11.6,6X,5F11.6)
002537    550 FURMAT (4F13.6,10X,2F13.6)
002537    560 FURMAT (8A10/(8F10.5))
002537    END
                                         A3820   38600000
                                         A3830   38700000
                                         A3840   38800000
                                         A3850   38900000
                                         A3860   39000000
                                         A3870   39100000
                                         A3880   39200000
                                         A3890   39300000
                                         A3900   39400000
                                         A3910   39500000
                                         A3920   39600000
                                         A3930   39700000
                                         A3940   39800000
                                         A3950   39900000
                                         A3960   40000000
                                         A3970   40100000
                                         A3980   40200000
                                         A3990-  40300000

```

APPENDIX

LAUSON

PROGRAM LENGTH INCLUDING I/O BUFFERS
01625

FUNCTION - ASSIGNMENTS
COSH - 00005 SINH - 000017

BLOCK NAMES AND LENGTHS
MAIN - 000015

APPENDIX

V	-	010077	X	-	010065	XA	-	004667	XAL	-	005027
XAU	-	004727	XC	-	010067	XL	-	003537	XLC	-	010073
XLL	-	010137	XD	-	010127	XSV	-	010140	XT	-	005137
XTP	-	010125	XU	-	003227	XUC	-	010071	XYM	-	010124
Y	-	010066	YAL	-	005067	YAU	-	004767	YC	-	010070
YCMB	-	007774	YCP2	-	010020	YL	-	004357	YLC	-	010074
YLP	-	010117	YM	-	010126	YMAX	-	010123	YP	-	010114
YPP	-	010115	YSTART	-	000000C.01	YT	-	005450	YTP	-	005761
YTPP	-	006272	YU	-	004047	YUC	-	010072	YUP	-	010116
Z	-	010111	Z1	-	010112	Z2	-	010113			

START OF CONSTANTS
002541

START OF TEMPORARIES
003055

START OF INDIRECTS
003210

UNUSED COMPILER SPACE
025500

```

C SUBROUTINE PLOT (XU,XL,YU,YL,I)
C   XU,YU - UPPER SURFACE POINTS.  XL,YL - LOWER SURFACE POINTS
C   I - NUMBER OF POINTS ON ONE SURFACE - OTHER ASSUMED THE SAME
C COMMUN /MAIN/ YSTART(3),CHD,K,TITLE1(8)
C DIMENSION XU(1), XL(1), YU(1), YL(1), X(450), Y(450)
C READ 30, (MDU(K,3),EQ.1) CALL CALPLT (1.0,0.0,-3)
C IF (MDU(K,3).EQ.1) CALL CALPLT (1.0,0.0,-3)
C LETTER HEIGHT FOR LABELS AND SCALES
C HGT=0.14
C L=I
C LOAD PROFILE POINTS INTO SINGLE ARRAY
DO 10 N=1,I
X(N)=XU(N)
Y(N)=YU(N)
X(I+N)=XL(L)
Y(I+N)=YL(L)
10 L=L-1
M=2*I
C PAGE SIZE, INCHES
XPG=10.0
XX=XPG/2.0-1.5*(6.0/7.*HGT)
XDV=0.0
XTIC=1.0
YPG=2.0
YDV=0.0
YTIC=1.0
MINIMUM
X(M+1)=0.0
Y(M+1)=-0.1
SCALE FACTUR
X(M+2)=1.0/XPG
Y(M+2)=X(N+2)
OKAN AXES
CALL AXES (0.,YSTART(K),90.,YPG,Y(M+1),Y(M+2),YTIC,YDV,1H ,HGT,1)
CALL AXES (0.,YSTART(K),0.,XPG,X(M+1),X(M+2),XTIC,XDV,1H ,HGT,-1)
YLABEL=YSTART(K)-2.5*HGT
LABEL AXES AND TITLE
CALL NUTATE (XX,YLABEL,HGT,3HX/C,0.,,3)
YLABEL=YLABEL-1.5*HGT
CALL NUTATE (0.0,YLABEL,HGT,TITLE1,,0,80)
YS=YSTART(K)+1.0
CALL NUTATE (-.92,YS,HGT,3HY/C,0.0,3)
B 10 40400000
B 20 40500000
B 30 40600000
B 40 40700000
B 50 40800000
B 60 40900000
B 70 41000000
B 80 41100000
B 90 41200000
B 100 41300000
B 110 41400000
B 120 41500000
B 130 41600000
B 140 41700000
B 150 41800000
B 160 41900000
B 170 42000000
B 180 42100000
B 190 42200000
B 200 42300000
B 210 42400000
B 220 42500000
B 230 42600000
B 240 42700000
B 250 42800000
B 260 42900000
B 270 43000000
B 280 43100000
B 290 43200000
B 300 43300000
B 310 43400000
B 320 43500000
B 330 43600000
B 340 43700000
B 350 43800000
B 360 43900000
B 370 44000000
B ,80 44100000
B 390 44200000
B 400 44300000
B 410 44400000
B +20 44500000

```

APPENDIX

APPENDIX

```

C      RELOCATE ORIGIN
000174    CALL CALPLT (0.0,YSTART(K),-3)
000201    LAP=0
C      PLOT PROFILE
000202    CALL LINPLT (X,Y,M,1,LAP,0,1,0)
000212    CALL CALPLT (0.0,-YSTART(K),-3)
C      ADVANCE FRAME EVERY THIRD PLOT
000217    IF (K.LT.3) GO TO 20
          K=0
          CALL NFRAME
20        CONTINUE
          RETURN
C      30 FORMAT (8A10)
000227    END
000227

```

APPENDIX

PL/I

SUBPROGRAM LENGTH
002150

FUNCTION ASSIGNMENTS

STATEMENT ASSIGNMENTS
20 - 000226 30 - 000277

BLOCK NAMES AND LENGTHS
MAIN - 000015

VARIABLE ASSIGNMENTS

HGT	-	002133	K	-	000004C01	L	-	002134	LAP	-	002147
M	-	002135	N	-	002132	TITLE1	-	000005C01	X	-	000326
XDV	-	002140	XPG	-	002136	XTIC	-	C02141	XX	-	002137
Y	-	001230	YDV	-	002143	YLABEL	-	002145	YPG	-	002142
YS	-	002146	YSTART	-	000000C01	YTIC	-	002144			

START OF CONSTANTS
000231

START OF TEMPORARIES
000301

START OF INDIRECTS
000306

UNUSED COMPILER SPACE
035400

```

        FUNCTION DIF (L,M,NP,VARI,VARD)
C      DOCUMENT DATE 08-01-68 SUBROUTINE REVISED 08-01-68 *****
C      THIS FUNCTION SUBPROGRAM FINDS THE DERIVATIVE AT A GIVEN POINT,
C      L, FOR THE DESIRED X AND Y IN A GIVEN TABLE. THE N-POINT
C      LAGRANGIAN FORMULA IS USED WHERE N IS ODD.
C
C      L = INTEGER, THE POINT OF X AND Y AT WHICH DERIVATIVE IS FOUND
C      M = INTEGER, 1-5, TO DETERMINE THE POINT FORMULA, N. N=2*M+1
C      NP= INTEGER, THE NUMBER OF POINTS IN TABLE OF VARIABLES
C      VARI = ARRAY OF INDEPENDENT VARIABLE, X. VARI(NP)
C      VARD = ARRAY OF DEPENDENT VARIABLE, Y. VARD(NP)
C
C      DIMENSION VARI(NP), VARD(NP), X(11), Y(11)
C
C      000010      C
C      000011      C      DIF=01777000000000000000
C      000012      C      IF (M.LT.1) RETURN
C      000013      C      N=2*M+1
C      000014      C      IF (M.GT.5.UR.N.GT.NP) RETURN
C      000015      C      M1=M+1
C      000016      C      M2=NP-M+1
C
C      K=L
C      000017      C      IF (L.LE.M1.OR.N.EQ.NP) GO TO 10
C      000018      C      K=M1
C      000019      C      IF (L.LT.M2) GO TO 10
C      000020      C      K=L-(NP-N)
C
C      000021      C      MX=L-K
C      000022      C      DO 20 J=1,N
C      000023      C      MJ=MX+J
C      000024      C      X(J)=VARI(MJ)
C      000025      C      Y(J)=VARD(MJ)
C
C      000026      C      20   Y(J)=VARD(MJ),
C      000027      C      A=1.
C      000028      C      B=0.
C
C      000029      C      C=0.
C
C      000030      C      DO 40 J=1,N
C      000031      C      IF (J.EQ.K) GO TO 40
C      000032      C      P=1.
C
C      000033      C      DO 30 I=1,N
C      000034      C      IF (I.EQ.J) GO TO 30
C      000035      C      P=P*(X(J)-X(I))
C
C      000036      C      30 CONTINUE
C      000037      C      T=X(K)-X(J)
C      000038      C      B=B+Y(J)/(P*T)
C
C      000039      C
C      000040      C
C      000041      C
C      000042      C
C      000043      C
C      000044      C
C      000045      C
C      000046      C
C      000047      C
C      000048      C
C      000049      C
C      000050      C
C      000051      C
C      000052      C
C      000053      C
C      000054      C
C      000055      C
C      000056      C
C      000057      C
C      000058      C
C      000059      C
C      000060      C
C      000061      C
C      000062      C
C      000063      C
C      000064      C
C      000065      C
C      000066      C
C      000067      C
C      000068      C
C      000069      C
C      000070      C
C      000071      C
C      000072      C
C      000073      C
C      000074      C
C      000075      C
C      000076      C
C      000077      C
C      000078      C
C      000079      C
C      000080      C
C      000081      C
C      000082      C
C      000083      C
C      000084      C
C      000085      C
C      000086      C
C      000087      C
C      000088      C
C      000089      C
C      000090      C
C      000091      C
C      000092      C
C      000093      C
C      000094      C
C      000095      C
C      000096      C
C      000097      C
C      000098      C
C      000099      C
C      000100      C
C      000101      C
C      000102      C
C      000103      C
C      000104      C
C      000105      C
C      000106      C
C      000107      C
C      000108      C
C      000109      C
C      000110      C
C      000111      C

```

APPENDIX

APPENDIX

```
000114  
000116      A=A*T  
000120      C=C+1./T  
40  CONTINUE  
000123      DIF=A*B+Y(K)*C  
             RETURN  
000127      END  
000130
```

```
C 430  50300000  
C 440  50400000  
C 450  50500000  
C 460  50600000  
C 470  50700000  
C 480- 50800000
```

APPENDIX

DIF	SUBPROGRAM LENGTH 000213						
	FUNCTION ASSIGNMENTS						
STATEMENT	ASSIGNMENTS						
10	- 000052	30	-	000103	40	-	000120
	BLOCK NAMES AND LENGTHS						
VARIABLE	ASSIGNMENTS						
A	- 000205	B	-	000206	C	-	000207
I	- 000211	J	-	000203	K	-	000201
MX	- 000202	M1	-	000177	M2	-	000200
P	- 000210	T	-	000212	X	-	000150
	START OF CONSTANTS						
	000132						
	START OF TEMPORARIES						
	000135						
	START OF INDIRECTS						
	000143						
	UNUSED COMPILER SPACE						
	036000						

```

C      SUBROUTINE FTLUP (X,Y,M,N,VARI,VARD)
C      ***DOCUMENT DATE 7/7/69   SUBROUTINE REVISED 7/7/69 ****
C      MODIFICATION OF LIBRARY INTERPOLATION SUBROUTINE FTLUP
C      DIMENSION VARI(1), VARD(1), V(3), YY(2)
C      DIMENSION II(43)
C      INITIALIZE ALL INTERVAL POINTERS TO -1.0   FOR MONOTONICITY CHECK
C      DATA II(J),J=1,43*/-1/
C      MA=ABS(M)
C      ASSIGN INTERVAL POINTER FOR GIVEN VARI TABLE
C      THE SAME POINTER WILL BE USED ON A GIVEN VARI TABLE EVERY TIME
C      LI=MUD(LLCFC(VARI(1)),43)+1
C      I=II(LI)
C      IF (I.GE.0) GO TO 60
C      IF (N.LT.2) GO TO 60
C      MONOTONICITY CHECK
C      IF (VARI(2)-VARI(1)) 20,20,40
C      ERROR IN MONOTONICITY
C      LU K=LOCFC(VARI(1))
C      PRINT 17J, J,K,(VARI(J),J=1,N),(VARD(J),J=1,N)
C      STOP
C      MUNJTONIC DECREASING
C      20 DO 30 J=2,N
C      IF (VARI(J)-VARI(J-1)) 30,10,10
C      30 CONTINUE
C      GO TO 60
C      MUNJTONIC INCREASING
C      40 DO 50 J=2,N
C      IF (VARI(J)-VARI(J-1)) 10,10,50
C      50 CONTINUE
C      INTERPOLATION
C      60 IF ((I.LE.0) I=1
C      IF ((I.GE.N) I=N-1
C      IF (N.LE.1) GO TO 7C
C      IF (MA.NE.0) GO TO 80
C      ZERO ORDER
C      70 Y=VARD(1)
C      GO TO 150
C      LOCATE I INTERVAL (X(I).LE.X.LT.X(I+1))
C      80 IF ((VARI(I)-X)*(VARI(I+1)-X)) 110,110,90
C      IN GIVES DIRECTION FOR SEARCH OF INTERVALS
C      90 IN=SIGN(1.0,(VARI(I+1)-VARI(I))*(X-VARI(I)))
C      IF X OUTSIDE ENDPOINTS, EXTRAPOLATE FROM END INTERVAL
D      10 50900000
D      20 51000000
D      30 51100000
D      40 51200000
D      50 51300000
D      60 51400000
D      70 51500000
D      80 51600000
D      90 51700000
D     100 51800000
D     110 51900000
D     120 52000000
D     130 52100000
D     140 52200000
D     150 52300000
D     160 52400000
D     170 52500000
D     180 52600000
D     200 52700000
D     210 52800000
D     220 52900000
D     230 53000000
D     240 53200000
D     250 53300000
D     260 53400000
D     270 53500000
D     280 53600000
D     290 53700000
D     300 53800000
D     310 53900000
D     320 54000000
D     330 54100000
D     340 54200000
D     350 54300000
D     360 54400000
D     370 54500000
D     380 54600000
D     390 54700000
D     400 54800000
D     410 54900000
D     420 55000000

```

APPENDIX

APPENDIX

```

000162      100 IF ((I+IN).LE.0) GO TO 110          D 430
000165      IF ((I+IN).GE.N) GU TO 110          D 440
000167      I=I+IN
000173      IF ((VARI(I)-X)*(VARI(I+1)-X)) 110,110,100   D 450
000174      110 IF (MA.EQ.2) GO TO 120          D 460
000176      C FIRST ORDER
000176      Y=(VARD(I)*(VARI(I+1)-X)-VARD(I+1)*(VARI(I+1)-X))/(VARI(I+1)-VARI(I))  D 470
000211      1) GO TO 160
000211      C SECOND ORDER
000211      120 IF (N.EQ.2) GO TO 10          D 480
000213      IF (I.EQ.(N-1)) GO TO 140          D 490
000216      IF (I.EQ.1) GO TO 130          D 500
000217      C PICK THIRD POINT
000217      SK=VARI(I+1)-VARI(I)          D 510
000221      IF ((SK*(X-VARI(I-1))).LT.(SK*(VARI(I+2)-X))) GO TO 140          D 520
000231      130 L=I
000233      GO TO 150
000233      140 L=I-1
000235      150 V(1)=VARI(L)-X          D 530
000235      V(2)=VARI(L+1)-X          D 540
000237      V(3)=VARI(L+2)-X          D 550
000241      YY(1)=(VARD(L)*V(2)-VARD(L+1)*V(1))/(VARI(L+1)-VARI(L))          D 560
000243      YY(2)=(VARD(L+1)*V(3)-VARD(L+2)*V(2))/(VARI(L+2)-VARI(L+1))          D 570
000252      YY(3)=(YY(1)*V(3)-YY(2)*V(1))/(VARI(L+2)-VARI(L))          D 580
000263      160 LI(LI)=I
000273      RETURN
000275
000276      C 170 FORMAT (1H1,5OH TABLE BELOW CUT OF ORDER FOR FTLUP AT POSITION ,          D 700
000276      115,/,31H X TABLE IS STORED IN LOCATION ,06,/(8G15.8))          D 710
000276      END          D 720
000276          D 730-

```

APPENDIX

FTLUP
SUBPROGRAM LENGTH
000444

FUNCTION ASSIGNMENTS

STATEMENT ASSIGNMENTS	-	000105	30	-	000116	40	-	000121
10	-	000036	20	-	000132	70	-	000144
50	-	000127	60	-	000162	110	-	000174
90	-	000153	100	-	000233	150	-	000235
130	-	000231	1+0	-	000304	-	-	000273

BLOCK NAMES AND LENGTHS

VARIABLE ASSIGNMENTS	-	000361	IN	-	000441	J	-	000440
I	-	000436	II	-	000443	LI	-	000435
K	-	000437	L	-	000442	YY	-	000434
SK	-	000442	V	-	000354	-	-	000357

START OF CONSTANTS
000300

START OF TEMPORARIES
000321

START OF INDIRECTS
000337

UNUSED COMPILER SPACE
035200

```

SUBROUTINE PHEP63(PHI, EPS)
DIMENSION PHI(1), EPS(1)
DIMENSION PHILD(201), EPSDL(201)
DATA (PHILD(I),EPSLD(I),I=1,25)/
1 0.00000,   0.00000,   -0.01569,   -0.00164,   -0.03139,
1  -0.00327,   0.04708,   -0.00487,   -0.06278,   -0.00641,
1  -0.07848,   0.00789,   -0.09419,   -0.00928,   -0.10990,
1  -0.01057,   0.12362,   -0.01174,   -0.14135,   -0.01278,
1  -0.15708,   0.01367,   -0.17277,   -0.01439,   -0.18846,
1  -0.01497,   0.20416,   -0.01542,   -0.21987,   -0.01576,
1  -0.23558,   0.01601,   -0.25129,   -0.01619,   -0.26701,
1  -0.01632,   0.28273,   -0.01642,   -0.29844,   -0.01651,
1  -0.31416,   0.01661,   -0.32987,   -0.01673,   -0.34559,
1  -0.01688,   0.36130,   -0.01705,   -0.37700,   -0.01725/
000005  DATA (PHILD(I),EPSLD(I),I=26,50)/
1  39271,   0.01747,   -0.040842,   -0.01771,   -0.42412,
1  -0.01797,   0.43963,   -0.01824,   -0.45553,   -0.01853,
1  -0.47124,   0.01884,   -0.48695,   -0.01916,   -0.50266,
1  -0.01949,   0.51837,   -0.01984,   -0.53407,   -0.02020,
1  -0.54978,   0.02058,   -0.56549,   -0.02097,   -0.58120,
1  -0.02137,   0.59691,   -0.02179,   -0.61261,   -0.02223,
1  -0.02832,   0.02268,   -0.64403,   -0.02315,   -0.65974,
1  -0.02363,   0.67545,   -0.02413,   -0.69116,   -0.02464,
1  -0.70687,   0.02517,   -0.72257,   -0.02571,   -0.73828,
1  -0.02626,   0.75399,   -0.02683,   -0.76969,   -0.02741/
000005  DATA (PHILD(I),EPSLD(I),I=51,75)/
1  76540,   0.02801,   -0.80111,   -0.02862,   -0.81682,
1  -0.02924,   0.83253,   -0.02988,   -0.84824,   -0.03052,
1  -0.66395,   0.03118,   -0.87965,   -0.03185,   -0.89536,
1  -0.03253,   0.91107,   -0.03323,   -0.92677,   -0.03393,
1  -0.94248,   0.03465,   -0.95819,   -0.03538,   -0.97390,
1  -0.03611,   0.98961,   -0.03686,   -0.00532,   -0.03762,
1  -0.02103,   0.03839,   -0.03673,   -0.03917,   -0.05244,
1  -0.03995,   1.06815,   -0.04075,   -1.08385,   -0.04156,
1  -1.09956,   -0.04237,   1.11527,   -0.04319,   1.13098,
1  -0.04402,   1.14669,   -0.04486,   1.16240,   -0.04571/
000005  DATA (PHILD(I),EPSLD(I),I=76,100)/
1  1.17811,   0.04657,   1.19381,   -0.04743,   1.20952,
1  -0.04831,   1.22523,   -0.04919,   1.24093,   -0.05008,
1  1.25664,   -0.05098,   1.27235,   -0.05189,   1.28806,
1  -0.05280,   1.30376,   -0.05372,   1.31947,   -0.05464,
1  1.33518,   -0.05556,   1.35089,   -0.05648,   1.36659,

```

APPENDIX

APPENDIX

```

1   1.05740,          1.38230,          0.05831,          1.39801,          0.05921,
1   1.41372,          0.06011,          1.42942,          0.06099,          1.44513,
1   1.06187,          1.46084,          0.06273,          1.47654,          0.06357,
1   1.49225,          0.06440,          1.50796,          0.06522,          1.52367,
1   1.06602,          1.53938,          0.06681,          1.55509,          0.06757/
0000005
1   1.57080,          0.06832,          1.58650,          0.06905,          1.60221,
1   1.06976,          1.61791,          1.67044,          1.63362,          1.67111,
1   1.04933,          0.07176,          1.66504,          0.07238,          1.68075,
1   1.07298,          1.69646,          0.07356,          1.71217,          0.07411,
1   1.72788,          0.07464,          1.74358,          0.07514,          1.75929,
1   1.07552,          1.77500,          0.07607,          1.79070,          0.07650,
1   1.80641,          0.07690,          1.82212,          0.07727,          1.83783,
1   1.07761,          1.85324,          0.07793,          1.86925,          0.07822,
1   1.88498,          0.07848,          1.90067,          0.07871,          1.91637,
1   1.07691,          1.93208,          0.07908,          1.94779,          0.07927/
0000005
1   DATA (PHILD(1),EPSLD(1),I=126,150)/
1   1.96350,          0.07933,          1.97921,          0.07941,          1.99491,
1   1.07945,          2.01062,          0.07946,          2.02633,          0.07944,
1   2.04204,          0.07938,          2.05775,          0.07929,          2.07346,
1   1.07916,          2.08917,          0.07900,          2.10487,          0.07880,
1   2.12058,          0.07856,          2.13629,          0.07829,          2.15200,
1   1.07799,          2.16770,          0.07764,          2.18341,          0.07726,
1   2.19911,          0.07685,          2.21482,          0.07640,          2.23054,
1   1.07591,          2.24625,          0.07539,          2.26196,          0.07483,
1   2.27767,          0.07423,          2.29338,          0.07359,          2.30908,
1   1.07293,          2.32479,          0.07222,          2.34049,          0.07148/
0000005
1   DATA (PHILD(1),EPSLD(1),I=151,175)/
1   2.35619,          0.07070,          2.37191,          0.06989,          2.38762,
1   1.06904,          2.40334,          0.06815,          2.41905,          0.06723,
1   2.43476,          0.06628,          2.45046,          0.06529,          2.46617,
1   1.06427,          2.481d7,          0.06322,          2.49757,          0.06214,
1   2.51327,          0.06103,          2.52899,          0.05989,          2.54470,
1   1.05871,          2.56042,          0.05751,          2.57613,          0.05628,
1   2.59184,          0.05502,          2.60754,          0.05374,          2.62325,
1   1.05243,          2.63895,          0.05109,          2.65465,          0.04973,
1   2.67035,          0.04834,          2.68607,          0.04693,          2.70178,
1   1.04549,          2.71749,          0.04404,          2.73320,          0.04256/
0000005
1   DATA (PHILD(1),EPSLD(1),I=176,201)/
1   2.74891,          0.04106,          2.76462,          0.03955,          2.78032,
1   1.05802,          2.79603,          0.03647,          2.81173,          0.03491,
1   2.82743,          0.03333,          2.84314,          0.03174,          2.85885,
1   1.03014,          2.87456,          0.02853,          2.89027,          0.02690,

```

APPENDIX

```

1   2.90598,      •02527,    2. 92169,    •02363,    2. 93740,
1   •02198,      2.95310,    •02032,    2.96881,    •01865,
1   2.98451,      •01698,    3. 00022,    •01530,    3. 01593,
1   •01361,      3.03164,    •01192,    3.04735,    •01023,
1   3.06305,      •00853,    3.07876,    •00683,    3.09447,
1   •00512,      3.11018,    •00342,    3.12588,    •00171,
1   3.14159,      0.00000,
1   DO 201, J=1,201
201 PHI(J)=PHILD(J)
          EPS(J)=EPSLD(J)
          RETURN
         END
000005
000006
000010
000014
000015

```

000005
000005
000005

SUBROUTINE PHEP63A(PHI,EPS)

DIMENSION PHI(1),EPS(1)

DIMENSION PHILD(251),EPSLD(251)

```

      DATA (PHILD(I),EPSLD(I),I=1,25) /
1      0.00000,    0.00000,    .01459,    .00138,
1      *00276,    *04376,    .00413,    *05835,
1      *07294,    *00683,    *08754,    *00815,
1      *00942,    *11673,    .01072,    *13133,
1      *14594,    *01317,    *14925,    *01344,
1      *01370,    *15587,    *01396,    *15919,
1      *16250,    *01445,    *16581,    *01469,
1      *01420,    *17244,    *01510,    *17575,
1      *17907,    *01546,    *18420,    *01568,
1      *01585,    *19447,    *01599,    *19960,
000005
      DATA (PHILD(I),EPSLD(I),I=26,50) /
1      *20474,    *C1617,    *20988,    *01623,
1      *01628,    *22015,    *01631,    *22529,
1      *23043,    *01638,    *24002,    *01647,
1      *01657,    *25918,    *01670,    *26877,
1      *27835,    *01698,    *28793,    *01713,
1      *01728,    *30709,    *01741,    *31667,
1      *32626,    *01764,    *33981,    *01775,
1      *01781,    *36691,    *01785,    *38046,
1      *39401,    *01787,    *40756,    *01788,
1      *01788,    *43466,    *01791,    *44821,
000005
      DATA (PHILD(I),EPSLD(I),I=51,75) /
1      *46176,    *01804,    *47241,    *01814,
1      *01820,    *49371,    *01841,    *50436,
1      *51501,    *01875,    *52566,    *01895,
1      *01917,    *54496,    *01939,    *55761,
1      *59826,    *01987,    *57741,    *02009,
1      *02031,    *59570,    *02053,    *60485,
1      *61399,    *02098,    *62314,    *02121,
1      *02144,    *64143,    *02168,    *65058,
1      *65973,    *02210,    *67542,    *02257,
1      *02299,    *70530,    *02342,    *72249,
000005
      DATA (PHILD(I),EPSLD(I),I=76,100) /
1      *73818,    *02429,    *75386,    *02475,
1      *02521,    *78524,    *02569,    *80093,
1      *81652,    *02663,    *83032,    *02715,
1      *02702,    *85772,    *02810,    *87143,
1      *86213,    *02909,    *85883,    *02960,
```

APPENDIX

APPENDIX

```

72100000
72200000
72300000
72400000
72500000
72600000
72700000
72800000
72900000
73000000
73100000
73200000
73300000
73400000
73500000
73600000
73700000
73800000
73900000
74000000
74100000
74200000
74300000
74400000
74500000
74600000
74700000
74800000
74900000
75000000
75100000
75200000
75300000
75400000
75500000
75600000
75700000
75800000
75900000
76000000
76100000
76200000
76300000

0000005
    DATA (PHILD(I),EPSLD(I),I=101,125)/
1   1.07850,   .92623,   .03063,   .93993,   .03115,
1   .95363,   .03168,   .96612,   .03216,   .97860,
1   .03265,   .99109,   .03314,   .00358,   .03363,
1   1.01607,   .03412,   1.02856,   .03462,   1.04104,
1   .03513,   1.05353,   .03564,   1.06602,   .03616/
0000005
    DATA (PHILD(I),EPSLD(I),I=126,150)/
1   1.36205,   .05005,   1.37288,   .05056,   1.38370,
1   .05106,   1.39453,   .05155,   1.40535,   .05205,
1   1.41617,   .05254,   1.42675,   .05302,   1.43732,
1   .05350,   1.44789,   .05398,   1.45847,   .05445,
1   1.46904,   .05492,   1.47961,   .05538,   1.49019,
1   .05585,   1.50076,   .05630,   1.51133,   .05676,
1   1.52191,   .05721,   1.53232,   .05764,   1.54273,
1   .05807,   1.55315,   .05850,   1.56356,   .05892,
1   1.57397,   .05933,   1.58439,   .05973,   1.59480,
1   .06012,   1.60522,   .06050,   1.61563,   .06088/
0000005
    DATA (PHILD(I),EPSLD(I),I=151,175)/
1   1.62605,   .06124,   1.63637,   .06158,   1.64669,
1   .06192,   1.65701,   .06224,   1.66733,   .06255,
1   1.67765,   .06286,   1.68797,   .06315,   1.69829,
1   .06344,   1.70862,   .06372,   1.71894,   .06399,
1   1.72926,   .06425,   1.73961,   .06451,   1.74969,
1   .06476,   1.76031,   .06500,   1.77066,   .06523,
1   1.78101,   .06546,   1.79136,   .06567,   1.80171,
1   .06588,   1.81206,   .06608,   1.82241,   .06626,
1   1.83276,   .06643,   1.84322,   .06660,   1.85368,
1   .06675,   1.86414,   .06689,   1.87461,   .06702/
0000005
    DATA (PHILD(I),EPSLD(I),I=176,200)/
1   1.88507,   .06714,   1.89553,   .06724,   1.90600,
1   .06733,   1.91646,   .06740,   1.92692,   .06746,
1   1.93738,   .06751,   1.94807,   .06754,   1.95875,
1   .06755,   1.96943,   .06756,   1.98011,   .06754,

```

APPENDIX

```

1 1.99080,   .06752,   2.0C148,   •06748,   2.01216,
1 •06742,   2.02284,   •06736,   2.03353,   •06728,
1 2.04421,   •06718,   2.05529,   •06707,   2.06637,
1 •06695,   2.07745,   •06681,   2.08853,   •06667,
1 2.09961,   •06650,   2.11068,   •06632,   2.12176,
1 •06613,   2.13284,   •06593,   2.14392,   •06571,
000005 DATA (PHILD(I),EPSLD(I),I=201,225)/
1 2.15500,   •06548,   2.16671,   •06522,   2.17842,
1 •06494,   2.19013,   •06464,   2.20184,   •06434,
1 2.21355,   •06401,   2.22526,   •06367,   2.23697,
1 •06332,   2.24868,   •06295,   2.26038,   •06257,
1 2.27209,   •06217,   2.28483,   •06173,   2.29758,
1 •06126,   2.31032,   •06078,   2.32306,   •06029,
1 2.33580,   •05979,   2.34855,   •05927,   2.36129,
1 •05875,   2.37403,   •05821,   2.38677,   •05767,
1 2.39951,   •05712,   2.41402,   •05648,   2.42853,
1 •05533,   2.44304,   •05517,   2.45755,   •05448/
000005 DATA (PHILD(I),EPSLD(I),I=226,251)/
1 2.47205,   •05376,   2.48656,   •05300,   2.50106,
1 •05222,   2.51556,   •05138,   2.53005,   •05050,
1 2.54455,   •04957,   2.56243,   •04834,   2.58031,
1 •04703,   2.59819,   •04565,   2.61606,   •04421,
1 2.63393,   •04273,   2.65180,   •04120,   2.66966,
1 •02965,   2.63753,   •03807,   2.70539,   •03649,
1 2.72325,   •03491,   2.76507,   •03125,   2.80690,
1 •02764,   2.84873,   •02408,   2.89056,   •02056,
1 2.93240,   •01708,   2.97423,   •01363,   3.01607,
1 •01020,   3.05791,   •00679,   3.09975,   •00339,
1 3.14159,   0.00000/, 000005
000006 PHI(J)=FLOAT(J-1)*3.141592654/200.
000013 CALL FILUP(PHI(J),EPS(J),2,251,PHILD,EPSLD)
000024 RETURN
000025 END

```

APPENDIX

```

SUBROUTINE PHEP64(PHI,EPS)
  DIMENSION PHI(1),EPS(1)
  DIMENSION PHILD(201),EPSLD(201)
  DATA (PHILD(I),EPSLD(I),I=1,25) /
    1   0.00000,      .01568,      .00233,      .03136,
    1   .00464,      .04705,      .00692,      .06274,
    1   .07843,      .01129,      .09414,      .01336,
    1   .01531,      .12558,      .01714,      .14132,
    1   .15708,      .02035,      .17274,      .02169,
    1   .02287,      .20411,      .02390,      .21981,
    1   .23552,      .02557,      .25124,      .06224,
    1   .02682,      .28270,      .02731,      .29843,
    1   .31416,      .02812,      .32987,      .02846,
    1   .02677,      .36129,      .02905,      .37700,
    1   DATA (PHILD(I),EPSLD(I),I=26,50) /
    1   .39271,      .02957,      .40842,      .02982,
    1   .03007,      .43983,      .03033,      .45553,
    1   .47124,      .03090,      .48695,      .03122,
    1   .03153,      .51837,      .03196,      .53408,
    1   .54979,      .03280,      .56549,      .03326,
    1   .03375,      .59691,      .03427,      .61262,
    1   .62832,      .03538,      .64403,      .03598,
    1   .03660,      .67546,      .03725,      .69117,
    1   .70688,      .03862,      .72258,      .03935,
    1   .04010,      .75399,      .04087,      .76970,
    1   DATA (PHILD(I),EPSLD(I),I=51,75) /
    1   .78540,      .04250,      .80111,      .04335,
    1   .04423,      .83254,      .04512,      .84825,
    1   .86396,      .04699,      .87967,      .04796,
    1   .04896,      .91108,      .04998,      .92678,
    1   .94248,      .05208,      .95820,      .05317,
    1   .05428,      .98962,      .05541,      .1.00533,
    1   .1.02104,     .05774,      1.03675,      .05894,
    1   .00016,      1.06816,      .06140,      1.08386,
    1   1.09956,     .06395,      1.11528,      .06526,
    1   .00058,      1.14671,      .06793,      1.16242,
    1   DATA (PHILD(I),EPSLD(I),I=76,100) /
    1   1.17813,     .07070,      1.19384,      .07213,
    1   .07357,      1.22524,      .07505,      1.24094,
    1   1.25004,     .07808,      1.27236,      .07964,
    1   .08123,      1.30378,      .08284,      1.31949,
    1   1.33320,     .08613,      1.35091,      .08780,
    000005
    1   79800000,    79900000,    80000000,    80100000
    000005
    1   80200000,    80300000,    80400000,    80500000
    1   80600000,    80700000,    80800000,    80900000
    1   81000000,    81100000,    81200000,    81300000
    1   81400000,    81500000,    81600000,    81700000
    1   81800000,    81900000,    82000000,    82100000
    1   82200000,    82300000,    82400000,    82500000
    1   82600000,    82700000,    82800000,    82900000
    1   83000000,    83100000,    83200000,    83300000
    1   83400000,    83500000,    83600000,    83700000
    1   83800000,    83900000

```

APPENDIX

```

1   .03949,    1.38232,    .09119,    1.39802,    .09290,
1   1.41372,    .09462,    1.42942,    .09635,    1.44512,
1   .09808,    1.46083,    .09980,    1.47653,    .10151,
1   1.49223,    .10321,    1.50794,    .10488,    1.52365,
1   .10653,    1.53936,    .10815,    1.55508,    .10972/
000005  DATA (PHILD(I),EPSLD(I),I=101,125)/
1   1.57080,    .11125,    1.58649,    .11273,    1.60218,
1   .111415,    1.61788,    .11153,    1.63358,    .11686,
1   1.64929,    .11814,    1.66500,    .11938,    1.68072,
1   .12057,    1.69643,    .12171,    1.71216,    .12281,
1   1.72736,    .12386,    1.74358,    .12487,    1.75928,
1   1.72583,    1.77498,    .12675,    1.79068,    .12762,
1   1.80639,    .12844,    1.82210,    .12922,    1.83781,
1   .12994,    1.85353,    .13062,    1.86924,    .13125,
1   1.88496,    .13182,    1.90066,    .13234,    1.91637,
1   1.93281,    1.93207,    .13322,    1.94778,    .13358/
000005  DATA (PHILD(I),EPSLD(I),I=126,150)/
1   1.96349,    .13389,    1.97920,    .13414,    1.99491,
1   .12434,    2.01062,    .13448,    2.02633,    .13456,
1   2.04234,    .13459,    2.05775,    .13456,    2.07346,
1   .13447,    2.08917,    .13433,    2.10488,    .13413,
1   2.12059,    .13397,    2.13630,    .13354,    2.15200,
1   .13316,    2.16771,    .13272,    2.18341,    .13222,
1   2.19911,    .13166,    2.21483,    .13104,    2.23055,
1   .13035,    2.24627,    .12960,    2.26198,    .12879,
1   2.27770,    .12792,    2.29340,    .12698,    2.30911,
1   .12598,    2.32481,    .12492,    2.34050,    .12380/
000005  DATA (PHILU(I),EPSLD(I),I=151,175)/
1   2.35619,    .12261,    2.37192,    .12136,    2.38765,
1   .12004,    2.40337,    .11866,    2.41909,    .11722,
1   2.43480,    .11572,    2.45051,    .11416,    2.46621,
1   .11254,    2.48190,    .11087,    2.49759,    .10914,
1   2.51327,    .10735,    2.52901,    .10550,    2.54474,
1   .10360,    2.56047,    .10164,    2.57619,    .09963,
1   2.59190,    .09757,    2.60760,    .09545,    2.62330,
1   .09328,    2.63899,    .09105,    2.65467,    .08878,
1   2.67035,    .08645,    2.68609,    .08406,    2.70182,
1   .08162,    2.71755,    .07913,    2.73327,    .07660/
000005  DATA (PHILU(I),EPSLD(I),I=176,201)/
1   2.74898,    .07402,    2.76468,    .07139,    2.78038,
1   .06873,    2.79607,    .06603,    2.81175,    .06329,
1   2.82743,    .06052,    2.84316,    .05770,    2.85889,
1   .05486,    2.87461,    .05198,    2.89032,    .04907,

```

APPENDIX

```

1   2.90603,      .04614,      2.92173,      .04318,      2.93743,
1   .04020,      2.95313,      .03720,      2.96882,      .03417,
1   2.98451,      .03113,      .00023,      .02807,      .01594,
1   .02499,      3.03165,      .02189,      3.04736,      .01879,
1   3.06307,      .01567,      .007878,      .01255,      .009448,
1   .00942,      3.11018,      .00628,      3.12589,      .00314,
1   3.14159,      0.00000/
DO 201 J=1,201
  PHI(J)=PHILD(J)
  EPS(J)=EPSLDC(J)
  RETURN
END
000005
000006
000010
000014
000015

```

```

SUBROUTINE PHEP64A(PHI,EPS)
DIMENSION PHI(1),EPS(1)
DIMENSION PHILD(251),EPSLD(251)
DATA (PHILU(I),EPSLD(I),I=1,25) /
1 0.00000, 0.00000, *01468, *00149,
1 *002936, *00591,
1 *00878, *10277,
1 *00878, *00445,
1 *00878, *01156,
1 *01156, *13216,
1 *01156, *01449,
1 *01449, *15352,
1 *01505, *16018,
1 *01532, *01583,
1 *01583, *17017,
1 *01684, *01628,
1 *01628, *17684,
1 *01628, *01648,
1 *01648, *19039,
1 *01690, *19039,
1 *01724, *20062,
1 *01736, *01736/
000005
1 DATA (PHILU(I),EPSLD(I),I=26,50) /
1 *20574, *01745, *21086, *01752, *21598,
1 *01753, *22109, *01762, *22621, *01767,
1 *23133, *01772, *24090, *01782, *25046,
1 *01796, *26003, *01811, *26959, *01828,
1 *27915, *01845, *28871, *01861, *29827,
1 *01877, *30783, *01891, *31739, *01903,
1 *32695, *01912, *34040, *01919, *35384,
1 *01920, *36723, *01916, *38072, *01908,
1 *39417, *01897, *40761, *01886, *42105,
1 *01874, *43450, *01862, *44794, *01854/
000005
1 DATA (PHILD(I),EPSLD(I),I=51,75) /
1 *46139, *01848, *47194, *01846, *48249,
1 *01847, *49304, *01851, *50359, *01856,
1 *51414, *01864, *52469, *01873, *53523,
1 *01883, *54578, *01895, *55633, *01907,
1 *56688, *01921, *57595, *01933, *58502,
1 *01945, *59410, *01958, *60317, *01972,
1 *61224, *61985, *62131, *01999, *63038,
1 *02013, *63945, *02028, *64352, *02043,
1 *65759, *02058, *67317, *02084, *68874,
1 *02111, *70432, *02139, *71989, *02169,
1 DATA (PHILD(I),EPSLD(I),I=76,100) /
1 *73546, *02199, *75104, *02231, *76661,
1 *02264, *78218, *02299, *79776, *02335,
1 *01333, *02373, *82695, *02408, *84057,
1 *02444, *85419, *02482, *86781, *02520,
1 *88142, *02560, *89504, *02601, *90866,

```

APPENDIX

APPENDIX

```

93700000 93800000 93900000 94000000 94100000 94200000 94300000 94400000 94500000 94600000 94700000 94800000 94900000 95000000 95100000 95200000 95300000 95400000 95500000 95600000 95700000 95800000 95900000 96000000 96100000 96200000 96300000 96400000 96500000 96600000 96700000 96800000 96900000 97000000 97100000 97200000 97300000 97400000 97500000 97600000 97700000 97800000 97900000
 02643,   .92228,   .02685,   .93589,   .02728,
 94951,   .02712,   .96194,   .02812,   .97437,
 02852,   .98679,   .02893,   .99922,   .02935,
 1.01165,   .02977,   1.02407,   .03020,   1.03650,
 03064,   1.04892,   .03108,   1.06135,   .03153/
 000005 DATA (PHILD(I),EPSLD(I),I=101,125)/
 1 1.07377,   .03198,   1.08546,   .03242,   1.09714,
 1 1.03280,   1.10882,   .03332,   1.12050,   .03378,
 1 1.13219,   .03425,   1.14387,   .03472,   1.15555,
 1 1.03521,   1.16723,   .03571,   1.17891,   .03622,
 1 1.19059,   .03674,   1.20180,   .03724,   1.21301,
 1 1.03776,   1.22423,   .03828,   1.23544,   .03882,
 1 1.24665,   .03936,   1.25786,   .03990,   1.26907,
 1 1.04045,   1.28028,   .04100,   1.29149,   .04156,
 1 1.30270,   .04212,   1.31357,   .04266,   1.32444,
 1 1.04320,   1.33531,   .04375,   1.34618,   .04429/
 000005 DATA (PHILD(I),EPSLD(I),I=126,150)/
 1 1.35705,   .04484,   1.36792,   .04539,   1.37878,
 1 1.04594,   1.38965,   .04649,   1.40052,   .04704,
 1 1.41139,   .04760,   1.42204,   .04814,   1.43268,
 1 1.04869,   1.44333,   .04923,   1.45397,   .04978,
 1 1.46462,   .05032,   1.47527,   .05087,   1.48591,
 1 1.05141,   1.49656,   .05194,   1.50721,   .05248,
 1 1.51785,   .05301,   1.52834,   .05352,   1.53883,
 1 1.05403,   1.54932,   .05454,   1.55980,   .05504,
 1 1.57029,   .05552,   1.58078,   .05600,   1.59127,
 1 1.05647,   1.60176,   .05693,   1.61225,   .05738/
 000005 DATA (PHILD(I),EPSLD(I),I=151,175)/
 1 1.62274,   .05781,   1.62312,   .05822,   1.64349,
 1 1.05862,   1.65387,   .05901,   1.66425,   .05939,
 1 1.67463,   .05976,   1.68501,   .06011,   1.69539,
 1 1.06045,   1.70577,   .06079,   1.71615,   .06111,
 1 1.72653,   .06143,   1.73692,   .06174,   1.74732,
 1 1.06204,   1.75771,   .06233,   1.76811,   .06262,
 1 1.77851,   .06289,   1.78890,   .06316,   1.79930,
 1 1.06341,   1.80970,   .06365,   1.82009,   .06389,
 1 1.83049,   .06411,   1.84100,   .06432,   1.85150,
 1 1.06452,   1.86201,   .06471,   1.87252,   .06489/
 000005 DATA (PHILD(I),EPSLD(I),I=176,200)/
 1 1.88303,   .06505,   1.89354,   .06520,   1.90405,
 1 1.06534,   1.91455,   .06546,   1.92506,   .06557,
 1 1.93557,   .06507,   1.94630,   .06575,   1.95704,
 1 1.06582,   1.96777,   .06587,   1.97850,   .06591,

```

APPENDIX

```

1   1.98923,    .06594,    1.99996,    .06595,    2.01069,
1   .06594,     2.02142,    .06593,    2.03215,    .06590,
1   2.04288,    .06586,    2.05401,    .06580,    2.06514,
1   .05573,     2.07627,    .06565,    2.08740,    .06555,
1   2.05853,    .06544,    2.10965,    .06531,    2.12078,
1   .06517,     2.13191,    .06502,    2.14304,    .06485/
0000005  DATA (PHILD(I),EPSLD(I),I=201,225)/
1   2.15416,    .06466,    2.16592,    .06445,    2.17767,
1   .06422,     2.18943,    .06398,    2.20118,    .06371,
1   2.21293,    .06344,    2.22469,    .06314,    2.23644,
1   .06283,     2.24819,    .06251,    2.25994,    .06216,
1   2.27169,    .06180,    2.28447,    .06140,    2.29725,
1   .06097,     2.31002,    .06053,    2.32279,    .06007,
1   2.33557,    .05960,    2.34834,    .05912,    2.36111,
1   .05862,     2.37389,    .05811,    2.38666,    .05760,
1   2.39943,    .05707,    2.41397,    .05646,    2.42850,
1   .05584,     2.44304,    .05520,    2.45757,    .05454/
0000005  DATA (PHILD(I),EPSLD(I),I=226,251)/
1   2.47210,    .05384,    2.48663,    .05312,    2.50115,
1   .05235,     2.51568,    .05154,    2.53020,    .05068,
1   2.54471,    .04977,    2.56262,    .04856,    2.58052,
1   .04728,     2.59842,    .04592,    2.61631,    .04451,
1   2.63420,    .04304,    2.65209,    .04154,    2.66997,
1   .04000,     2.68785,    .03844,    2.70573,    .03687,
1   2.72362,    .03530,    2.76541,    .03165,    2.80720,
1   .02804,     2.84899,    .02446,    2.89079,    .02091,
1   2.93259,    .01739,    2.97439,    .01389,    3.01619,
1   .01040,     3.05799,    .00693,    3.09979,    .00346,
1   3.14159,    0.00000,    0.00000,    0.00000,    0.00000
0000005  DO 201 J=1,201
000006  PHI(J)=FLOAT(J-1)*3.141592654/200.
000013  201 CALL FFTLUP(PHI(J),EPS(J),2,251,PHILD,EPSLD)
000024  RETURN
000025  END

```

APPENDIX

```

1014000000
1015000000
1016000000
1017000000
0000005
000005
000005
000005
000005
SUBROUTINE PHEP65(PHI, EPS)
DIMENSION PHI(1), EPS(1)
DIMENSION PHILD(251), EPSDL(251),
          DATA (PHIL(I),EPSLD(I), I=1,25) /
1      0.00000,   0.00000,   .01484,   .00156,
1      .00312,   .00451,   .00466,   .05935,
1      .07420,   .00767,   .08904,   .00913,
1      .01054,   .11875,   .01191,   .13361,
1      .14848,   .01446,   .15175,   .01473,
1      .01499,   .15830,   .01524,   .16157,
1      .16485,   .01572,   .16812,   .01595,
1      .01616,   .17468,   .01636,   .17795,
1      .18123,   .01671,   .18623,   .01693,
1      .01712,   .19623,   .01727,   .19123,
1      DATA (PHILD(I),EPSDL(I), I=26,50) /
1      0.00000,   0.00000,   .01750,   .01124,
1      .01766,   .22124,   .0173,   .22625,
1      .23125,   .01783,   .24072,   .01804,
1      .01822,   .25964,   .01842,   .26910,
1      .27855,   .01884,   .28802,   .01903,
1      .01920,   .30694,   .01934,   .31640,
1      .32586,   .01950,   .33918,   .01949,
1      .01938,   .36582,   .01919,   .37915,
1      .39247,   .01866,   .40580,   .01836,
1      .01805,   .43245,   .01775,   .44577,
000005
1      DATA (PHILD(I),EPSDL(I), I=51,75) /
1      .45910,   .01728,   .46962,   .01716,
1      .01708,   .49008,   .01703,   .50120,
1      .51173,   .01704,   .52226,   .01708,
1      .01714,   .54331,   .01722,   .55384,
1      .56436,   .01741,   .57344,   .01751,
1      .01760,   .59160,   .01771,   .60068,
1      .60976,   .01794,   .61884,   .01806,
1      .01820,   .63700,   .01834,   .64607,
1      .65515,   .01867,   .67086,   .01898,
1      .01933,   .70226,   .01971,   .71797,
000005
1      DATA (PHILD(I),EPSDL(I), I=76,100) /
1      .73367,   .02055,   .74937,   .02100,
1      .02147,   .78078,   .02196,   .79648,
1      .81218,   .02298,   .82590,   .02343,
1      .02390,   .85333,   .02437,   .86705,
1      .02534,   .88448,   .02584,   .90820,

```

APPENDIX

```

1   *02636,    *92192,    *02689,    *93563,    *02744,
1   *.94934,    *02800,    *56192,    *02853,    *97449,
1   *02907,    *98706,    *02963,    *99964,    *03020,
1   1.01221,    *03078,    1.02478,    *03137,    1.03735,
1   *03198,    1.04992,    *03259,    1.06249,    *03321/
0000005  DATA (PHILD(1),EPSLD(1),I=101,125)/
1   1.07506,    *03385,    1.08689,    *03445,    1.09872,
1   *03506,    1.11055,    *03568,    1.12238,    *03631,
1   1.13421,    *03694,    1.14603,    *03759,    1.15786,
1   *03824,    1.16969,    *03890,    1.18151,    *03957,
1   1.19334,    *04025,    1.20469,    *04091,    1.21605,
1   *04158,    1.22740,    *04225,    1.23876,    *04294,
1   1.25011,    *04353,    1.26146,    *04434,    1.27281,
1   *04505,    1.28416,    *04577,    1.29551,    *04650,
1   1.30636,    *04724,    1.31793,    *04798,    1.32900,
1   *04872,    1.34007,    *04947,    1.35114,    *05023/
0000005  DATA (PHILD(1),EPSLD(1),I=126,150)/
1   1.36221,    *05099,    1.37328,    *05177,    1.38434,
1   *05255,    1.39541,    *05334,    1.40648,    *05414,
1   1.41754,    *05495,    1.42845,    *05575,    1.43935,
1   *05655,    1.45025,    *05737,    1.46116,    *05819,
1   1.47206,    *05901,    1.48296,    *05984,    1.49387,
1   *06067,    1.50477,    *06150,    1.51567,    *06233,
1   1.52657,    *06316,    1.53737,    *06399,    1.54816,
1   *06481,    1.55896,    *06563,    1.56975,    *06645,
1   1.58055,    *06727,    1.59134,    *06808,    1.60214,
1   *06889,    1.61293,    *06969,    1.62373,    *07049/
0000005  DATA (PHILD(1),EPSLD(1),I=151,175)/
1   1.63452,    *07127,    1.64525,    *07205,    1.65598,
1   *07282,    1.66671,    *07358,    1.67744,    *07433,
1   1.68817,    *07507,    1.69890,    *07580,    1.70963,
1   *07651,    1.72030,    *07722,    1.73109,    *07792,
1   1.74182,    *07861,    1.75254,    *07928,    1.76325,
1   *07994,    1.77396,    *08058,    1.78468,    *08121,
1   1.79539,    *08182,    1.80611,    *08242,    1.81683,
1   *08299,    1.82754,    *08355,    1.83826,    *08408,
1   1.84898,    *08459,    1.85972,    *08508,    1.87046,
1   *08555,    1.88120,    *08599,    1.89194,    *08641/
0000005  DATA (PHILD(1),EPSLD(1),I=176,200)/
1   1.90268,    *08680,    1.91343,    *08718,    1.92417,
1   *08754,    1.93491,    *08787,    1.94566,    *08819,
1   1.95640,    *08848,    1.96732,    *08876,    1.97823,
1   *08903,    1.98915,    *08927,    2.00006,    *08949,

```

APPENDIX

```

1   2.01098,    *08969,    2.02190,    *08988,    2.03282,
1   *09004,    2.04373,    *09019,    2.05465,    *09031,
1   2.06557,    *09041,    2.07682,    *09050,    2.08806,
1   *09056,    2.09931,    *09061,    2.11056,    *09062,
1   2.12180,    *09061,    2.13305,    *09058,    2.14429,
1   *09052,    2.15554,    *09043,    2.16679,    *09032/
000005  DATA (PHILD(I),EPSLD(I),I=201,225)/
1   2.17803,    *09017,    2.18979,    *08999,    2.20155,
1   *06977,    2.21330,    *C8953,    2.22506,    *08925,
1   2.23681,    *08894,    2.24856,    *08861,    2.26032,
1   *06824,    2.27207,    *C8785,    2.28382,    *08743,
1   2.29557,    *08698,    2.30822,    *08647,    2.32088,
1   *06593,    2.33353,    *C8536,    2.34618,    *08477,
1   2.35883,    *08414,    2.37148,    *08348,    2.38412,
1   *08279,    2.39677,    *C80208,    2.40942,    *08134,
1   2.42206,    *C8056,    2.43618,    *07967,    2.45029,
1   *07872,    2.46440,    *C7772,    2.47851,    *07666/
000005  DATA (PHILD(I),EPSLD(I),I=226,251)/
1   2.49260,    *07552,    2.50669,    *07429,    2.52077,
1   *07297,    2.53483,    *07155,    2.54888,    *07000,
1   2.56292,    *06833,    2.57978,    *06615,    2.59661,
1   *06380,    2.61343,    *06132,    2.63024,    *05873,
1   2.64704,    *05606,    2.66383,    *05334,    2.68062,
1   *05060,    2.69740,    *04788,    2.71420,    *04519,
1   2.73100,    *04258,    2.77185,    *03664,    2.81276,
1   *03122,    2.85373,    *02628,    2.89475,    *02176,
1   2.93582,    *01759,    2.97693,    *01371,    3.01807,
1   *01008,    3.05923,    *0C662,    3.10041,    *00328,
1   3.14159,    0.00000,    0.00000,    0.00000,    0.00000
000005  DO 201 J=1,201
000006  PHI(J)=FLUAT(J-1)*3.141592654/200.
000013  CALL FTLUP(PHI(J),EPS(J),2,251,PHILD,EPSLD)
000024  RETURN
000025  END

```

```

000005      SUBROUTINE PHEP65A(PHI,EPS)
000005      DIMENSION PHI(1),EPS(1)
000005      DIMENSION PHILD(251),EPSLD(251)
000005      DATA (PHILD(I),EPSLD(I),I=1,25) /
000005      0.00000,   0.0000,   .01453,   .00137,   .02907,
000005      .00274,   .04360,   .00410,   .05814,   .00545,
000005      .07267,   .03679,   .08721,   .00811,   .10175,
000005      .00941,   .11630,   .01070,   .13084,   .01195,
000005      .14539,   .01318,   .14877,   .01346,   .15214,
000005      .01374,   .15552,   .01401,   .15889,   .01427,
000005      .16227,   .01453,   .16564,   .01477,   .16902,
000005      .01500,   .17240,   .01521,   .17578,   .01541,
000005      .17916,   .01559,   .18436,   .01583,   .18956,
000005      .01632,   .19477,   .01618,   .19997,   .01630/
000005      DATA (PHILD(I),EPSLD(I),I=26,50) /
000005      1.20518,   .01640,   .21039,   .01648,   .21559,
000005      .01654,   .22080,   .01660,   .22601,   .01665,
000005      .23122,   .01671,   .24077,   .01683,   .25032,
000005      .01698,   .25987,   .01715,   .26941,   .01732,
000005      .27896,   .01749,   .28851,   .01766,   .29805,
000005      .01782,   .30760,   .01796,   .31714,   .01807,
000005      .32669,   .01814,   .33996,   .01819,   .35322,
000005      .01816,   .36649,   .01807,   .37976,   .01793,
000005      .39302,   .01775,   .40629,   .01755,   .41956,
000005      .01732,   .43283,   .01708,   .44610,   .01684/
000005      DATA (PHILD(I),EPSLD(I),I=51,75) /
000005      1.45937,   .01661,   .46976,   .01644,   .48015,
000005      .01628,   .49054,   .01614,   .50093,   .01601,
000005      .21132,   .01589,   .52171,   .01578,   .53210,
000005      .01569,   .54249,   .01561,   .55288,   .01554,
000005      .56327,   .01549,   .57223,   .01546,   .58118,
000005      .01543,   .59014,   .01541,   .59909,   .01541,
000005      .60805,   .01541,   .61700,   .01542,   .62596,
000005      .01544,   .63491,   .01547,   .64387,   .01551,
000005      .05232,   .01555,   .66829,   .01565,   .68376,
000005      .01577,   .69923,   .01590,   .71470,   .01607,
000005      DATA (PHILD(I),EPSLD(I),I=76,100) /
000005      1.73017,   .01625,   .74564,   .01645,   .76110,
000005      .01668,   .77657,   .01693,   .79204,   .01720,
000005      .80750,   .01750,   .82106,   .01778,   .83461,
000005      .01807,   .84816,   .C1837,   .86172,   .01869,
000005      .87527,   .C1902,   .88882,   .01936,   .90237,

```

APPENDIX

APPENDIX

```

1   .01970,    .91593,    .02005,    .92948,    .02040,
1   .94303,    .02076,    .95538,    .02108,    .96772,
1   .02141,    .98007,    .02174,    .99242,    .02207,
1   1.00476,    .02240,    1.01711,    .02274,    1.02945,
1   .02309,    1.04180,    .02344,    1.05415,    .02381/
000005  DATA (PHILD(1),EPSLD(1),I=101,125)/
1   1.06649,    .02418,    1.07810,    .02454,    1.08971,
1   .02491,    1.10132,    .02528,    1.11293,    .02567,
1   1.12454,    .02607,    1.13615,    .02647,    1.14776,
1   .02639,    1.15937,    .02731,    1.17098,    .02775,
1   1.18259,    .02819,    1.19373,    .02863,    1.20486,
1   .02907,    1.21600,    .02952,    1.22713,    .02998,
1   1.23827,    .03044,    1.24940,    .03091,    1.26054,
1   .03138,    1.27167,    .03185,    1.28281,    .03232,
1   1.29394,    .03280,    1.30473,    .03326,    1.31552,
1   .03371,    1.32631,    .03417,    1.33711,    .03463/
000005  DATA (PHILD(1),EPSLD(1),I=126,150)/
1   1.34790,    .03510,    1.35869,    .03557,    1.36946,
1   .03604,    1.38027,    .03652,    1.39106,    .03701,
1   1.40185,    .03750,    1.41248,    .03800,    1.42312,
1   .03851,    1.43375,    .03902,    1.44438,    .03954,
1   1.45501,    .04007,    1.46564,    .04060,    1.47628,
1   .04114,    1.48691,    .04169,    1.49754,    .04224,
1   1.50617,    .04279,    1.51872,    .04335,    1.52927,
1   .04391,    1.53983,    .04447,    1.55038,    .04502,
1   1.56093,    .04558,    1.57148,    .04614,    1.58203,
1   .04669,    1.59258,    .04723,    1.60314,    .04777/
000005  DATA (PHILD(1),EPSLD(1),I=151,175)/
1   1.61369,    .04830,    1.62418,    .04882,    1.63467,
1   .04933,    1.64516,    .04984,    1.65565,    .05033,
1   1.66014,    .05082,    1.67663,    .05130,    1.68712,
1   .05177,    1.69762,    .05224,    1.70811,    .05270,
1   1.71860,    .05316,    1.72914,    .05361,    1.73967,
1   .05406,    1.75020,    .05449,    1.76074,    .05493,
1   1.77127,    .05535,    1.78181,    .05577,    1.79234,
1   .05618,    1.80288,    .05657,    1.81341,    .05696,
1   1.82395,    .05734,    1.83460,    .05771,    1.84526,
1   .05807,    1.85591,    .05842,    1.86657,    .05876/
000005  DATA (PHILD(1),EPSLD(1),I=176,200)/
1   1.87722,    .05908,    1.88788,    .05939,    1.89853,
1   .05969,    1.90919,    .05997,    1.91985,    .06023,
1   1.93050,    .06049,    1.94138,    .06073,    1.95225,
1   .06095,    1.96313,    .06116,    1.97401,    .06135,

```

APPENDIX

```

1 1.98488,   *06153,   1.95576,   *06170,   2.00664,
1  *06185,   2.01751,   *06199,   2.02839,   *06212,
1 2.03927,   *06224,   2.04786,   *06232,   2.05645,
1  *06240,   2.05504,   *06247,   2.07363,   *06254,
1 2.08222,   *06259,   2.09081,   *06264,   2.09940,
1  *06268,   2.10799,   *06272,   2.11658,   *06274/
000005 DATA (PHILU(1),EPSLD(1),I=201,225)/
1 2.12517,   *06276,   2.13979,   *06277,   2.15441,
1  *06275,   2.16903,   *06271,   2.18365,   *06264,
1 2.19826,   *06255,   2.21288,   *06242,   2.22750,
1  *06226,   2.24211,   *06207,   2.25673,   *06185,
1 2.27134,   *06159,   2.28424,   *06134,   2.29714,
1  *06106,   2.31003,   *06075,   2.32292,   *06042,
1 2.33582,   *06007,   2.34871,   *05970,   2.36160,
1  *05932,   2.37449,   *05891,   2.38739,   *05850,
1 2.40028,   *05807,   2.41490,   *05756,   2.42952,
1  *05704,   2.44413,   *05650,   2.45875,   *05592/
000005 DATA (PHILD(1),EPSLD(1),I=226,251)/
1 2.47336,   *05531,   2.48798,   *05466,   2.50259,
1  *05397,   2.51719,   *05323,   2.53180,   *05244,
1 2.54640,   *05159,   2.56435,   *05046,   2.58229,
1  *04925,   2.60023,   *04795,   2.61816,   *04659,
1 2.53610,   *04517,   2.65402,   *04370,   2.67195,
1  *04220,   2.68987,   *04065,   2.70779,   *03909,
1 2.72571,   *03751,   2.76731,   *03383,   2.80891,
1  *03013,   2.85050,   *02640,   2.89209,   *02266,
1 2.93368,   *01891,   2.97526,   *01514,   3.01684,
1  *01136,   3.05843,   *00758,   3.10001,   *00379,
1 3.14159,   0.00000/
000005 DO 201 J=1,201
000006 PHI(J)=FLOAT(J-1)*3.141592654/200.
000013 201 CALL FTLUP(PHI(J),EPS(J),2,251,PHILD,EPSLD)
000024 RETURN
000025 END

```

```

SUBROUTINE PHEP66(PHI, EPS)
  DIMENSION PHI(1), EPS(1)
  DIMENSION PHILD(201), EPSDL(201)
  DATA (PHILD(I),EPSLD(I),I=1,25)/
    1 0.00000,   0.00000,   0.01570,   .00145,   .03139,
    1  *00290,   *04709,   *00433,   *06279,   *00574,
    1  *07849,   *00712,   *09420,   *00847,   *10991,
    1  *00978,   *12563,   *01105,   *14135,   *01225,
    1  *15708,   *01340,   *17277,   *01447,   *18847,
    1  *01547,   *20417,   *01638,   *21987,   *01719,
    1  *23559,   *01789,   *25130,   *01847,   *26701,
    1  *01893,   *28273,   *01924,   *29844,   *01940,
    1  *31416,   *01940,   *32987,   *01924,   *34558,
    1  *01893,   *36129,   *01850,   *37699,   *01799/
  DATA (PHILD(I),EPSLD(I),I=26,50)/
    1  *39270,   *01741,   *40841,   *01679,   *42411,
    1  *01616,   *43982,   *01556,   *45253,   *01499,
    1  *47124,   *01450,   *48694,   *01410,   *50265,
    1  *01379,   *51836,   *01356,   *53406,   *01340,
    1  *54977,   *01331,   *56548,   *01327,   *58119,
    1  *01328,   *59690,   *01333,   *61261,   *01340,
    1  *62832,   *01350,   *64403,   *01361,   *65974,
    1  *01373,   *67545,   *01387,   *69116,   *01402,
    1  *70686,   *01419,   *72257,   *01438,   *73828,
    1  *01458,   *75399,   *01480,   *76969,   *01504/
  DATA (PHILD(I),EPSLD(I),I=51,75)/
    1  *78540,   *01530,   *80111,   *01558,   *81682,
    1  *01588,   *83253,   *01620,   *84824,   *01654,
    1  *86394,   *01689,   *87965,   *01726,   *89536,
    1  *01765,   *91107,   *01805,   *92677,   *01847,
    1  *94248,   *01890,   *95819,   *01934,   *97390,
    1  *01980,   *98961,   *02026,   *1.00532,   *02074,
    1  *02103,   *02124,   *1.03673,   *02174,   *1.05244,
    1  *02226,   *1.06815,   *02279,   *1.08385,   *02334,
    1  *1.09956,   *02390,   *1.11527,   *02447,   *1.13098,
    1  *02506,   *1.14669,   *02566,   *1.16240,   *02627/
  DATA (PHILD(I),EPSLD(I),I=76,100)/
    1  1.17811,   *02690,   *1.19381,   *02754,   *1.20952,
    1  *02819,   *1.22523,   *02885,   *1.24093,   *02952,
    1  *1.25664,   *03020,   *1.27235,   *03089,   *1.28806,
    1  *03160,   *1.30377,   *03231,   *1.31948,   *03304,
    1  1.33519,   *03378,   *1.35090,   *03453,   *1.36660,

```

APPENDIX

APPENDIX

```

1   *03530,    1.38231,    *03608,    1.39802,    *03688,
1   1.41372,    *03770,    1.42943,    *03853,    1.44514,
1   *03938,    1.46085,    *04025,    1.47656,    *04113,
1   1.49227,    *04202,    1.50798,    *04293,    1.52368,
1   *04386,    1.53939,    *04479,    1.55510,    *04574/
000005  DATA (PHILD(I),EPSLU(I),I=101,125)/
1   1.57080,    *04670,    1.58651,    *04767,    1.60223,
1   *04866,    1.61794,    *04966,    1.63365,    *05067,
1   1.64936,    *05171,    1.66507,    *05277,    1.68077,
1   *05386,    1.69648,    *05498,    1.71218,    *05612,
1   1.72788,    *05730,    1.74359,    *05851,    1.75931,
1   *05976,    1.77501,    *06103,    1.79072,    *06231,
1   1.80043,    *06362,    1.82214,    *06493,    1.83784,
1   *06625,    1.85355,    *06758,    1.86925,    *06889,
1   1.88496,    *07020,    1.90066,    *07149,    1.91636,
1   *07277,    1.93206,    *07402,    1.94776,    *07524/
000005  DATA (PHILU(I),EPSLU(I),I=126,150)/
1   1.96347,    *07644,    1.97918,    *07760,    1.99489,
1   *07872,    2.01060,    *07979,    2.02632,    *08082,
1   2.04204,    *08180,    *05773,    *08272,    2.07343,
1   *08359,    2.08913,    *08440,    2.10484,    *08515,
1   2.12054,    *08585,    2.13625,    *08649,    2.15196,
1   *08708,    2.16768,    *08761,    2.18339,    *08808,
1   2.19911,    *08850,    2.21482,    *08886,    2.23052,
1   *08916,    2.24623,    *08941,    2.26194,    *08959,
1   2.27765,    *08972,    2.29336,    *08978,    2.3096,
1   *08978,    2.32477,    *08972,    2.34048,    *08959,
000005  DATA (PHILD(I),EPSLD(I),I=151,175)/
1   2.35619,    *08940,    2.37191,    *08914,    2.38762,
1   *08832,    2.40333,    *08843,    2.41905,    *08797,
1   2.43476,    *08745,    2.45046,    *08687,    2.46617,
1   *08622,    2.48187,    *08551,    2.49757,    *08474,
1   2.51327,    *08390,    2.52900,    *08300,    2.54473,
1   *08203,    2.56045,    *08101,    2.57616,    *07991,
1   2.59188,    *07875,    2.60758,    *07752,    2.62328,
1   *07622,    2.63898,    *07485,    2.65467,    *07341,
1   2.67035,    *07190,    2.68609,    *07031,    2.70183,
1   *06864,    2.71756,    *06691,    2.73328,    *06510/
000005  DATA (PHILU(I),EPSLU(I),I=176,201)/
1   2.74899,    *06323,    2.76469,    *06129,    2.78039,
1   *05926,    2.79608,    *05722,    2.81176,    *05509,
1   2.82743,    *05290,    2.84317,    *05064,    2.85891,
1   *04033,    2.87463,    *04596,    2.89035,    *04354,

```

APPENDIX

```

1   2.90606,    .04108,    2.92176,    .03856,    2.93746,
1   .03601,    2.95315,    .03341,    2.96883,    .03077,
1   2.98451,    .02810,    3.00023,    .02539,    3.01595,
1   .02264,    3.03167,    .01987,    3.04738,    .01707,
1   3.06309,    .01426,    3.07879,    .01143,    3.09449,
1   .00858,    3.11019,    .00573,    3.12589,    .00287,
1   3.14159,    0.00000/
1   DO 201 J=1,201
1   PHI(J)=PHILD(J)
201 EPS(J)=EPSLD(J)
      RETURN
      END
000005
000006
000010
000014
000015

```

```

SUBROUTINE PHEP67(PHI, EPS)
DIMENSION PHI(1), EPS(1)
DIMENSION PHILD(251), EPSDL(251)
DATA (PHILD(I),EPSLD(I),I=1,25) /
0 0.00000,   0.00000,   0.01495,   0.0161,   0.02990,
1  *00322,    *00485,    *00482,    *05980,   *00640,
1  *07476,    *00796,    *08971,    *00949,   *10468,
1  *01100,    *11964,    *01246,    *13461,   *01388,
1  *14959,    *01525,    *15280,    *01554,   *15601,
1  *01582,    *15922,    *01610,    *16243,   *01637,
1  *16565,    *01664,    *16886,    *01690,   *17207,
1  *01714,    *17529,    *01738,    *17850,   *01761,
1  *18172,    *01782,    *18687,    *01813,   *19201,
1  *01841,    *19716,    *01865,    *20231,   *01888/
000005   DATA (PHILD(I),EPSLD(I),I=26,50) /
1  *20747,    *01908,    *21262,    *01927,   *21777,
1  *01945,    *22293,    *01962,    *22808,   *01979,
1  *23323,    *01996,    *24276,    *02029,   *25229,
1  *02063,    *26182,    *02097,    *27135,   *02131,
1  *28088,    *02164,    *29041,    *02195,   *29994,
1  *02224,    *30947,    *02249,    *31900,   *02269,
1  *32853,    *02285,    *34180,    *02298,   *35507,
1  *02301,    *36834,    *02296,    *38162,   *02284,
1  *39489,    *02267,    *4C817,    *02245,   *42144,
1  *02220,    *43472,    *02194,    *44799,   *02168/
000005   DATA (PHILD(I),EPSLD(I),I=51,75) /
1  *46127,    *02143,    *47164,    *02125,   *48201,
1  *02108,    *49238,    *02093,    *50274,   *02079,
1  *51311,    *02067,    *52348,    *02055,   *53385,
1  *02045,    *54422,    *02035,    *55458,   *02026,
1  *58495,    *02017,    *57385,    *02010,   *58275,
1  *02004,    *59165,    *01998,    *60055,   *01992,
1  *60945,    *01987,    *61835,    *01983,   *62725,
1  *01979,    *63615,    *01975,    *64505,   *01972,
1  *65395,    *C1970,    *66928,    *01967,   *68461,
1  *01966,    *69944,    *01967,    *71527,   *01969/
000005   DATA (PHILD(I),EPSLD(I),I=76,100) /
1  *73060,    *01973,    *74593,    *01978,   *76126,
1  *01985,    *77658,    *01992,    *79191,   *02001,
1  *80724,    *02010,    *82061,    *02019,   *83397,
1  *02029,    *84734,    *02039,    *86070,   *02051,
1  *87407,    *02062,    *88743,    *02075,   *90080,

```

APPENDIX

```

1   .02088,    *91416,    *02102,    *92753,    *02117,
1   .94089,    .02133,    .95309,    .02148,    .96530,
1   .02164,    .97750,    .02180,    .98970,    .02198,
1   1.00190,    .02216,    1.01410,    .02234,    1.02630,
1   .02254,    1.03850,    .02274,    1.05070,    .02295/
0000005      DATA (PHILD(I),EPSLD(I), I=101,125) /
1   1.06289,    .02316,    1.07435,    .02337,    1.08580,
1   .02359,    1.09726,    .02381,    1.10871,    .02404,
1   1.12017,    .02427,    1.13162,    .02451,    1.14308,
1   .02476,    1.15453,    .02501,    1.16599,    .02527,
1   1.17744,    .02553,    1.18840,    .02579,    1.19936,
1   .02606,    1.21033,    .02632,    1.22129,    .02660,
1   1.23225,    .02688,    1.24321,    .02716,    1.25417,
1   .02745,    1.26513,    .02775,    1.27609,    .02805,
1   1.28706,    .02836,    1.29770,    .02866,    1.30835,
1   .02897,    1.31900,    .02928,    1.32965,    .02960/
0000005      DATA (PHILD(I),EPSLD(I), I=126,150) /
1   1.34030,    .02992,    1.35094,    .03025,    1.36159,
1   .03059,    1.37224,    .03093,    1.38289,    .03128,
1   1.39353,    .03163,    1.40401,    .03199,    1.41450,
1   .03235,    1.42498,    .03271,    1.43546,    .03309,
1   1.44594,    .03346,    1.45642,    .03385,    1.46690,
1   .03424,    1.47738,    .03464,    1.48786,    .03505,
1   1.49834,    .03546,    1.50878,    .03588,    1.51921,
1   .03630,    1.52965,    .03673,    1.54008,    .03717,
1   1.55052,    .03762,    1.56095,    .03807,    1.57139,
1   .03852,    1.58182,    .03899,    1.59226,    .03945/
0000005      DATA (PHILD(I),EPSLD(I), I=151,175) /
1   1.60269,    .03993,    1.61319,    .04041,    1.62369,
1   .04090,    1.63420,    .04139,    1.64470,    .04190,
1   1.65520,    .04241,    1.66570,    .04293,    1.67620,
1   .04346,    1.68670,    .04400,    1.69720,    .04455,
1   1.70770,    .04511,    1.71841,    .04570,    1.72913,
1   .04629,    1.73984,    .04690,    1.75056,    .04752,
1   1.76127,    .04815,    1.77199,    .04880,    1.78270,
1   .04945,    1.79341,    .05011,    1.80413,    .05078,
1   1.81484,    .05145,    1.82589,    .05216,    .83694,
1   .05288,    1.84799,    .05360,    1.85904,    .05434/
0000005      DATA (PHILU(I),EPSLD(I), I=176,200) /
1   1.87009,    .05509,    1.88113,    .05584,    1.89218,
1   .05661,    1.90323,    .05739,    1.91427,    .05818,
1   1.92531,    .05899,    1.93688,    .05985,    1.94844,
1   .06072,    1.95999,    .06160,    1.97155,    .06250,

```

APPENDIX

```

1 1.98311,      *06340,    1.99467,      *06432,    2.00622,
1   *06524,      *01778,    *06617,      *02933,    *06711,
1 2.04089,      *06805,    2.05305,      *06905,    2.06522,
1   *07005,      *07739,    *07105,      *08956,    *07204,
1 2.10172,      *07302,    2.11389,      *07398,    2.12606,
1   *07493,      2.13824,    *07586,      2.15041,    *07677/
000005 DATA (PHILD(I),EPSLD(I),I=201,225) /
1 2.16259,      *07765,    2.17534,      *07854,    2.18810,
1   *07939,      2.20085,    *08020,      2.21361,    *08097,
1 2.22637,      *08171,    2.23914,      *08240,    2.25190,
1   *08305,      2.26467,    *08365,      *08421,    *08421,
1 2.29021,      *08471,    2.30376,      *08520,    2.31733,
1   *08563,      2.33089,    *08601,      2.34445,    *08634,
1 2.35802,      *08662,    2.37159,      *08685,    2.38516,
1   *08703,      2.39874,    *08716,      2.41232,    *08726,
1 2.42590,      *08731,    2.44078,      *08731,    2.45566,
1   *08725,      2.47054,    *08710,      2.48542,    *08684/
000005 DATA (PHILD(I),EPSLD(I),I=226,251) /
1 2.50029,      *08646,    2.51515,      *08594,    2.53000,
1   *08525,      2.54483,    *08439,      2.55965,    *08333,
1   2.57444,      *08205,    2.59147,      *08029,    2.60847,
1   *07826,      2.62544,    *07599,      2.64239,    *07351,
1 2.65933,      *07088,    2.67625,      *06811,    2.69317,
1   *06526,      2.71007,    *06235,      2.72698,    *05943,
1   2.74389,      *05653,    2.78356,      *04995,    2.82326,
1   *04366,      2.86298,    *03763,      2.90274,    *03183,
1 2.94251,      *02623,    2.98231,      *02079,    3.02211,
1   *01548,      3.06193,    *01026,      3.10176,    *00511,
1   3.14159,      0.000000/
000005 DO 201 J=1,201
000006 PHI(J)=FLOAT(J-1)*3.141592654/200.
000013 CALL FTLJP(PHI(J),EPS(I),2,251,PHILD,EPSLD)
000024 RETURN
000025 END
146300000
146400000
146500000
146600000
146700000

```

APPENDIX

```

000005          SUBROUTINE PHPS63(PHI,PSI)
000005          DIMENSION PHI(1),PSI(1)
000005          DIMENSION PHILD(201),PSILD(201)
000005          DATA (PHILD(I),PSILD(I),I=1,25)/
1   0.00000,    *15066,    *01571,    *15058,    *03142,
1   *15035,    *04713,    *14999,    *06284,    *14950,
1   *07855,    *14891,    *09426,    *14823,    *10997,
1   *14748,    *12567,    *14668,    *14138,    *14583,
1   *15708,    *14497,    *17279,    *14610,    *18850,
1   *14323,    *20420,    *14238,    *21991,    *14155,
1   *23561,    *14074,    *25132,    *13998,    *26703,
1   *13927,    *28274,    *13862,    *29845,    *13804,
1   *31416,    *13753,    *32986,    *13711,    *34556,
1   *13676,    *36127,    *13648,    *37698,    *13627/
000005          DATA (PHILD(I),PSILD(I),I=26,50)/
1   *39268,    *13610,    *4C839,    *13598,    *42411,
1   *13590,    *43982,    *13584,    *45553,    *13579,
1   *47124,    *13576,    *48695,    *13573,    *50266,
1   *13570,    *51837,    *13567,    *53408,    *13564,
1   *54978,    *13561,    *56549,    *13558,    *58120,
1   *13555,    *59691,    *13552,    *61261,    *13550,
1   *62832,    *13547,    *64403,    *13544,    *65974,
1   *13542,    *67544,    *13539,    *69115,    *13536,
1   *70686,    *13533,    *72257,    *13529,    *73828,
1   *13525,    *75498,    *13521,    *76969,    *13516/
000005          DATA (PHILD(I),PSILD(I),I=51,75)/
1   *78540,    *13511,    *80111,    *13505,    *81682,
1   *13499,    *83252,    *13491,    *84823,    *13483,
1   *86394,    *13475,    *87965,    *13465,    *89536,
1   *13454,    *91106,    *13442,    *92677,    *13428,
1   *94248,    *13414,    *95819,    *13398,    *97390,
1   *13381,    *98961,    *13363,    *1.00531,    *13343,
1   1.02102,    *13321,    1.03673,    *13299,    1.05244,
1   *13275,    1.06815,    *13249,    1.08385,    *13222,
1   1.09956,    *13194,    1.11527,    *13164,    1.13098,
1   *13133,    1.14669,    *13100,    1.16240,    *13065/
000005          DATA (PHILD(I),PSILD(I),I=76,100)/
1   1.17811,    *13028,    1.19381,    *12988,    1.20952,
1   *12947,    1.22523,    *12903,    1.24093,    *12857,
1   1.25664,    *12808,    1.27235,    *12756,    1.28807,
1   *12702,    1.30378,    *12644,    1.31949,    *12584,
1   1.33520,    *12521,    1.35090,    *12455,    1.36661,

```

APPENDIX

```

1   *12385,      1. 38231,      *12313,      *139802,      *12238,
1   1.41372,      *12160,      1.42944,      *12079,      1.44515,
1   *11994,      1.46086,      *11907,      *147657,      *11817,
1   1.49228,      *11724,      1.5C799,      *11628,      1.52369,
1   *11529,      1.53940,      *11428,      1.55610,      *11324/
000005  DATA (PHILD(1),PSILD(1),I=101,125)/
1   1.57080,      *11218,      1.58652,      *11109,      1.60223,
1   *10998,      1.61794,      *1C884,      1.63365,      *10768,
1   1.64936,      *10650,      1.66507,      *10530,      1.68077,
1   *10407,      1.69c48,      *10283,      1.71218,      *10157,
1   1.72788,      *10029,      1.74359,      *09899,      1.75931,
1   *09767,      1.77502,      *09634,      1.79073,      *09499,
1   1.80644,      *09363,      1.82214,      *09224,      1.83785,
1   *09035,      1.85355,      *C8944,      1.86926,      *08801,
1   1.88496,      *08657,      1.90067,      *08512,      1.91638,
1   *08365,      1.93209,      *08217,      1.94780,      *08068/
000005  DATA (PHILD(1),PSILD(1),I=126,150)/
1   1.96351,      *C7917,      1.97922,      *C7766,      1.99493,
1   *07614,      2.01063,      *07461,      2.02634,      *07307,
1   2.04204,      *07153,      2.05775,      *06998,      2.07346,
1   *06842,      2.08916,      *06687,      2.10487,      *06530,
1   2.12058,      *06374,      2.13628,      *06217,      2.15199,
1   *06060,      2.16770,      *05904,      2.18340,      *05747,
1   2.19911,      *05591,      2.21481,      *05435,      2.23052,
1   *05280,      2.24623,      *05125,      2.26193,      *04970,
1   2.27764,      *04817,      2.29335,      *04664,      2.30906,
1   *04512,      2.32477,      *04362,      2.34048,      *04213/
000005  DATA (PHILD(1),PSILD(1),I=151,175)/
1   2.35619,      *04065,      2.37189,      *03919,      2.38759,
1   *03774,      2.40330,      *03631,      2.41900,      *03490,
1   2.43471,      *C3350,      2.45042,      *03213,      2.46613,
1   *03077,      2.48184,      *02943,      2.49755,      *02811,
1   2.51327,      *C2682,      2.52897,      *02555,      2.54467,
1   *02430,      2.56037,      *02308,      2.57608,      *02188,
1   2.59179,      *02071,      2.60749,      *01956,      2.62321,
1   *01844,      2.63892,      *01735,      2.65463,      *01630,
1   2.67035,      *01527,      2.68605,      *01428,      2.70175,
1   *01331,      2.71745,      *01239,      2.73316,      *01149/
000005  DATA (PHILD(1),PSILD(1),I=176,201)/
1   2.74887,      *01062,      2.76458,      *00979,      2.78029,
1   *00899,      2.79600,      *00823,      2.81171,      *00750,
1   2.82743,      *C0680,      2.84313,      *00614,      2.85884,
1   *00551,      2.87454,      *C0491,      2.89025,      *00435,

```

APPENDIX

```

1 2.90596,   .00382,   2.92167,   .00332,   2.93737,
1 .00286,   2.95309,   .00244,   2.96880,   .00205,
1 2.98451,   .00169,   3.00022,   .00137,   3.01592,
1 .00108,   3.03163,   .00083,   3.04734,   .00061,
1 3.06305,   .00042,   3.07875,   .00027,   3.09446,
1 .00015,   3.11017,   .00007,   3.12588,   .00002,
1 3.14159,   0.00000/
000005      DO 202 J=1,201
              CALL FFTLUP(PHI(J),PSI(J),2,2C1,PHI0,PSI0)
202  CONTINUE
              RETURN
              END
000006
000014
000020
000021

```

```

SUBROUTINE PHPS63A(PHI,PSI)
DIMENSION PHI(1),PSI(1)
DIMENSION PHILD(251),PSILD(251)
DATA (PHILD(I),PSILD(I),I=1,25) /
1   0.00005,      *15517,      *01461,      *15507,      *02922,
1   *15478,      *04383,      *15431,      *05843,      *15368,
1   *07303,      *15290,      *08763,      *15199,      *10222,
1   *15097,      *11680,      *14984,      *13138,      *14863,
1   *14594,      *14735,      *14925,      *14705,      *15257,
1   *14675,      *15588,      *14645,      *15919,      *14615,
1   *16250,      *14585,      *16582,      *14555,      *16913,
1   *14525,      *17244,      *14496,      *17576,      *14468,
1   *17907,      *14440,      *18420,      *14397,      *18933,
1   *14357,      *19447,      *14318,      *19960,      *14281/
000005      DATA (PHILD(I),PSILD(I),I=26,50) /
1   *20474,      *14245,      *20987,      *14210,      *21501,
1   *14177,      *22015,      *14145,      *22529,      *14115,
1   *23043,      *14086,      *24001,      *14035,      *24958,
1   *13987,      *25916,      *13944,      *26875,      *13904,
1   *27833,      *13867,      *28791,      *13833,      *29750,
1   *13802,      *30708,      *13773,      *31667,      *13746,
1   *32626,      *13722,      *33980,      *13690,      *35335,
1   *13662,      *36690,      *13637,      *38045,      *13614,
1   *39401,      *13594,      *40756,      *13577,      *42111,
1   *13562,      *43466,      *13548,      *44821,      *13537/
000005      DATA (PHILD(I),PSILD(I),I=51,75) /
1   *46176,      *13527,      *47241,      *13520,      *48306,
1   *13514,      *49371,      *135C9,      *50436,      *13504,
1   *51501,      *13500,      *52566,      *13496,      *53631,
1   *13492,      *54696,      *13489,      *55761,      *13486,
1   *56826,      *13483,      *57741,      *13481,      *58655,
1   *13478,      *59570,      *13476,      *60485,      *13474,
1   *61399,      *13471,      *62314,      *13469,      *63229,
1   *13467,      *64143,      *13464,      *65058,      *13462,
1   *65973,      *13460,      *67541,      *13456,      *69110,
1   *13452,      *70679,      *13447,      *72248,      *13442/
000005      DATA (PHILD(I),PSILD(I),I=76,100) /
1   *73817,      *13438,      *75386,      *13432,      *76955,
1   *13427,      *78524,      *13420,      *80093,      *13414,
1   *81662,      *13406,      *83032,      *13400,      *84402,
1   *13392,      *85772,      *13384,      *87142,      *13376,
1   *83512,      *13367,      *89882,      *13357,      *91253,

```

APPENDIX

APPENDIX

```

1   * 13347,      * 92623,      * 13336,      * 93993,      * 13324,
1   * 95363,      * 13312,      * 96612,      * 13299,      * 97860,
1   * 13287,      * 99109,      * 13274,      * 100358,      * 13260,
1   * 1.01607,     * 13245,      * 1.02855,     * 13230,      * 1.04104,
1   * 1.13214,     * 1.05353,     * 1.13197,     * 1.06602,     * 1.13180/
000005  DATA (PHILD(1),PSILD(1), I=101,125) /
1   1.07850,      * 13162,      * 1.09023,     * 1.13145,     * 1.10196,
1   * 1.13127,     * 1.11369,     * 1.13108,     * 1.12541,     * 1.13089,
1   * 1.13714,     * 1.13068,     * 1.14887,     * 1.13047,     * 1.16059,
1   * 1.13024,      1.17323,      * 1.13001,     * 1.18405,     * 1.12976,
1   * 1.19577,     * 12950,      * 1.20699,     * 1.12923,     * 1.21821,
1   * 1.12896,     * 1.22943,     * 1.12867,     * 1.24064,     * 1.28377,
1   * 1.25186,     * 1.12806,     * 1.26308,     * 1.12774,     * 1.27429,
1   * 1.2741,       1.28551,     * 1.27067,     * 1.29672,     * 1.2670,
1   * 1.30794,     * 12634,      * 1.31876,     * 1.2597,      * 1.32959,
1   * 1.12560,     * 1.34041,     * 1.12521,     * 1.35124,     * 1.12481/
000005  DATA (PHILD(1),PSILD(1), I=126,150) /
1   1.36206,      * 12440,      * 1.37289,     * 1.12398,     * 1.38371,
1   * 1.12355,     * 1.39453,     * 1.12310,     * 1.40535,     * 1.2264,
1   * 1.41617,     * 12217,      * 1.42675,     * 1.12170,     * 1.43733,
1   * 1.12121,     * 1.44790,     * 1.12072,     * 1.45847,     * 1.12021,
1   * 1.46905,     * 11969,      * 1.47962,     * 1.11916,     * 1.49019,
1   * 1.11862,     * 1.50077,     * 1.11807,     * 1.51134,     * 1.11750,
1   * 1.52191,     * 11693,      * 1.53232,     * 1.11636,     * 1.54274,
1   * 1.15777,     * 1.55316,     * 1.15158,     * 1.56357,     * 1.11458,
1   * 1.57399,     * 11397,      * 1.58440,     * 1.11335,     * 1.59481,
1   * 1.1272,       1.60523,     * 1.11208,     * 1.61564,     * 1.11143/
000005  DATA (PHILD(1),PSILD(1), I=151,175) /
1   1.62605,      * 11078,      * 1.63637,     * 1.11012,     * 1.64670,
1   * 1.10945,     * 1.65702,     * 1.6878,      * 1.66734,     * 1.10810,
1   * 1.67766,     * 10741,      * 1.66798,     * 1.10671,     * 1.69830,
1   * 1.0601,      * 1.70862,     * 1.10530,     * 1.71894,     * 1.10458,
1   * 1.72926,     * 10385,      * 1.73961,     * 1.10312,     * 1.74996,
1   * 1.10238,     * 1.76031,     * 1.10164,     * 1.77067,     * 1.10089,
1   * 1.78101,     * 10013,      * 1.79136,     * 0.9936,      * 1.80171,
1   * 0.98860,     * 81206,      * 0.9782,      * 1.82241,     * 0.9704,
1   * 1.83276,     * 09625,      * 1.84322,     * 0.9545,      * 1.85369,
1   * 0.9465,       1.86415,     * 0.9384,      * 1.87461,     * 0.09302/
000005  DATA (PHILD(1),PSILD(1), I=176,200) /
1   1.38508,      * 09220,     * 1.89554,     * 0.9137,      * 1.90600,
1   * 0.9054,       1.91646,     * 0.8971,      * 1.92692,     * 0.08887,
1   * 1.93738,     * C8802,      * 1.94807,     * 0.8716,      * 1.95875,
1   * 0.8629,       1.96943,     * 0.8541,      * 1.98012,     * 0.08454,

```

APPENDIX

```

1   1.99080,      *08366,    2.00148,    *08278,    2.01216,
1   *08189,       2.02284,    *C8100,    2.03353,    *08012,
1   2.04421,      *07923,    2.05529,    *07830,    2.06637,
1   *07738,       2.07744,    *07646,    2.08852,    *07553,
1   2.09960,      *07461,    2.11068,    *07369,    2.12176,
1   *07278,       2.13284,    *07186,    2.14392,    *07095/
000005      DATA (PHILD(I),PSILD(I),I=201,225)/
1   2.15500,      *07005,    2.16671,    *06910,    2.17841,
1   *06815,       2.19012,    *06721,    2.20183,    *06628,
1   2.21354,      *06535,    2.22525,    *06443,    2.23696,
1   *06351,       2.24867,    *06259,    2.26038,    *06168,
1   2.27209,      *06078,    2.28483,    *05980,    2.29757,
1   *05882,       2.31031,    *05785,    2.32305,    *05688,
1   2.33579,      *05593,    2.34854,    *05497,    2.36128,
1   *05403,       2.37402,    *05309,    2.38676,    *05216,
1   2.39951,      *05123,    2.41401,    *05019,    2.42851,
1   *04916,       2.44302,    *04813,    2.45752,    *04711/
000005      DATA (PHILD(I),PSILD(I),I=226,251)/
1   2.47203,      *04608,    2.48653,    *04506,    2.50103,
1   *04403,       2.51554,    *04299,    2.53004,    *04195,
1   2.54455,      *04090,    2.56241,    *03958,    2.58028,
1   *03826,       2.59814,    *03694,    2.61601,    *03563,
1   2.63388,      *03435,    2.65175,    *03311,    2.66962,
1   *03191,       2.68750,    *03077,    2.70537,    *02970,
1   2.72325,      *02871,    2.76503,    *02675,    2.80682,
1   *02524,       2.84864,    *02412,    2.89046,    *02333,
1   2.93230,      *02282,    2.97414,    *02253,    3.01600,
1   *02240,       3.05786,    *02238,    3.09973,    *02241,
1   3.14159,      *02243/
DO 202 J=1,201
  CALL FTLUP(PHI(J),PSI(J),2,251,PHILD,PSILD)
202  CONTINUE
      RETURN
      END
000005
000006
000014
000020
000021
167800000
167900000
168000000
168100000
168200000
168300000

```

APPENDIX

```

SUBROUTINE PHPS64(PHI,PSI)
DIMENSION PHI(1),PSI(1)
DIMENSION PHILD(201),PSILD(201),
          DATA (PHILD(I),PSILD(I),I=1,25) /
          J.00000,
          .25269,
          .01573,
          .25265,
          .03145,
          1.00000,
          .04717,
          .25227,
          .06289,
          .25193,
          1.00000,
          .25147,
          .09432,
          .25090,
          .11002,
          1.00000,
          .25020,
          .12572,
          .24937,
          .14140,
          .24841,
          1.00000,
          .15708,
          .24730,
          .17280,
          .24605,
          .18851,
          1.00000,
          .24467,
          .20422,
          .24321,
          .21992,
          .24170,
          1.00000,
          .23562,
          .24016,
          .25132,
          .23864,
          .26702,
          1.00000,
          .23715,
          .23272,
          .23573,
          .29844,
          .23442,
          1.00000,
          .31416,
          .23325,
          .32984,
          .23224,
          .34553,
          1.00000,
          .23138,
          .36122,
          .23066,
          .37693,
          .23006,
          1.00000,
          DATA (PHILD(I),PSILD(I),I=26,50) /
          1.00000,
          .39264,
          .22956,
          .40836,
          .22916,
          .42408,
          1.00000,
          .22884,
          .43980,
          .22858,
          .45552,
          .22836,
          1.00000,
          .47124,
          .22818,
          .48695,
          .22802,
          .50266,
          1.00000,
          .22788,
          .51837,
          .22775,
          .53408,
          .22764,
          1.00000,
          .54979,
          .22755,
          .56549,
          .22747,
          .58120,
          1.00000,
          .22740,
          .59691,
          .22736,
          .61261,
          .22732,
          1.00000,
          .62832,
          .22730,
          .64403,
          .22729,
          .65973,
          1.00000,
          .22730,
          .67544,
          .22731,
          .69115,
          .22733,
          1.00000,
          .70686,
          .22736,
          .72257,
          .22739,
          .73827,
          1.00000,
          .22742,
          .75398,
          .22745,
          .76969,
          .22748,
          1.00000,
          DATA (PHILD(I),PSILD(I),I=51,75) /
          1.00000,
          .78540,
          .22751,
          .80111,
          .22753,
          .81682,
          1.00000,
          .22755,
          .83252,
          .22756,
          .84823,
          .22756,
          1.00000,
          .86394,
          .22755,
          .87965,
          .22753,
          .89536,
          1.00000,
          .22751,
          .91106,
          .22747,
          .92677,
          .22742,
          1.00000,
          .94248,
          .22736,
          .95819,
          .22729,
          .97390,
          1.00000,
          .22720,
          .98961,
          .22709,
          1.00531,
          .22697,
          1.00000,
          1.02102,
          .22683,
          1.03673,
          .22668,
          1.05244,
          1.00000,
          .22650,
          1.06815,
          .22630,
          1.08385,
          .22608,
          1.00000,
          1.09956,
          .22584,
          1.11527,
          .22557,
          1.13098,
          1.00000,
          1.22528,
          1.14669,
          .22497,
          1.16240,
          .22462,
          1.00000,
          DATA (PHILD(I),PSILD(I),I=76,100) /
          1.00000,
          1.17811,
          .22426,
          1.19381,
          .22386,
          1.20952,
          1.00000,
          .22345,
          1.22523,
          .22300,
          1.24093,
          .22253,
          1.00000,
          1.25664,
          .22203,
          1.27236,
          .22150,
          1.28808,
          1.00000,
          1.22094,
          1.30379,
          .22034,
          1.31951,
          .21969,
          1.00000,
          1.33522,
          .21899,
          1.35093,
          .21823,
          1.36663,
          1.00000

```

APPENDIX

```

1   *21741,    1.38233,    *21652,    1.39803,    *21554,
1   1.41372,    .21449,    1.42946,    .21334,    1.44519,
1   .21211,    1.46091,    .21080,    1.47663,    *20940,
1   1.49234,    *20794,    1.50804,    *20641,    1.52374,
1   *20481,    1.53943,    *220315,    1.55512,    .20143/
000005  DATA (PHILD(I),PSILD(I), I=101,125) /
1   1.57030,    *19966,    1.58653,    *19784,    1.60226,
1   *19596,    1.61798,    *19405,    1.63370,    *19209,
1   1.64941,    *19008,    1.66511,    *18804,    1.68081,
1   *18596,    1.69651,    *18384,    1.71220,    *18169,
1   1.72783,    *17950,    1.74361,    *17727,    1.75933,
1   *17501,    1.77505,    *17273,    1.79076,    *17041,
1   1.80647,    *16806,    1.82218,    *16569,    1.83788,
1   *16329,    1.85357,    *16087,    1.86927,    *15843,
1   1.88496,    *15596,    1.90068,    *15347,    1.91640,
1   *12095,    1.93211,    *14842,    1.94782,    *14587/
000005  DATA (PHILD(I),PSILD(I), I=126,150) /
1   1.96353,    *14330,    1.97924,    *14072,    1.99494,
1   *13812,    2.01064,    *13551,    2.02634,    *13288,
1   2.04204,    *13024,    2.05775,    *12759,    2.07346,
1   *12492,    2.08917,    *12225,    2.10488,    *11957,
1   2.12059,    *11688,    2.13629,    *11418,    2.15200,
1   *11149,    2.16770,    *1C878,    2.18341,    *10608,
1   2.19911,    *10338,    2.21481,    *10068,    2.23051,
1   *09798,    2.24622,    *09529,    2.26192,    *09260,
1   2.27763,    *08992,    2.29334,    *08725,    2.30905,
1   *08429,    2.32476,    *C8195,    2.34047,    *07932/
000005  DATA (PHILD(I),PSILD(I), I=151,175) /
1   2.35619,    *07671,    2.37188,    *07412,    2.38757,
1   *07156,    2.40327,    *06901,    2.41897,    *06649,
1   2.43438,    *06399,    2.45039,    *06152,    2.46610,
1   *05908,    2.48182,    *05667,    2.49754,    *05428,
1   2.51327,    *C5193,    2.52895,    *04962,    2.54464,
1   *04734,    2.56034,    *04510,    2.57604,    *04289,
1   2.59174,    *04073,    2.60745,    *03860,    2.62317,
1   *03651,    2.63889,    *03447,    2.65462,    *03247,
1   2.67035,    *03051,    2.68603,    *02861,    2.70172,
1   *02875,    2.71741,    *02494,    2.73311,    *02318,
1   DATA (PHILD(I),PSILD(I), I=176,201) /
1   2.74832,    *02148,    2.76453,    *01983,    2.78024,
1   *01825,    2.79597,    *01672,    2.81170,    *01525,
1   2.82743,    *01385,    2.84312,    *01252,    2.85881,
1   *01125,    2.87451,    *01006,    2.89021,    *00892,

```

APPENDIX

```

176900000
177000000
177100000
177200000
177300000
177400000
177500000
177600000
177700000
177800000
177900000
178000000

1    2.90591,      .00786,      2.92163,      .00686,
1    .00593,      2.95306,      .00506,      2.96878,
1    2.98451,      .00353,      3.0021,      .00287,
1    .00227,      3.03162,      .00174,      3.04732,
1    3.06303,      .00089,      3.07874,      .00057,
1    .00032,      3.11016,      .00014,      3.12588,
1    3.14159,      0.00000/
1    DU 202 J=1,201
1    CALL FTLUUP (PHI (J),PSI (J),2,201,PHILD,PSILD)
1    CONTINUE
202  RETURN
1    END

000005
000006
000014
000020
000021

```

```

000005          SUBROUTINE PHPS64A(PHI,PSI)
000005          DIMENSION PHI(1), PSI(1)
000005          DIMENSION PHILD(251),PSILD(251)
000005          DATA (PHILD(I),PSILD(I),I=1,25) /
000005            0.00000,   .15365,   .01470,   .15355,
000005            .02940,   .04410,   .15275,   .05880,
000005            .07349,   .15129,   .08818,   .15035,
000005            .14930,   .11753,   .14816,   .13220,
000005            .14686,   .14565,   .15019,   .14535,
000005            .14505,   .15685,   .14475,   .10019,
000005            .16352,   .14414,   .16685,   .14384,
000005            .14353,   .17351,   .14323,   .17684,
000005            .16017,   .14263,   .16528,   .14218,
000005            .14174,   .19551,   .14130,   .20063,
000005          DATA (PHILD(I),PSILD(I),I=26,50) /
000005            1.20574,   .14044,   .21086,   .14003,
000005            1.1963,   .22139,   .13924,   .22621,
000005            1.23133,   .13849,   .24088,   .13783,
000005            1.13722,   .26000,   .13665,   .26956,
000005            1.27912,   .13562,   .26869,   .13516,
000005            1.13473,   .30782,   .13432,   .31739,
000005            1.32695,   .13359,   .34039,   .13313,
000005            1.13271,   .36728,   .13233,   .38072,
000005            1.39416,   .13167,   .4C761,   .13139,
000005            1.3113,   .43450,   .13090,   .44794,
000005          DATA (PHILD(I),PSILD(I),I=51,75) /
000005            1.46139,   .13051,   .47194,   .13037,
000005            1.13024,   .49303,   .13013,   .50358,
000005            1.21413,   .12993,   .52468,   .12985,
000005            1.12977,   .54578,   .12971,   .55633,
000005            1.56688,   .12961,   .57595,   .12958,
000005            1.12955,   .59409,   .12953,   .60317,
000005            1.61224,   .12951,   .62131,   .12950,
000005            1.12949,   .63945,   .12949,   .64852,
000005            1.65759,   .12949,   .67316,   .12948,
000005            1.12947,   .70431,   .12947,   .71989,
000005          DATA (PHILD(I),PSILD(I),I=76,100) /
000005            1.73546,   .12942,   .75103,   .12944,
000005            1.12943,   .78218,   .12942,   .79776,
000005            1.81333,   .12940,   .82695,   .12939,
000005            1.12939,   .85418,   .12938,   .86780,
000005            1.88142,   .12936,   .89504,   .12934,

```

APPENDIX

APPENDIX

```

1   .12932,      .922228,      .12930,      .93589,      .12927,
1   .94951,      .12923,      .96194,      .12920,      .97436,
1   .12915,      .98679,      .12910,      .99922,      .12905,
1   1.01164,     .12899,      1.02407,     .12892,      1.03650,
1   .12885,      1.04892,     .12878,      1.06135,     .12869/
000005    DATA (PHILD((1),PSILD((1),I=101,125))/
1   1.07377,     .12861,      1.08546,     .12852,      1.09714,
1   .12843,      1.0882,      .12833,      1.12050,     .12822,
1   1.13218,     .12811,      1.14386,     .12800,      1.15554,
1   .12788,      1.16723,     .12775,      1.17891,     .12761,
1   1.19059,     .12747,      1.20180,     .12733,      1.21301,
1   .12718,      1.22422,     .12702,      1.23543,     .12685,
1   1.24665,     .12668,      1.25786,     .12650,      1.26907,
1   .12631,      1.28028,     .12611,      1.29149,     .12590,
1   1.30279,     .12569,      1.31357,     .12547,      1.32444,
1   .12524,      1.33531,     .12500,      1.34618,     .12475/
000005    DATA (PHILD((1),PSILD((1),I=126,150))/
1   1.35705,     .12448,      1.36792,     .12420,      1.37879,
1   .12390,      1.38966,     .12358,      1.40052,     .12325,
1   1.41139,     .12289,      1.42204,     .12252,      1.43269,
1   .12212,      1.44334,     .12171,      1.45398,     .12128,
1   1.46463,      .12083,      1.47528,     .12036,      1.48592,
1   .11988,      1.49657,     .11938,      1.50721,     .11887,
1   1.51785,     .11834,      1.52835,     .11781,      1.53884,
1   .11727,      1.54933,     .11672,      1.55982,     .11615,
1   1.57030,     .11557,      1.58079,     .11499,      1.59128,
1   .11439,      1.60177,     .11378,      1.61225,     .11316/
000005    DATA (PHILD((1),PSILD((1),I=151,175))/
1   1.62274,     .11253,      1.63312,     .11189,      1.64350,
1   .11125,      1.65388,     .11059,      1.66426,     .10993,
1   1.67464,     .10925,      1.68502,     .10857,      1.69540,
1   .10783,      1.70578,     .10719,      1.71615,     .10648,
1   1.72653,     .10577,      1.73693,     .10505,      1.74732,
1   .10433,      1.75772,     .10360,      1.76812,     .10286,
1   1.77851,     .10212,      1.78891,     .10137,      1.79931,
1   .10061,      1.80970,     .09985,      1.82009,     .09908,
1   1.83049,     .09831,      1.84100,     .09752,      1.85151,
1   .09672,      1.86202,     .09592,      1.87253,     .09512/
000005    DATA (PHILD((1),PSILD((1),I=176,200))/
1   1.88304,     .09431,      1.89354,     .09349,      1.90405,
1   .09267,      1.91456,     .09184,      1.92507,     .09101,
1   1.93557,     .09017,      1.94631,     .08931,      1.95704,
1   .06845,      1.96777,     .08758,      1.97850,     .08670,

```

APPENDIX

```

1     1.98423,      •08583,      1.99996,      •C8495,      2.01069,
1     •08406,      2.02142,      •08318,      2.03215,      •08229,
1     2.04288,      •08140,      2.05401,      •08048,      2.06514,
1     •07955,      2.07627,      •07863,      2.08740,      •07770,
1     2.09852,      •07678,      2.10965,      •07585,      2.12078,
1     •07493,      2.13191,      •07401,      2.14304,      •07309/
000005      DATA (PHILD(I),PSILD(I),I=201,225) /
1     2.15416,      •07217,      2.16592,      •07120,      2.17767,
1     •07023,      2.18942,      •06927,      2.20117,      •06831,
1     2.21293,      •06735,      2.22468,      •06639,      2.23643,
1     •09542,      2.24819,      •06450,      2.25994,      •06356,
1     2.27169,      •06262,      2.28447,      •06161,      2.29724,
1     •06060,      2.31001,      •05960,      2.32278,      •05861,
1     2.33556,      •05762,      2.34833,      •05664,      2.36111,
1     •05507,      2.37388,      •05470,      2.38666,      •05375,
1     2.39943,      •05279,      2.41396,      •05172,      2.42849,
1     •05066,      2.44302,      •04960,      2.45754,      •04855/
000005      DATA (PHILD(I),PSILD(I),I=226,251) /
1     2.47207,      •04749,      2.48660,      •04644,      2.50113,
1     •04238,      2.51560,      •04432,      2.53019,      •04324,
1     2.54471,      •04216,      2.56260,      •04081,      2.58049,
1     •03945,      2.59837,      •03809,      2.61626,      •03675,
1     2.63415,      •03543,      2.65203,      •03414,      2.66993,
1     •03291,      2.68782,      •03173,      2.70572,      •03061,
1     2.72362,      •02958,      2.76535,      •02751,      2.80711,
1     •02589,      2.84888,      •02465,      2.89067,      •02374,
1     2.93247,      •02312,      2.97428,      •02273,      3.01610,
1     •02252,      3.05793,      •02243,      3.09976,      •02242,
1     3.14159,      •02243,      .          .          .          .
000005      DO 202 J=1,201
000006      CALL FTLUP(PHI(J),PSI(J),2,251,PHILD,PSILD)
000014      202 CONTINUE
000020      RETURN
000021      END

```

APPENDIX

```

000005      SUBROUTINE PHPS65(PHI,PSI)
000005      DIMENSION PHI(1), PSI(1)
000005      DIMENSION PHILD(251),PSILD(251)
000005      DATA (PHILD(I),PSILD(I),I=1,25) /
0.00030,   .17464,   .01486,   .17457,   .02972,
1       .17437,   .04458,   .17404,   .05944,   .17360,
1       .07429,   .17303,   .08914,   .17236,   .10398,
1       .17159,   .11882,   .17073,   .13365,   .16977,
1       .14848,   .16872,   .15176,   .16848,   .15503,
1       .16824,   .15831,   .16799,   .16159,   .16773,
1       .16486,   .16747,   .16814,   .16721,   .17141,
1       .16694,   .17409,   .16666,   .17796,   .16638,
1       .18123,   .16609,   .18624,   .16563,   .19124,
1       .16516,   .19624,   .16468,   .20124,   .16420/
000005      DATA (PHILD(I),PSILD(I),I=26,50) /
1       .20624,   .16371,   .21124,   .16321,   .21625,
1       .16272,   .22125,   .16223,   .22625,   .16175,
1       .23125,   .16127,   .24070,   .16041,   .25015,
1       .15959,   .25960,   .15881,   .26906,   .15808,
1       .27852,   .15740,   .28798,   .15676,   .29744,
1       .15616,   .30691,   .15562,   .31638,   .15512,
1       .32586,   .15468,   .33917,   .15413,   .35249,
1       .15368,   .36581,   .15331,   .37913,   .15301,
1       .39246,   .15278,   .40578,   .15261,   .41911,
1       .15249,   .43244,   .15241,   .44577,   .15237/
000005      DATA (PHILD(I),PSILD(I),I=51,75) /
1       .45910,   .15235,   .46962,   .15235,   .48015,
1       .15239,   .49068,   .15238,   .50121,   .15241,
1       .51173,   .15245,   .52226,   .15251,   .53279,
1       .15257,   .54331,   .15264,   .55384,   .15272,
1       .56430,   .15231,   .57344,   .15289,   .58252,
1       .15298,   .59160,   .15308,   .60068,   .15318,
1       .60976,   .15328,   .61884,   .15339,   .62791,
1       .15350,   .63699,   .15361,   .64607,   .15372,
1       .65515,   .15383,   .67085,   .15402,   .68656,
1       .15422,   .70226,   .15440,   .71796,   .15459/
000005      DATA (PHILD(I),PSILD(I),I=76,100) /
1       .73366,   .15477,   .74937,   .15496,   .76507,
1       .15513,   .78077,   .15531,   .79648,   .15548,
1       .81218,   .15564,   .82590,   .15578,   .83961,
1       .15592,   .85333,   .15605,   .86704,   .15618,
1       .88076,   .15630,   .89448,   .15642,   .90819,

```

APPENDIX

```

1   *15653,    92191,    *15663,    *93563,    *15673,
1   *94934,    *15682,    *96192,    *15690,    *97449,
1   *15097,    *98706,    *15704,    *99963,    *15709,
1   1.01220,    *15714,    1.02477,    *15719,    1.03734,
1   *15723,    1.04992,    *15726,    1.06249,    *15728/
000005  DATA (PHILD(1),PSILD(1),I=101,125)/
1   1.07506,    *15730,    1.08689,    *15731,    1.09872,
1   *15731,    1.11054,    *15730,    1.12237,    *15729,
1   1.13420,    *15727,    1.14603,    *15724,    1.15786,
1   *15721,    1.16968,    *15716,    1.18151,    *15711,
1   1.19334,    *15704,    1.20469,    *15697,    1.21604,
1   *15689,    1.22740,    *15680,    1.23875,    *15671,
1   1.25010,    *15660,    1.26145,    *15648,    1.27281,
1   *15536,    1.28416,    *15623,    1.29551,    *15609,
1   1.30686,    *15594,    1.31793,    *15578,    1.32900,
1   *15562,    1.34007,    *15544,    1.35114,    *15526/
000005  DATA (PHILD(1),PSILD(1),I=126,150)/
1   1.36221,    *15506,    1.37327,    *15484,    1.38434,
1   *15462,    1.39541,    *15437,    1.40647,    *15411,
1   1.41754,    *15383,    1.42845,    *15354,    1.43935,
1   *15322,    1.45026,    *15289,    1.46116,    *15254,
1   1.47207,    *15216,    1.48297,    *15177,    1.49387,
1   *15135,    1.50477,    *15091,    1.51567,    *15046,
1   1.52557,    *14998,    1.53737,    *14948,    1.54817,
1   *14836,    1.55897,    *14842,    1.56977,    *14785,
1   1.58057,    *14726,    1.59136,    *14665,    1.60215,
1   *14002,    1.61295,    *14536,    1.62374,    *14467/
000005  DATA (PHILD(1),PSILD(1),I=151,175)/
1   1.63452,    *14396,    1.64526,    *14323,    1.65600,
1   *14247,    1.66673,    *14169,    1.67746,    *14088,
1   1.68820,    *14005,    1.65892,    *13920,    1.70965,
1   *13833,    1.72038,    *13744,    1.73110,    *13652,
1   1.74182,    *13559,    1.75255,    *13464,    1.76327,
1   *13367,    1.77399,    *13268,    1.78471,    *13167,
1   1.79542,    *13065,    1.80614,    *12961,    1.81685,
1   *12850,    1.82756,    *12749,    1.83828,    *12641,
1   1.84898,    *12531,    1.85973,    *12420,    1.87048,
1   *12307,    1.88122,    *12194,    1.89197,    *12079,
000005  DATA (PHILD(1),PSILD(1),I=176,200)/
1   1.90271,    *11962,    1.91345,    *11845,    1.92419,
1   *11720,    1.93493,    *11606,    1.94567,    *11485,
1   1.95640,    *11363,    1.96732,    *11237,    1.97824,
1   *11111,    1.98916,    *10983,    2.00008,    *10854,

```

APPENDIX

```

1   2.01100,      •10725,      2.02191,      •10594,      2.03283,
1   •10463,       2.04374,      •10332,      2.05466,      •10199,
1   2.06557,       •10066,      2.07682,      •09929,      2.08807,
1   •09791,       2.09932,      •09652,      2.11056,      •09513,
1   2.12181,       •09374,      2.13305,      •09234,      2.14430,
1   •09094,       2.15554,      •08953,      2.16679,      •08811/
000005    DATA (PHILD(I),PSILD(I), I=201,225) /
1   2.17803,      •08669,      2.18979,      •08520,      2.20154,
1   •08370,       2.21330,      •08220,      2.22505,      •08070,
1   2.23680,      •07919,      2.24856,      •07768,      2.26031,
1   •07617,       2.27206,      •07465,      2.28382,      •07314,
1   2.29557,      •07163,      2.30822,      •07000,      2.32086,
1   •06838,       2.33351,      •06675,      2.34616,      •06514,
1   2.35881,      •06352,      2.37146,      •06191,      2.38411,
1   •06030,       2.39676,      •05870,      2.40941,      •05710,
1   2.42206,      •05551,      2.43614,      •05374,      2.45023,
1   •05199,       2.46431,      •05024,      2.47839,      •04850/
000005    DATA (PHILD(I),PSILD(I), I=226,251) /
1   2.49248,      •04677,      2.50656,      •04504,      2.52065,
1   •04333,       2.53474,      •04162,      2.54883,      •03992,
1   2.56292,      •03824,      2.57971,      •03624,      2.59651,
1   •03426,       2.61330,      •03230,      2.63010,      •03037,
1   2.6491,       •02848,      2.66372,      •02662,      2.68053,
1   •02431,       2.69735,      •02305,      2.71417,      •02134,
1   2.73100,      •01970,      2.7194,      •01597,      2.81292,
1   •01263,       2.85393,      •00968,      2.89497,      •00712,
1   2.93604,      •00495,      2.97712,      •00317,      3.01823,
1   •00178,       3.05934,      •00079,      3.10046,      •00020,
1   3.14159,      0.00000,      /          201400000
000005    DO 202 J=1,201
000006    CALL FTFLUP(PHI(J),PSI(J),2,251,PHILD,PSILD)
000014    202 CONTINUE
000020    RETURN
000021    END

```


APPENDIX

```

1   .12455,      .91592,      .12461,      .92948,      .12467,
1   .94303,      .12472,      .95538,      .12477,      .96772,
1   .12482,      .98007,      .12486,      .99241,      .12489,
1   1.00476,     .12492,      1.01711,     .12495,      1.02945,
1   .12498,      1.04190,     1.12500,     1.05414,     1.12501/
0000005    DATA (PHILD(1),PSILD(1),I=101,125)/
1   1.06649,     .12502,      1.C7810,     1.12503,     1.08971,
1   .12503,      1.10132,     1.12502,     1.11293,     1.12501,
1   1.12454,     .12505,     1.13615,     1.12498,     1.14776,
1   .12495,      1.15937,     1.12492,     1.17098,     .12489,
1   1.18259,     .12485,     1.19372,     1.12481,     1.20486,
1   .12476,      1.21599,     1.12471,     1.22713,     .12465,
1   1.23827,     .12459,     1.24940,     1.12452,     1.26054,
1   .12445,      1.27107,     1.12437,     1.28281,     .12428,
1   1.29394,     .12419,     1.30473,     1.12409,     1.31552,
1   .12398,      1.32631,     1.12387,     1.33710,     .12375/
0000005    DATA (PHILC(1),PSILD(1),I=126,150)/
1   1.34790,     .12362,     1.35869,     .12349,     1.36948,
1   .12334,      1.38027,     1.12319,     1.39106,     .12303,
1   1.40185,     .12286,     1.41248,     .12268,     1.42311,
1   .12249,      1.43375,     1.12229,     1.44438,     .12208,
1   1.45501,     1.2186,     1.46564,     .12163,     1.47628,
1   .12138,      1.48691,     1.12113,     1.49754,     .12085,
1   1.50817,     .12057,     1.51872,     .12027,     1.52928,
1   .11995,      1.53983,     1.11964,     1.55038,     .11930,
1   1.56094,     .11894,     1.57149,     .11857,     1.58204,
1   .11818,      1.59259,     1.11778,     1.60314,     .11736/
0000005    DATA (PHILD(1),PSILD(1),I=151,175)/
1   1.61369,     .11693,     1.62418,     .11648,     1.63468,
1   .11602,      1.64517,     .11554,     1.65566,     .11504,
1   1.66616,     .11453,     1.67665,     .11400,     1.68714,
1   .11346,      1.69763,     .11291,     1.70811,     .11234,
1   1.71860,     .11175,     1.72914,     .11115,     1.73968,
1   .11054,      1.75021,     .10991,     1.76075,     .10928,
1   1.77128,     .10863,     1.78182,     .10797,     1.79235,
1   .10730,      1.80289,     .10662,     1.81342,     .10594,
1   1.82395,     .10524,     1.83461,     .10453,     1.84527,
1   .10381,      1.85532,     .10308,     1.86658,     .10235/
0000005    DATA (PHILL(1),PSILD(1),I=176,200)/
1   1.67723,     .10161,     1.88789,     .10086,     1.89854,
1   .10010,      1.90920,     .09933,     1.91985,     .09856,
1   1.95050,     .C9778,     1.94138,     .09698,     1.95226,
1   .09617,      1.96314,     .09535,     1.97402,     .09452,

```

APPENDIX

```

1   1.98489,      C9369,    1.99577,    .09285,    2.00664,
1   .09201,      .01752,    .C9116,    2.02839,    .09030,
1   .03927,      .08943,    2.05056,    .08853,    2.06185,
1   .08763,      .07314,    .08671,    2.08444,    .08579,
1   2.09573,      .08487,    2.10702,    .08394,    2.11831,
1   .08301,      2.12960,    .C8207,    2.14089,    .08113,
000005      DATA (PHILD(I),PSILD(I), I=201,225) /
1   2.15217,      .08019,    2.16409,    .07919,    2.17601,
1   .07818,      2.18793,    .07717,    2.19985,    .07616,
1   2.21176,      .07515,    2.22368,    .07413,    2.23560,
1   .07311,      2.24751,    .07209,    2.25943,    .07106,
1   2.27134,      .07004,    2.28424,    .06892,    2.29713,
1   .06781,      2.31002,    .06670,    2.32292,    .06559,
1   2.33581,      .06448,    2.34870,    .06338,    2.36159,
1   .06229,      2.37449,    .06119,    2.38738,    .06011,
1   2.40026,      .05904,    2.41489,    .05783,    2.42950,
1   .05664,      2.44411,    .05545,    2.45872,    .05427,
000005      DATA (PHILD(I),PSILD(I), I=226,251) /
1   2.47334,      .05309,    2.48795,    .05191,    2.50256,
1   .05072,      2.51717,    .04953,    2.53178,    .04834,
1   2.54640,      .04713,    2.56432,    .04564,    2.58225,
1   .04413,      2.60018,    .04263,    2.61810,    .04114,
1   2.63603,      .03967,    2.65396,    .03823,    2.67189,
1   .03683,      2.68983,    .03549,    2.70777,    .03421,
1   2.72571,      .03300,    2.76723,    .03052,    2.80877,
1   .02844,      2.85033,    .02675,    2.89190,    .02539,
1   2.93350,      .02434,    2.97510,    .02355,    3.01671,
1   .02301,      3.05834,    .02266,    3.09996,    .02248,
1   3.14159,      .02242,
000005      DO 202 J=1,201
000006      CALL FTLUP(PHI(J),PSI(J),2,251,PHILD,PSILD)
000014      202 CONTINUE
000020      RETURN
000021      END

```

APPENDIX

```

000005      SUBROUTINE PHPS66(PHI, PSI(1)
000005      DIMENSION PHI(1), PSI(1)
000005      DIMENSION PHILD(201), PSILD(201)
000005      DATA (PHILD(I),PSILD(I),I=1,25)/
000005      0. 00000,   *16457,   *01573,   *16455,   *03145,
000005      *16449,   *04718,   *16437,   *06290,   *16416,
000005      *07862,   *16386,   *09433,   *16345,   *11003,
000005      *16292,   *12572,   *16223,   *14141,   *16139,
000005      *15708,   *16037,   *17280,   *15916,   *18851,
000005      *15779,   *20422,   *15631,   *21992,   *15475,
000005      *23562,   *15316,   *25131,   *15157,   *26701,
000005      *15002,   *28272,   *14856,   *29844,   *14722,
000005      *31416,   *14604,   *32984,   *14506,   *34552,
000005      *14427,   *36122,   *14364,   *37693,   *14316/
000005      DATA (PHILD(I),PSILD(I),I=26,50)/
000005      1. 39264,   *14281,   *40835,   *14257,   *42407,
000005      *14242,   *43980,   *14235,   *45552,   *14233,
000005      *47124,   *14236,   *48696,   *14241,   *50267,
000005      *14248,   *51838,   *14257,   *53409,   *14267,
000005      *54979,   *14280,   *56550,   *14294,   *58121,
000005      *14310,   *59691,   *14327,   *61262,   *14346,
000005      *62832,   *14366,   *64403,   *14387,   *65973,
000005      *14410,   *67544,   *14433,   *69115,   *14457,
000005      *70686,   *14481,   *72257,   *14506,   *73827,
000005      *14530,   *75398,   *14554,   *76969,   *14578,
000005      DATA (PHILD(I),PSILD(I),I=51,75)/
000005      1. 78540,   *14601,   *80111,   *14623,   *81682,
000005      *14645,   *83252,   *14665,   *84823,   *14685,
000005      *66394,   *14704,   *87965,   *14722,   *89536,
000005      *14740,   *91106,   *14757,   *92677,   *14774,
000005      *94248,   *14790,   *95819,   *14806,   *97390,
000005      *14821,   *98960,   *14835,   *1.00531,   *14849,
000005      1. 02102,   *14862,   *1.03673,   *14875,   *1.05244,
000005      *14886,   *1.06814,   *14897,   *1.08385,   *14908,
000005      *1.09950,   *14917,   *1.11527,   *14925,   *1.13098,
000005      *14933,   *1.14668,   *14940,   *1.16239,   *14945,
000005      DATA (PHILD(I),PSILD(I),I=76,100)/
000005      1. 17810,   *14950,   *1.19381,   *14954,   *1.20952,
000005      *1.1957,   *1.22522,   *14959,   *1.24093,   *1.14961,
000005      *1.25664,   *14961,   *1.27235,   *14960,   *1.28806,
000005      *14959,   *1.30376,   *14956,   *1.31947,   *1.14953,
000005      1. 33518,   *14948,   *1.35089,   *14943,   *1.36660,

```

APPENDIX

1	• 14936,	1. 38230,	• 14928,	1. 39801,	• 14918,
1	• 1.41372,	• 14908,	1. 42943,	• 14896,	1. 44514,
1	• 14883,	1. 46085,	• 14869,	1. 47655,	• 14853,
1	1. 49226,	• 14835,	1. 5C797,	• 14816,	1. 52368,
1	• 14796,	1. 53939,	• 14774,	1. 55509,	• 14750,
000005	DATA (PHILD(1),PSILD(1),I=101,125), /				
1	1. 57080,	• 14725,	1. 58651,	• 14698,	1. 60222,
1	• 14669,	1. 61793,	• 14638,	1. 63364,	• 14606,
1	1. 54954,	• 14571,	1. 66505,	• 14533,	1. 68076,
1	• 14494,	1. 69647,	• 14452,	1. 71217,	• 14407,
1	1. 72788,	• 14360,	1. 74360,	• 14310,	1. 75932,
1	• 14259,	1. 77504,	• 14198,	1. 79075,	• 14135,
1	1. 80647,	• 14067,	1. 82217,	• 13992,	1. 83788,
1	• 13910,	1. 85358,	• 13820,	1. 86927,	• 13722,
1	1. 88496,	• 13515,	1. 90070,	• 13498,	1. 91642,
1	• 13371,	1. 93214,	• 13236,	1. 94786,	• 13093,
000005	DATA (PHILD(1),PSILD(1),I=126,150), /				
1	1. 90357,	• 12942,	1. 97927,	• 12786,	1. 99497,
1	• 12623,	2. 01067,	• 12456,	2. 02636,	• 12284,
1	2. 04204,	• 12106,	2. 05777,	• 11929,	2. 07349,
1	• 11746,	2. 08920,	• 11561,	2. 10492,	• 11373,
1	2. 12062,	• 11182,	2. 13633,	• 10987,	2. 15203,
1	• 10790,	2. 16773,	• 10590,	2. 18342,	• 10386,
1	2. 19911,	• 10180,	2. 21483,	• 09970,	2. 23055,
1	• 34758,	2. 24626,	• 09542,	2. 26197,	• 09325,
1	2. 27768,	• 09106,	2. 29338,	• 08885,	2. 30909,
1	• 08662,	2. 32479,	• 08439,	2. 34049,	• 08214,
000005	DATA (PHILD(1),PSILD(1),I=151,175), /				
1	2. 35619,	• C7989,	2. 37190,	• 07763,	2. 38761,
1	• 07537,	2. 40331,	• C7311,	2. 41902,	• 07085,
1	2. 43473,	• C6859,	2. 45043,	• 06633,	2. 46614,
1	• 06407,	2. 48185,	• 06182,	2. 49756,	• 05957,
1	2. 51327,	• 05733,	2. 52897,	• 05210,	2. 54467,
1	• 05287,	2. 56037,	• 05066,	2. 57607,	• 04846,
1	2. 59178,	• 04627,	2. 6C749,	• 04411,	2. 62320,
1	• 04196,	2. 63891,	• 03983,	2. 65463,	• 03773,
1	2. 67035,	• C3566,	2. 68604,	• 03362,	2. 70173,
1	• 03161,	2. 71742,	• C2964,	2. 73312,	• 02770,
000005	DATA (PHILD(1),PSILD(1),I=176,201), /				
1	2. 74882,	• 02580,	2. 76453,	• 02395,	2. 78025,
1	• 02215,	2. 79597,	• 02039,	2. 81170,	• 01869,
1	2. 62743,	• 01705,	2. 84311,	• 01547,	2. 85880,
1	• 01395,	2. 87449,	• 01250,	2. 89019,	• 01112,

APPENDIX

```

1   2.90590,    .00981,    2.92161,    .00857,    2.93733,
1   .00740,    2.95305,    .00631,    2.96878,    .00531,
1   2.98451,    .00439,    3.00020,    .00356,    3.01590,
1   .00281,    3.03160,    .00216,    3.04731,    .00159,
1   3.00302,    .00110,    3.07873,    .00071,    3.09444,
1   .00040,    3.11016,    .00018,    3.12587,    .00004,
1   3.14159,    0.00000,    0.00000,    0.00000,    0.00000
000005      DJ 202 J=1,201          223000000
000006      CALL FTFLUP(PHI(J),PSI(J),2,201,PHILD,PSILD) 223100000
000014      CONTINUE          223200000
000020      RETURN           223300000
000021      END               223400000

```


APPENDIX

```

1   *14993,      *91416,      *14996,      *92753,      *14999,
1   *.94089,      *.15002,      *.95309,      *.15005,      *.96529,
1   *.15008,      *.97749,      *.15011,      *.98969,      *.15014,
1   1.00189,      *.15018,      1.001409,     *.15021,      1.02629,
1   *.15024,      1.03849,      *.15028,      1.05069,      *.15031/
0000005    DATA (PHILD(I),PSILD(I),I=101,125)/
1   1.06289,      *.15035,      1.07435,      *.15038,      1.08580,
1   *.15042,      1.09726,      *.15045,      1.10871,      *.15048,
1   1.12017,      *.15052,      1.13162,      *.15056,      1.14308,
1   *.15059,      1.15453,      *.15063,      1.16599,      *.15067,
1   1.17744,      *.15070,      1.18840,      *.15074,      1.19936,
1   *.15077,      1.21032,      *.15081,      1.22129,      *.15084,
1   1.23225,      *.15088,      1.24321,      *.15091,      1.25417,
1   *.15094,      1.26513,      *.15096,      1.27609,      *.15099,
1   1.28706,      *.15101,      1.29770,      *.15103,      1.30835,
1   *.15104,      1.31900,      *.15106,      1.32965,      *.15107/
0000005    DATA (PHILD(I),PSILD(I),I=126,150)/
1   1.34029,      *.15108,      1.35094,      *.15108,      1.36159,
1   *.15109,      1.37224,      *.15109,      1.38289,      *.15110,
1   1.39353,      *.15110,      1.40401,      *.15110,      1.41449,
1   *.15110,      1.42498,      *.15110,      1.43546,      *.15109,
1   1.44594,      *.15109,      1.45642,      *.15108,      1.46690,
1   *.15107,      1.47738,      *.15106,      1.48786,      *.15104,
1   1.49834,      *.15102,      1.50878,      *.15100,      1.51921,
1   *.15097,      1.52965,      *.15094,      1.54008,      *.15090,
1   1.55052,      *.15086,      1.56095,      *.15081,      1.57139,
1   *.15076,      1.58182,      *.15071,      1.59226,      *.15065/
0000005    DATA (PHILD(I),PSILD(I),I=151,175)/
1   1.60269,      *.15059,      1.61319,      *.15053,      1.62369,
1   *.15046,      1.63419,      *.15038,      1.64469,      *.15030,
1   1.65519,      *.15022,      1.66569,      *.15013,      1.67619,
1   *.15003,      1.68669,      *.14993,      1.69719,      *.14982,
1   1.70770,      *.14970,      1.71841,      *.14957,      1.72912,
1   *.14943,      1.73984,      *.14929,      1.75055,      *.14914,
1   1.76127,      *.14897,      1.77198,      *.14880,      1.78270,
1   *.14862,      1.79341,      *.14842,      1.80412,      *.14822,
1   1.81484,      *.14800,      1.82589,      *.14776,      1.83694,
1   *.14752,      1.84798,      *.14725,      1.85903,      *.14698/
0000005    DATA (PHILD(I),PSILD(I),I=176,200)/
1   1.87008,      *.14669,      1.88113,      *.14639,      1.89218,
1   *.14607,      1.90322,      *.14574,      1.91427,      *.14539,
1   1.92531,      *.14502,      1.93688,      *.14462,      1.94844,
1   *.14420,      1.96000,      *.14376,      1.97156,      *.14329,

```

APPENDIX

```

1   1.98312,      •14279,      1.99468,      •14227,      2.00623,
1   •14171,      2.01779,      •14111,      2.02934,      •14048,
1   2.0439,      •13981,      2.05308,      •13905,      2.06526,
1   •13825,      2.07745,      •13739,      2.08962,      •13648,
1   2.10180,      •13551,      2.11397,      •13449,      2.12613,
1   •13341,      2.13829,      •13227,      2.15044,      •13106,
000005      DATA (PHILD(I),PSILD(I),I=201,225) /
1   2.16259,      •12980,      2.17538,      •12839,      2.18816,
1   •12692,      2.2093,      •12538,      2.21370,      •12380,
1   2.22646,      •12216,      2.23922,      •12048,      2.25197,
1   •11876,      2.26472,      •11700,      2.27746,      •11523,
1   2.29021,      •11343,      2.30379,      •11150,      2.31737,
1   •10955,      2.33095,      •10758,      2.34453,      •10559,
1   2.35810,      •10358,      2.37167,      •10154,      2.38523,
1   •09948,      2.39879,      •C9738,      2.41235,      •09526,
1   2.42590,      •09310,      2.44078,      •09070,      2.45566,
1   •08825,      2.47053,      •08576,      2.48539,      •08324,
000005      DATA (PHILD(I),PSILD(I),I=226,251) /
1   2.50025,      •08068,      2.51510,      •07808,      2.52995,
1   •07545,      2.54478,      •071278,      2.55962,      •07008,
1   2.57444,      •06735,      2.59138,      •06420,      2.60831,
1   •06102,      2.62523,      •05782,      2.64216,      •05463,
1   2.62909,      •05145,      2.67603,      •04830,      2.69297,
1   •04518,      2.70993,      •04212,      2.72690,      •03912,
1   2.74339,      •03620,      2.78335,      •02979,      2.82290,
1   •02391,      2.86255,      •01859,      2.90227,      •01386,
1   2.94205,      •00977,      2.98189,      •00635,      3.02178,
1   •00362,      3.06170,      •00163,      3.10164,      •00041,
1   3.14159,      0.CC000/      0.000005
000006      DU 202 J=1,201
000006      CALL FTLUP(PHI(J),PSIL(J),2,251,PHILD,PSILD)
000014      202 CONTINUE
000020      RETURN
000021      END

```

REFERENCES

1. Abbott, Ira H.; Von Doenhoff, Albert E.; and Stivers, Louis S., Jr.: Summary of Airfoil Data. NACA Rep. 824, 1945. (Supersedes NACA WR L-560.)
2. Abbott, Ira H.; and Von Doenhoff, Albert E.: Theory of Wing Sections. Dover Publ., Inc., c.1959.
3. Loftin, Laurence K., Jr.: Theoretical and Experimental Data for a Number of NACA 6A-Series Airfoil Sections. NACA Rep. 903, 1948. (Supersedes NACA TN 1368.)
4. Robinson, Frank: Increasing Tail Rotor Thrust and Comments on Other Yaw Control Devices. J. Amer. Helicopter Soc., vol. 15, no. 4, Oct. 1970, pp. 46-52.
5. Patterson, Elizabeth W.; and Braslow, Albert L.: Ordinates and Theoretical Pressure-Distribution Data for NACA 6- and 6A-Series Airfoil Sections With Thicknesses From 2 to 21 and From 2 to 15 Percent Chord, Respectively. NASA TR R-84, 1961. (Supersedes NACA TN 4322.)
6. Kinsey, Don W.; and Bowers, Douglas L.: A Computerized Procedure To Obtain the Coordinates and Section Characteristics of NACA Designated Airfoils. AFFDL-TR-71-87, U.S. Air Force, Nov. 1971.
7. Theodorsen, Theodore: Theory of Wing Sections of Arbitrary Shape. NACA Rep. 411, 1931.
8. Von Doenhoff, Albert E.; Stivers, Louis S., Jr.; and O'Conner, James M.: Low-Speed Tests of Five NACA 66-Series Airfoils Having Mean Lines Designed To Give High Critical Mach Numbers. NACA TN 1276, 1947.
9. Stevens, W. A.; Goradia, S. H.; and Braden, J. A.: Mathematical Model for Two-Dimensional Multi-Component Airfoils in Viscous Flow. NASA CR-1843, 1971.

TABLE I

SAMPLE COMPUTER PRINTOUT OF ORDINATES FOR SYMMETRIC AIRFOIL

NACA 64-C12						
T _{OC} =	.120000	R _{LE} =	.010400	C _{HD} =	4.000000	
CL _I =	0.000000					
A=	0.000000					
RAT(1)=	1.00000					
RAT(2)=	.58127					
RAT(3)=	.98427					
RAT(4)=	.99970					
 PEAK IS AT X/C=	.375985					
MAXIMUM Y/C IS	.559999					
SLOPE CHANGES SIGN AT X/C, Y/C =	.374809					
X/C FIT OF ELLIPSE	.005524					
Y/C FIT OF ELLIPSE	.010230					
SLOPE FIT OF ELLIPSE	.875570					
RADIUS AT ORIGIN OF ELLIPSE	ELLIPSE THRU XT(11)/C,YT(11)/C					
RATIO OF T/C INPUT TO T/C COMPUTED IS	.999993					
CUMULATIVE SCALING CF EPS,PSI	.571956					
NUMBER OF ITERATIONS=	4					
 X/C	Y/C	DY/DX	D2Y/DX ²	X	Y	
C.000000	C.000000*000000.000000*000000.000000			0.000000	0.000000	
*.000250	*.002255	4.131807	-1285.416924	*.001000	*.009018	
*.000500	*.003156	3.121326	-3039.995834	*.002000	*.012626	
*.000750	*.003879	2.440607	-861.366352	*.003000	*.015517	
*.001000	*.004459	2.175085	-1012.816131	*.004000	*.017834	
*.001250	*.004964	1.971195	-835.047477	*.005000	*.019857	
*.001500	*.005441	1.775869	-594.256452	*.006000	*.021765	
*.001750	*.005873	1.632783	-456.780804	*.007000	*.023490	
*.002000	*.006263	1.534051	-403.760988	*.008000	*.025052	
*.002250	*.006639	1.435421	-329.337913	*.009000	*.026557	
*.002500	*.006982	1.365550	-295.964554	*.010000	*.027927	
*.002750	*.007317	1.293897	-253.258692	*.011000	*.029270	
*.003000	*.007636	1.231598	-219.588876	*.012000	*.030545	
*.003250	*.007932	1.184026	-201.449334	*.013000	*.031729	
*.003500	*.008224	1.135046	-179.341768	*.014000	*.032896	
*.003750	*.008505	1.090799	-160.686953	*.015000	*.034019	

X/C	Y/C	DY/DX	D2Y/DX2	X	Y
.C04000	.008774	1.051285	-145.484888	.016000	.035096
.004250	.C09028	1.019076	-133.893193	.017000	.036113
.0C4500	.009280	.985605	-125.386881	.018000	.037121
.004750	.009525	.954728	-120.202245	.019000	.038098
.CC5000	.009761	.926444	-118.339285	.020000	.039043
.005250	.C09985	.902544	-129.996495	.021000	.039941
.CC5500	.C102C9	.877865	-125.754737	.022000	.040836
.C05750	.010427	.854758	-119.018470	.023000	.041708
.006000	.010639	.833224	-109.787694	.024000	.042556
.006250	.010842	.814898	-86.834845	.025000	.043366
.0C6500	.C11044	.795887	-76.897514	.026000	.044174
.006750	.011241	.777840	-68.640810	.027000	.044965
.007000	.011434	.760757	-62.064732	.028000	.045738
.0C7250	.C11623	.744640	-57.169281	.C29000	.046493
.007500	.C11804	.730398	-58.902952	.030000	.047217
.CC7750	.011986	.715929	-55.844655	.031000	.047942
.008000	.012164	.702151	-52.974043	.032000	.048654
.0C8250	.C12338	.689063	-50.291118	.033000	.049353
.008500	.012510	.676666	-47.795879	.034000	.050039
.CC8750	.012678	.664958	-45.488326	.035000	.050712
.009000	.012840	.655005	-43.462929	.036000	.051362
.009250	.C13003	.644229	-41.490895	.037000	.052013
.009500	.013164	.633848	-39.680346	.038000	.052654
.009750	.013321	.623861	-38.31281	.039000	.053285
.010000	.013477	.614270	-36.543701	.040000	.053906
.010250	.013629	.605074	-35.217606	.041000	.054517
.010500	.013777	.596668	-34.650014	.042000	.055109
.010750	.C13926	.588122	-33.435851	.043000	.055703
.011000	.014072	.579881	-32.245275	.044000	.056289
.011250	.014217	.571944	-31.078285	.045000	.056867
.011500	.014359	.564310	-29.934882	.046000	.057437
.011750	.C14500	.556981	-28.815066	.047000	.057999
.012000	.014636	.550450	-27.501208	.048000	.058543
.012250	.014773	.543634	-26.470002	.049000	.059091
.012500	.014908	.537033	-25.501899	.050000	.059633
.015000	.016180	.482103	-18.897974	.060000	.064720
.C17500	.017331	.440913	-14.046042	.070000	.069326
.020000	.018393	.411037	-10.489436	.080000	.073573
.022500	.019391	.387965	-8.134129	.090000	.077563
.025000	.020337	.369531	-6.740138	.100000	.081348
.027500	.C21241	.353858	-5.815760	.110000	.084963
.030000	.022108	.340228	-5.194567	.120000	.088432
.032500	.022943	.327704	-4.774443	.130000	.091771

X/C	Y/C	DY/DX	D2Y/DX2	X	Y
.035000	.023747	.316500	-4. 194250	.140000	.094990
.C3750C	.024526	.306615	-3. 792967	.150000	.098105
.040000	.025281	.297336	-3. 586336	.160000	.101125
.0425C0	.026013	.288436	-3. 513660	.170000	.104053
.04500C	.026724	.279882	-3. 306920	.180000	.106895
.047500	.027413	.271930	-3. 068947	.190000	.109652
.C5C00	.028084	.264427	-2. 908264	.200000	.112335
.052500	.028736	.257318	-2. 803309	.210000	.114944
.055000	.029370	.250411	-2. 674179	.220000	.117481
.0575C0	.029988	.243965	-2. 527467	.230000	.119953
.06C000	.030591	.237860	-2. 362769	.240000	.122363
.0625C0	.031178	.232097	-2. 180705	.250000	.124711
.065000	.031751	.227000	-1. 985979	.260000	.127006
.067500	.032313	.222050	-1. 907873	.270000	.129251
.070000	.032862	.217258	-1. 947578	.280000	.131448
.072500	.033399	.212405	-1. 813280	.290000	.133595
.0750C0	.033925	.208054	-1. 666697	.300000	.135699
.077500	.034440	.204286	-1. 487686	.310000	.137758
.080000	.034946	.200488	-1. 457313	.320000	.139783
.C82500	.035443	.196758	-1. 530565	.330000	.141771
.0850C0	.035929	.192922	-1. 444017	.340000	.143716
.C8750C	.036407	.189428	-1. 353455	.350000	.145629
.090000	.036877	.186315	-1. 241184	.360000	.147509
.092500	.037339	.183221	-1. 186846	.370000	.149357
.095000	.037793	.180206	-1. 180733	.380000	.151172
.097500	.038240	.177275	-1. 173892	.390000	.152960
.100000	.038680	.174422	-1. 177135	.400000	.154720
.110000	.040368	.163661	-1. 965403	.440000	.161471
.120000	.041954	.153671	-1. 952923	.480000	.167816
.130000	.043445	.144668	-1. 847987	.520000	.173780
.140000	.044850	.136293	-1. 838410	.560000	.179401
.15000C	.046174	.128546	-1. 768840	.600000	.184694
.160000	.047420	.120926	-1. 740197	.640000	.189680
.170000	.048593	.113979	-1. 630416	.680000	.194372
.180000	.049701	.107394	-1. 697222	.720000	.198803
.19C000	.050741	.100967	-1. 582839	.760000	.202964
.200000	.051721	.094992	-1. 633926	.800000	.206883
.210200	.052639	.088681	-1. 595725	.840000	.210556
.220300	.053498	.083071	-1. 559363	.880000	.213992
.230000	.054302	.077619	-1. 578859	.920000	.217206
.240000	.055048	.071700	-1. 570007	.960000	.220191
.250300	.055739	.066482	-1. 525489	1. 000000	.222954
.26C300	.056376	.060998	-1. 567896	.060000	.225506

X/C	Y/C	DY/DX	D2Y/DX2	X	Y
-270000	•056959	•055975	-•510045	•1.080000	•227838
•280000	•057492	•050372	-•553912	1•120000	•229969
•290000	•057972	•045436	-•513047	1•160000	•231886
•300000	•058399	•040450	-•469088	1•200000	•233597
•310000	•058780	•035427	-•502303	1•240000	•235121
•320000	•059112	•030787	-•465131	1•280000	•236446
•330000	•059394	•025770	-•499237	1•320000	•237576
•340000	•059628	•020868	-•535935	1•360000	•238511
•350000	•059808	•015195	-•584615	1•400000	•239233
•360000	•059931	•009286	-•622033	1•440000	•239725
•370000	•059993	•003005	-•618603	1•480000	•239970
•380000	•059991	-•003787	-•739954	1•520000	•239964
•390000	•059916	-•010984	-•691783	1•560000	•239664
•400000	•059771	-•018318	-•774198	1•600000	•239084
•410000	•059549	•025535	-•697321	1•640000	•238197
•420000	•059258	-•032895	-•734415	1•680000	•237031
•430000	•058895	•039294	-•579401	1•720000	•235581
•440000	•058473	-•045415	-•635778	1•760000	•233893
•450000	•057989	-•051295	-•549696	1•800000	•231957
•460000	•057449	-•056766	-•503231	1•840000	•229795
•470000	•056857	-•061438	-•470018	1•880000	•227427
•480000	•056218	-•066406	-•487960	1•920000	•224873
•490000	•055532	-•070483	-•427034	1•960000	•222130
•500000	•054804	-•075248	-•480101	2•000000	•219217
•510000	•054031	-•079248	-•347595	2•040000	•216124
•520000	•053220	-•083100	-•396654	2•080000	•212882
•530000	•052370	-•086782	-•350193	2•120000	•209481
•540000	•051485	-•090449	-•376789	2•160000	•205939
•550000	•050561	-•094095	-•324739	2•200000	•202246
•560000	•049605	-•097024	-•277649	2•240000	•198420
•570000	•048620	-•100224	-•363088	2•280000	•194479
•580000	•047599	-•103419	-•259920	2•320000	•190397
•590000	•046552	-•106151	-•304461	2•360000	•186208
•600000	•045476	-•108979	-•240520	2•400000	•181903
•610000	•044375	-•111386	-•262069	2•440000	•177500
•620000	•043243	-•113849	-•231948	2•480000	•172992
•630000	•042098	-•116246	-•241424	2•520000	•168393
•640000	•040925	-•118227	-•201310	2•560000	•163698
•650000	•039732	-•120453	-•208074	2•600000	•158926
•660000	•038518	-•122137	-•162269	2•640000	•154072
•670000	•037287	-•123971	-•162453	2•680000	•149150
•680000	•036040	-•125576	-•178035	2•720000	•144161
•690000	•034776	-•127189	-•125694	2•760000	•139102

X/C	Y/C	0Y/DX	D2Y/DX2	X	Y
.700000	.033498	-.128526	-.163267	2.800000	*133993
.710000	.032206	-.129741	-.080172	2.840000	.128824
.720000	.030905	-.130622	-.141180	2.880000	.123620
.730000	.029593	-.131871	-.058873	2.920000	.118372
.740000	.028272	-.132163	-.054710	2.960000	.113089
.750000	.026946	-.133067	-.015654	3.000000	.107782
.760000	.025616	-.132976	-.012197	3.040000	.102465
.770000	.024284	-.133401	-.005723	3.080000	.097136
.780000	.022951	-.133128	-.027803	3.120000	.091803
.790000	.021620	-.133042	-.050847	3.160000	.086480
.800000	.020293	-.132317	-.069279	3.200000	.081173
.810000	.018973	-.131472	-.108890	3.240000	.075893
.820000	.017663	-.130418	-.110927	3.280000	.070654
.830000	.016366	-.129108	-.165715	3.320000	.065465
.840000	.015084	-.127349	-.1498C1	3.360000	.060337
.850000	.013819	-.125568	-.213344	3.400000	.055275
.860000	.012574	-.123352	-.232909	3.440000	.050297
.870000	.011354	-.120612	-.244717	3.480000	.045416
.880000	.010159	-.118133	-.347474	3.520000	.040637
.890000	.008996	-.114882	-.325847	3.560000	.035982
.900000	.007865	-.111323	-.356857	3.600000	.031459
.910000	.006772	-.107115	-.394637	3.640000	.027087
.920000	.005721	-.102727	-.556129	3.680000	.022883
.930000	.004719	-.097782	-.525721	3.720000	.018877
.940000	.003771	-.091872	-.584132	3.760000	.015083
.950000	.002884	-.085025	-.742857	3.800000	.011536
.960000	.002073	-.076778	-.835825	3.840000	.008293
.970000	.001351	-.066920	-.980104	3.880000	.005404
.980000	.000739	-.055011	1.385235	3.920000	.002955
.990000	.000263	-.039270	2.054028	3.960000	.001054
1.000000	.000000	-.001845	20.958633	4.000000	.000000

TABLE II

SAMPLE COMPUTER PRINTOUT OF ORDINATES FOR CAMBERED AIRFOIL

NACA 64-412

T/C= .120000 RLE= .010400 CHD= 4.000000
 CLI= .400000 A= 1.000000
 RAT(1)= 1.000000
 RAT(2)= *58127
 RAT(3)= *98427
 RAT(4)= *99970

PEAK IS AT X/C= .375985
 MAXIMUM Y/C IS .059999
 SLOPE CHANGES SIGN AT X/C, Y/C = .374809 .0600000
 X/C FIT OF ELLIPSE *005524
 Y/C FIT OF ELLIPSE .010230
 SLOPE FIT OF ELLIPSE *875570
 RADIUS AT ORIGIN OF ELLIPSE THRU XT(11)/C, YT(11)/C .0C9993
 RATIO OF T/C INPUT TO T/C COMPUTED IS .999994
 CUMULATIVE SCALING OF EPS, PSI .571956
 NUMBER OF ITERATIONS= 4

UNCAMBERED X/C	UPPER SURFACE VALUES				LOWER SURFACE VALUES			
	X/C	Y/C	XU	YU	X/C	Y/C	XL	YL
0.000000	0.000000	0.000000	0.000000	-5.935031	0.000000	0.000000	0.000000	-5.935031
*0.00250	-0.00125	.002297	-.000500	13.559855	*0.00625	-.002149	-.002500	-2.315002
*0.00500	-0.00025	.003249	-.000099	6.749988	*0.01025	-.002976	-.004099	-1.915185
*0.00750	-0.00105	.004021	-.000420	1.6083	*0.01395	-.003630	-.005580	-1.591954
*0.01000	-0.00259	.004648	-.001035	0.18593	*0.01741	-.00445	-.006965	-1.451314
*0.01250	-0.00425	.005201	-.001698	-.020804	*0.02075	-.004589	-.008302	-1.335971
*0.01500	-0.00595	.005724	-.002381	-.022895	*0.02405	-.005007	-.009619	-1.221811
*0.01750	-0.00774	.006200	-.003095	-.024801	*0.02726	-.005382	-.010905	-1.133720
*0.02000	-0.00959	.006635	-.003835	-.026540	*0.03041	-.005717	-.012165	-1.070991
*0.02250	-0.01146	.007055	-.004585	-.028220	*0.03457	-.006039	-.013415	-1.006665
*0.02500	-0.01339	.007441	-.005358	-.029764	*0.03661	-.006328	-.014642	-1.000058
*0.02750	-0.01534	.007819	-.006135	-.031277	*0.03966	-.006612	-.015865	-1.01335
*0.03000	-0.01731	.008180	-.006923	-.032721	*0.04269	-.006880	-.017077	-1.02750
*0.03250	-0.01932	.008518	-.007727	-.034071	*0.04568	-.007126	-.018273	-1.021526
*0.03500	-0.02133	.008851	-.008533	-.035404	*0.04867	-.007368	-.019467	-1.028504
*0.03750	-0.02337	.009172	-.009347	-.036899	*0.05163	-.007600	-.020402	-1.032937
*0.04000	-0.02542	.009482	-.010168	-.037928	*0.05458	-.007922	-.021832	-1.032116
*0.04250	-0.02750	.009776	-.010999	-.039106	*0.05750	-.008029	-.023001	-1.036651
*0.04500	-0.02958	.010068	-.011832	-.040273	*0.06062	-.008234	-.024168	-1.032937
*0.04750	-0.03167	.010352	-.012670	-.041407	*0.06333	-.008432	-.025330	-1.037334
*0.05000	-0.03378	.010627	-.013513	-.042509	*0.06622	-.008623	-.026487	-1.045687
*0.05250	-0.03606	.010893	-.014424	-.043572	*0.0694	-.008805	-.027576	-1.035221
*0.05500	-0.03834	.011158	-.015335	-.044631	*0.07166	-.008987	-.028665	-1.035967
*0.05720	-0.04062	.011416	-.016249	-.045665	*0.07438	-.009163	-.029751	-1.036104
*0.06000	-0.04292	.011669	-.017168	-.046674	*0.07708	-.009334	-.030832	-1.037334
*0.06220	-0.04523	.011911	-.018092	-.047645	*0.07977	-.009495	-.031908	-1.037981
*0.06500	-0.04754	.012153	-.019017	-.048612	*0.08246	-.009657	-.032983	-1.038626
*0.06750	-0.04986	.012390	-.019944	-.049560	*0.08514	-.009814	-.034056	-1.039256
*0.07000	-0.05219	.012622	-.019970	-.050490	*0.08874	-.009967	-.035126	-1.039869

88 UNCAMBERED

X/C	Y/C	UPPER SURFACE VALUES				LOWER SURFACE VALUES				DYL/DXL
		XU	YU	XU	YU	XL/C	YL/C	XL	YL	
*005452	*012850	*021807	*021401	*063247	-036193	-0.040466	-0.040466	-0.040466	-0.040466	-0.550702
*005686	*013070	*022745	*052280	*94827	-009314	-0.010258	-0.010258	-0.010258	-0.010258	-0.539516
*005920	*013290	*023682	*052159	*926255	-009580	-0.010400	-0.010400	-0.010400	-0.010400	-0.528063
*007500	*013506	*024621	*054024	*908642	*009845	-0.010540	-0.010540	-0.010540	-0.010540	-0.517121
*008000	*013719	*025562	*054875	*891972	*010109	-0.010676	-0.010676	-0.010676	-0.010676	-0.506696
*008250	*013928	*026505	*055712	*876230	*010374	-0.010809	-0.010809	-0.010809	-0.010809	-0.496799
*008500	*014034	*027450	*056536	*861403	*010638	-0.010940	-0.010940	-0.010940	-0.010940	-0.487437
*008750	*014134	*028468	*057335	*848734	*010900	-0.011064	-0.011064	-0.011064	-0.011064	-0.479541
*009000	*014334	*028398	*058135	*829346	*010935	-0.011363	-0.011363	-0.011363	-0.011363	-0.470885
*009250	*014534	*028255	*058924	*821228	*011426	-0.011426	-0.011426	-0.011426	-0.011426	-0.462526
*009500	*014731	*030295	*063402	*809622	*011688	-0.011688	-0.011688	-0.011688	-0.011688	-0.454467
*009750	*014925	*031246	*065977	*796400	*011950	-0.011950	-0.011950	-0.011950	-0.011950	-0.446714
*010000	*015050	*031117	*064069	*792198	*012038	-0.012038	-0.012038	-0.012038	-0.012038	-0.439269
*010250	*015152	*03152	*061226	*786173	*012212	-0.012212	-0.012212	-0.012212	-0.012212	-0.432482
*010500	*015491	*034108	*061962	*775677	*012473	-0.012473	-0.012473	-0.012473	-0.012473	-0.425543
*010750	*015675	*03564	*062700	*765064	*012734	-0.012734	-0.012734	-0.012734	-0.012734	-0.425543
*011000	*015827	*036021	*063402	*754847	*012995	-0.012995	-0.012995	-0.012995	-0.012995	-0.418842
*011250	*016038	*036979	*064450	*745022	*013255	-0.013255	-0.013255	-0.013255	-0.013255	-0.412382
*011500	*016216	*037938	*064862	*735586	*013516	-0.013516	-0.013516	-0.013516	-0.013516	-0.406164
*011750	*016391	*038898	*065586	*726534	*013776	-0.013776	-0.013776	-0.013776	-0.013776	-0.400192
*012000	*016563	*039860	*066251	*718428	*014035	-0.014035	-0.014035	-0.014035	-0.014035	-0.394908
*012250	*016735	*040822	*066939	*710027	*014294	-0.014294	-0.014294	-0.014294	-0.014294	-0.389350
*012500	*016905	*041785	*067620	*701900	*014554	-0.014554	-0.014554	-0.014554	-0.014554	-0.383962
*015000	*018517	*045155	*074069	*634450	*017136	-0.017136	-0.017136	-0.017136	-0.017136	-0.359131
*017500	*019996	*061184	*079985	*584021	*019704	-0.019704	-0.019704	-0.019704	-0.019704	-0.305570
*020000	*017739	*021374	*070955	*085498	*574089	-0.022261	-0.022261	-0.022261	-0.022261	-0.281646
*022500	*020189	*022678	*080755	*090712	*518278	-0.024811	-0.024811	-0.024811	-0.024811	-0.263500
*025000	*023921	*090577	*095686	*494998	*027356	-0.027356	-0.027356	-0.027356	-0.027356	-0.249282
*027500	*025105	*100418	*100457	*475091	*029895	-0.029895	-0.029895	-0.029895	-0.029895	-0.237331
*030000	*027569	*026253	*110275	*457696	*032431	-0.032431	-0.032431	-0.032431	-0.032431	-0.227040
*032500	*030036	*027372	*120144	*109489	*441756	-0.034964	-0.034964	-0.034964	-0.034964	-0.217566
*035000	*032507	*028445	*130027	*113782	*427447	-0.037493	-0.037493	-0.037493	-0.037493	-0.209152
*037500	*034980	*034280	*139920	*117947	*414726	-0.040020	-0.040020	-0.040020	-0.040020	-0.201832
*040000	*037456	*030499	*149822	*121995	*402815	-0.042544	-0.042544	-0.042544	-0.042544	-0.194943
*042500	*039933	*021483	*159734	*125930	*391456	-0.045067	-0.045067	-0.045067	-0.045067	-0.186286
*045000	*042413	*032440	*169654	*129760	*380594	-0.047587	-0.047587	-0.047587	-0.047587	-0.181844
*047500	*044896	*033372	*179582	*137120	*370480	-0.050104	-0.050104	-0.050104	-0.050104	-0.175877
*050000	*047379	*034280	*189517	*137120	*360941	-0.052621	-0.052621	-0.052621	-0.052621	-0.170251
*052500	*049865	*035166	*199460	*14C664	*351908	-0.055135	-0.055135	-0.055135	-0.055135	-0.164922
*055000	*052352	*036030	*209409	*144120	*343172	-0.056468	-0.056468	-0.056468	-0.056468	-0.159709
*057500	*067303	*040067	*209409	*163293	*343172	-0.057697	-0.057697	-0.057697	-0.057697	-0.154876
*060000	*07331	*041567	*229324	*150794	*327238	-0.060159	-0.060159	-0.060159	-0.060159	-0.150310
*062500	*072296	*038522	*239290	*154C17	*31901	-0.063669	-0.063669	-0.063669	-0.063669	-0.146018
*065000	*062315	*043011	*249260	*157173	*313310	-0.067685	-0.067685	-0.067685	-0.067685	-0.142326
*067500	*064809	*040067	*259235	*160267	*306923	-0.070191	-0.070191	-0.070191	-0.070191	-0.136737
*070000	*077291	*043714	*209409	*144120	*343172	-0.072471	-0.072471	-0.072471	-0.072471	-0.132388
*072500	*069799	*041567	*229324	*150794	*327238	-0.075669	-0.075669	-0.075669	-0.075669	-0.131645
*075000	*072296	*042296	*239290	*154C17	*31901	-0.07704	-0.07704	-0.07704	-0.07704	-0.128505
*077500	*074793	*043011	*299173	*172043	*283937	-0.082017	-0.082017	-0.082017	-0.082017	-0.123904
*080000	*077291	*043714	*309166	*174856	*278948	-0.082109	-0.082109	-0.082109	-0.082109	-0.122337
*082500	*079790	*044406	*319161	*177623	*274064	-0.085210	-0.085210	-0.085210	-0.085210	-0.120606
*085000	*082290	*045084	*329160	*180335	*269107	-0.087710	-0.087710	-0.087710	-0.087710	-0.117840
*087500	*084790	*045751	*339162	*183004	*264528	-0.090210	-0.090210	-0.090210	-0.090210	-0.107446
*090000	*087291	*046408	*349166	*185631	*260366	-0.092709	-0.092709	-0.092709	-0.092709	-0.108591
*092500	*089793	*047054	*359172	*188216	*256249	-0.095207	-0.095207	-0.095207	-0.095207	-0.111559
*095000	*092500	*047690	*369181	*190758	*252240	-0.097705	-0.097705	-0.097705	-0.097705	-0.109100
*097500	*094798	*048316	*379192	*193265	*248339	-0.102022	-0.102022	-0.102022	-0.102022	-0.111891

UNCAMBERED		X/C	YU/C	XU	YU	DYU/DXU	XL/C	YL/C	XL	YL	DYL/DXL
100000	-0.097301	-0.048934	-389205	-195734	-244541	-0.028238	-410795	-1112952	-105155	-116995	-0.097830
110000	-0.107319	-0.051308	-429278	-205234	-230218	-0.029249	-450722	-122655	-120622	-120761	-0.09998
120000	-0.117345	-0.053549	-469318	-214198	-216964	-0.030190	-490622	-132624	-130167	-124267	-0.084921
130000	-0.127376	-0.055665	-509504	-222659	-204947	-0.031067	-530496	-142587	-140840	-127540	-0.079277
140000	-0.137413	-0.057666	-549657	-230664	-193767	-0.031885	-570349	-152546	-150592	-132648	-0.074095
150000	-0.147454	-0.059559	-589818	-238234	-183393	-0.032648	-610182	-162499	-160359	-133436	-0.068897
160000	-0.157501	-0.061349	-630002	-245397	-173298	-0.033359	-649998	-172449	-170202	-164009	-0.064246
170000	-0.167551	-0.063043	-670202	-252170	-164009	-0.034020	-689798	-182396	-179584	-178552	-0.059847
180000	-0.177604	-0.064648	-710416	-258191	-151971	-0.034638	-729584	-192339	-190209	-182510	-0.055510
190000	-0.187661	-0.066164	-750642	-264656	-146647	-0.035210	-769358	-202280	-1980120	-192969	-0.051538
200000	-0.197720	-0.067599	-790880	-270395	-138638	-0.035742	-809120	-212218	-208074	-19877	-0.032030
210000	-0.207782	-0.068952	-831128	-275808	-130375	-0.038104	-848872	-222154	-21802	-2036683	-0.043460
220000	-0.217846	-0.070227	-871386	-280907	-122885	-0.038365	-888614	-281728	-242087	-237096	-0.039743
230000	-0.227913	-0.071427	-911652	-285708	-115617	-0.037096	-928348	-301929	-290209	-242018	-0.035560
240000	-0.237982	-0.072552	-951926	-290209	-107943	-0.037469	-968074	-301948	-251022	-251948	-0.032030
250000	-0.248052	-0.073604	-992208	-294417	-101022	-0.037805	-1047504	-312232	-261876	-261876	-0.028185
260000	-0.258124	-0.074586	-1.032496	-298345	-938846	-0.038104	-1087210	-321418	-271802	-271802	-0.024762
270000	-0.268198	-0.075497	-1.072790	-301986	-87251	-0.038365	-1087210	-321418	-305362	-308080	-0.020715
280000	-0.278272	-0.076341	-1.113090	-305362	-818262	-0.038592	-1126910	-321339	-281728	-281728	-0.017304
290000	-0.290000	-0.080019	-1.354965	-320077	-91820	-0.0373610	-116606	-319152	-291652	-291652	-0.013810
300000	-0.300000	-0.298426	-0.077822	-1.193702	-311293	-0.037174	-1038934	-311497	-301929	-301929	-0.010250
310000	-0.308503	-0.078468	-1.234014	-313871	-906632	-0.039055	-1245986	-312232	-312232	-312232	-0.009951
320000	-0.318582	-0.079048	-1.274329	-316194	-854548	-0.039141	-1285671	-321418	-312232	-312232	-0.007048
330000	-0.328661	-0.079565	-1.314646	-318262	-808115	-0.039192	-1325354	-321339	-312232	-312232	-0.003441
340000	-0.338741	-0.080019	-1.354965	-320077	-91820	-0.039210	-1365035	-321339	-312232	-312232	-0.000072
350000	-0.348822	-0.080406	-1.395287	-321622	-94781	-0.039178	-1365035	-321339	-312232	-312232	-0.004383
360000	-0.358903	-0.080720	-1.435610	-322880	-97527	-0.039197	-1444390	-321339	-312232	-312232	-0.002050
370000	-0.368984	-0.080959	-1.475935	-323837	-99922	-0.039009	-1484065	-321339	-312232	-312232	-0.001911
380000	-0.379065	-0.081122	-1.516261	-324487	-98126	-0.039035	-1523739	-321339	-312232	-312232	-0.0019401
390000	-0.389147	-0.081197	-1.556588	-324787	-934125	-0.039053	-1563412	-321339	-312232	-312232	-0.0025314
400000	-0.399229	-0.081189	-1.596915	-324754	-905265	-0.040771	-1563085	-321339	-312232	-312232	-0.001377
410000	-0.409310	-0.081090	-1.637241	-324361	-913745	-0.041090	-15642759	-321339	-312232	-312232	-0.001377
420000	-0.419391	-0.080959	-1.677565	-323837	-91922	-0.042090	-16422759	-321339	-312232	-312232	-0.001377
430000	-0.429472	-0.080644	-1.717887	-322574	-930012	-0.0430528	-167609	-321339	-312232	-312232	-0.001377
440000	-0.439551	-0.080305	-1.758205	-321221	-937383	-0.044049	-1707195	-321339	-312232	-312232	-0.001377
450000	-0.449630	-0.079892	-1.798518	-319568	-945152	-0.0450370	-1744335	-321339	-312232	-312232	-0.001377
460000	-0.459707	-0.079410	-1.838827	-317638	-951232	-0.046090	-178515	-321339	-312232	-312232	-0.001377
470000	-0.469783	-0.078863	-1.879130	-315450	-957156	-0.0470217	-1820870	-321339	-312232	-312232	-0.001377
480000	-0.479857	-0.078256	-1.919427	-313025	-963375	-0.0480143	-185770	-321339	-312232	-312232	-0.001377
490000	-0.489929	-0.077590	-1.959717	-310359	-968708	-0.049071	-189570	-321339	-312232	-312232	-0.001377
500000	-0.500000	-0.076868	-2.000000	-307472	-974727	-0.050000	-193741	-321339	-312232	-312232	-0.001377
510000	-0.510000	-0.076088	-2.040275	-304352	-979987	-0.050931	-197770	-321339	-312232	-312232	-0.001377
520000	-0.520136	-0.075258	-2.080542	-301033	-985105	-0.051964	-2019458	-321339	-312232	-312232	-0.001377
530000	-0.530200	-0.074376	-2.120801	-297505	-990059	-0.0529800	-2119199	-321339	-312232	-312232	-0.001377
540000	-0.540263	-0.073446	-2.161051	-293782	-995002	-0.0539737	-2167226	-321339	-312232	-312232	-0.001377
550000	-0.550323	-0.072465	-2.201292	-285858	-99933	-0.0549677	-220856	-321339	-312232	-312232	-0.001377
560000	-0.560381	-0.071437	-2.241523	-285749	-104157	-0.0559619	-2247747	-321339	-312232	-312232	-0.001377
570000	-0.570436	-0.070368	-2.281745	-281473	-1086660	-0.0569564	-2286867	-321339	-312232	-312232	-0.001377
580000	-0.580489	-0.069251	-2.321956	-277005	-113168	-0.0579511	-2357843	-321339	-312232	-312232	-0.001377
590000	-0.590539	-0.068094	-2.362157	-272375	-117226	-0.0589461	-245004	-321339	-312232	-312232	-0.001377
600000	-0.600587	-0.066895	-2.402348	-267578	-121393	-0.0599413	-2517652	-321339	-312232	-312232	-0.001377
610000	-0.610632	-0.065657	-2.442527	-262633	-125153	-0.0609368	-2597747	-321339	-312232	-312232	-0.001377
620000	-0.620674	-0.064380	-2.482695	-257522	-128984	-0.0619326	-262105	-321339	-312232	-312232	-0.001377
630000	-0.630713	-0.063068	-2.522852	-252270	-132766	-0.0629287	-267117	-321339	-312232	-312232	-0.001377
640000	-0.640749	-0.061717	-2.562998	-246867	-136151	-0.0639251	-270119	-321339	-312232	-312232	-0.001377
650000	-0.650783	-0.060333	-2.603131	-241331	-139799	-0.0649217	-2747305	-321339	-312232	-312232	-0.001377

UNCAMBERED		UPPER SURFACE VALUES				LOWER SURFACE VALUES			
X/C	XU/C	YU/C	XU	YU	DYU/DXU	XL/C	YL/C	XL	YL
.660000	*.660813	*.058914	2.643252	*.235657	-.142927	*.659187	-.018105	2.636748	-.072419
.670000	*.670840	*.057464	2.683361	*.229858	-.146226	*.669160	-.017091	2.676639	-.068336
.680000	*.680864	*.055984	2.723458	*.223935	-.149323	*.679136	-.016076	2.716542	-.064304
.690000	*.690885	*.054471	2.763542	*.217884	-.152454	*.689115	-.015058	2.756458	-.060231
.700000	*.700903	*.052931	2.803613	*.211722	-.155337	*.699097	-.014042	2.796387	-.056167
.710000	*.710918	*.051360	2.843670	*.205440	-.158129	*.709082	-.013026	2.816330	-.052103
.720000	*.720929	*.049765	2.883715	*.199061	-.160621	*.719071	-.012017	2.876285	-.048067
.730000	*.730936	*.048144	2.923746	*.192575	-.163518	*.729064	-.011012	2.916254	-.044049
.740000	*.740941	*.046497	2.963763	*.185990	-.165494	*.739059	-.010016	2.956237	-.040662
.750000	*.750942	*.044829	3.003767	*.179315	-.168130	*.749058	-.009029	2.996233	-.036117
.760000	*.760939	*.043140	3.043757	*.172562	-.169811	*.759061	-.008058	3.036243	-.032231
.770000	*.770933	*.041432	3.083733	*.165727	-.172064	*.769067	-.007100	3.076267	-.028401
.780000	*.780924	*.039704	3.123696	*.158817	-.173672	*.779076	-.006160	3.116304	-.024641
.790000	*.790911	*.037961	3.163644	*.151842	-.175530	*.789089	-.005241	3.158356	-.020964
.800000	*.800895	*.036202	3.203578	*.144808	-.176812	*.799105	-.004445	3.196422	-.017381
.810000	*.810875	*.034430	3.243499	*.137720	-.178051	*.809125	-.003476	3.236501	-.013904
.820000	*.820852	*.032648	3.283406	*.130592	-.179163	*.819148	-.002638	3.276594	-.010552
.830000	*.830825	*.030857	3.323300	*.123427	-.180112	*.829175	-.001834	3.316700	-.007336
.840000	*.840795	*.029058	3.363180	*.116234	-.180713	*.839205	-.001068	3.356820	-.004273
.850000	*.850762	*.027253	3.403047	*.109012	-.181413	*.849238	-.000342	3.396953	-.001370
.860000	*.860725	*.025444	3.442901	*.101775	-.181813	*.859275	-.000337	3.437099	-.001348
.870000	*.870686	*.023632	3.482743	*.094530	-.181840	*.869314	-.000966	3.477257	-.003863
.880000	*.880643	*.021819	3.522572	*.087474	-.182318	*.879357	-.001541	3.517428	-.001662
.890000	*.890597	*.020006	3.562389	*.080022	-.182233	*.889403	-.002054	3.557611	-.008217
.900000	*.900549	*.018193	3.602195	*.072773	-.182096	*.899451	-.002502	3.597805	-.010098
.910000	*.910497	*.016384	3.641989	*.065534	-.181618	*.909503	-.002877	3.638011	-.011506
.920000	*.920443	*.014577	3.681774	*.058308	-.181350	*.919557	-.003170	3.678226	-.012680
.930000	*.930387	*.012777	3.721549	*.051107	-.181016	*.929613	-.003370	3.718451	-.013481
.940000	*.940329	*.010981	3.761316	*.043924	-.180356	*.939671	-.003468	3.758684	-.013873
.950000	*.950269	*.009190	3.801076	*.036761	-.179640	*.949731	-.003448	3.798924	-.013790
.960000	*.960209	*.007409	3.840835	*.029634	-.18799	*.959791	-.003283	3.839165	-.013132
.970000	*.970149	*.005632	3.880594	*.022527	-.178376	*.969851	-.002946	3.879406	-.011785
.980000	*.980091	*.003854	3.920363	*.015415	-.17623	*.979909	-.002388	3.919637	-.009550
.990000	*.990038	*.002043	3.960153	*.008173	-.166149	*.989962	-.001522	3.959847	-.006088
1.000000	*.000000	*.000000	*.000000	*.000000	*.000000	*.000000	*.000000	*.000000	*.000000




Figure 1.- Illustration of transformations used to derive airfoils and calculate pressure distribution. (From ref. 1.)




Figure 2.- Variation of thickness-chord ratio for NACA 64-series airfoils.




Figure 3.- NACA 6-series family variations for 12-percent-thick airfoils.




Figure 3.- Concluded.




Figure 4.- NACA 6A-series family variations for 12-percent-thick airfoils.




Figure 5.- Variation of design lift coefficient for NACA 64-series 12-percent-thick airfoils.




Figure 6.- Variation of mean line loading for NACA 64-412 airfoil.




Figure 7.- Combinations of mean lines for NACA 66-series 16-percent-thick airfoils.






Figure 8.- Mean lines for NACA 6- and 6A-series airfoils.




Figure 9.- Combinations of mean lines for NACA 6-series airfoils.




Figure 10.- Comparison of computer-generated ordinates and previously published ordinates for leading-edge region of an NACA 64A015 airfoil section.

